


Name	o1uameqb.zip	Id.	18558 - QED OK
Report Generated on	Feb 24, 2025, 2:21:18 AM	Customer	InstantDFM

Single PCB View - Original



Summary - General - Original

PCB Size	3.979 inch x 4.075 inch	Customer Panel Size	
PCB Thickness	62 mil	Max. Aspect Ratio on PTH	6.1
Copper Layers	2	Pressing Stages	1
Surface Finish	unknown	Drill Hole Density	12 Holes/inch ²
Solder Mask	Both	Testable Points	419
Solder Mask Color	Green	Min. SMD/BGA Size	22.64 mil
Legend	Both	Via in Pad	No
Legend Color	White	Stacked Vias	
Edge Connector Area	0 inch ²	Castellated	No
Peeloff Mask	No	Anomalies	No
Carbon Mask	No		

Summary - Copper Layer Minima - Original

Type	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Trace to Trace Clr.	Same Net Clr.	Ring	Copper to Plated Clr.	Copper to NPTH Clr.	Copper to Outline Clr.
	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
Outer	¹ 6.44	² 10.00	³ 10.00	⁴ 10.00	⁵ 10.00	⁶ 29.02	⁷ 10.00	⁸ 10.63	⁹ 20.63	¹⁰ 10.00	¹¹ 13.31

Name	o1uameqb.zip	Id.	18558 - QED OK
Report Generated on	Feb 24, 2025, 2:21:18 AM	Customer	InstantDFM

Summary - Sequences - Original

Type	Sequences	Tools	Min. End Dia.	Max. End Dia.	Holes	Routes	Ring on Outer	Ring on Inner	Hole to Copper Clr.
			mil	mil			mil	mil	mil
PTH	1	5	10.24	74.41	188	0	10.63		20.63
NPTH	1	7	70.08	118.11	14	0	>32.00		10.00
Total	2	12	10.24	118.11	202	0	10.63		10.00

Solder Mask - Original

Side	Mask to Mask Clr.	Web	Ring on Cu Defined Pads	Ring on SM Defined Pads	Mask to Copper Clr.	Mask Opening	Fully Covered Via Holes	Partly Covered Via Holes	One Side Covered Vias	Both Sides Covered Vias	No Side Covered Vias
	mil	mil	mil	mil	mil	mil					
Top	>10.00	>10.00	5.00	>10.00	2.93	32.64	Yes	No			
Bottom	>10.00	>10.00	5.00	>10.00	5.00	41.50	No	No			
Both	>10.00	>10.00	5.00		2.93	32.64	Yes	No	Yes	No	Yes

Stackup - Original

legend

soldermask

1

2

soldermask

legend

Relay Controller REV1_Legend_Top_gbr

Relay Controller REV1_Soldermask_Top_gbr

Relay Controller REV1_Copper_Signal_Top_gbr

Relay Controller REV1_Copper_Signal_Bot_gbr

Relay Controller REV1_Soldermask_Bot_gbr

Relay Controller REV1_Legend_Bot_gbr

Relay Controller REV1_NPTH_Drill_gbr

Relay Controller REV1_PTH_Drill_gbr

Pressing Stages

1

Name	o1uameqb.zip	Id.	18558 - QED OK
Report Generated on	Feb 24, 2025, 2:21:18 AM	Customer	InstantDFM

Summary Minimum Design Characteristics - Locations - Original

1

Relay Controller REV1_Copper_Signal_Top_gbr
⊕ x: 3363.46 mil
y: 4270.68 mil

**Copper Width
Outer Layers**
6.44 mil

2

Relay Controller REV1_Copper_Signal_Top_gbr
⊕ x: 2972.88 mil
y: 4370.08 mil

**Critical Copper Width
Outer Layers**
10.00 mil

3

Relay Controller REV1_Copper_Signal_Top_gbr
⊕ x: 3899.2 mil
y: 3909.47 mil

**Trace Width
Outer Layers**
10.00 mil

4

Relay Controller REV1_Copper_Signal_Top_gbr
⊕ x: 3899.2 mil
y: 3909.47 mil

**Critical Trace Width
Outer Layers**
10.00 mil

5

Relay Controller REV1_Copper_Signal_Top_gbr
⊕ x: 3345.62 mil
y: 3240.66 mil


**Copper to Copper Clr.
Outer Layers**
10.00 mil

6

Relay Controller REV1_Copper_Signal_Top_gbr
⊕ x: 3455.0 mil
y: 3044.51 mil

**Trace to Trace Clr.
Outer Layers**
29.02 mil

Name	o1uameqb.zip	Id.	18558 - QED OK
Report Generated on	Feb 24, 2025, 2:21:19 AM	Customer	InstantDFM



Copper Layer Minima & Area - Original

File	Pos.	Copper Width	Critical Copper Width	Trace Width	Critical Trace Width	Copper to Copper Clr.	Same Net Clr.	Copper Area	
		mil	mil	mil	mil	mil	mil	inch ²	%
Relay Controller REV1_Copper_Signal_Top_gbr	1	6.44	10.00	10.00	10.00	10.00	10.00	5.7718	36
Relay Controller REV1_Copper_Signal_Bot_gbr	2	6.44	10.00	10.00	10.00	10.00	10.00	4.0276	25

Name	o1uameqb.zip	Id.	18558 - QED OK
Report Generated on	Feb 24, 2025, 2:21:19 AM	Customer	InstantDFM

Copper Layer Minima - Copper to Drill Minima - Original

File	Pos.	Ring					Copper to Drill Clr.		Copper to Outline Clr.			
		Overall	Via	Laser Via	Comp.	Mech.	Plated	NPTH	Overall	to Pad	to Trace	to Region
		mil	mil	mil	mil	mil	mil	mil	mil	mil	mil	mil
Relay Controller REV1_Copper_Sign al_Top_gbr	1	10.63	10.63		17.82		20.63	10.00	13.31	30.82	>64.00	13.31
Relay Controller REV1_Copper_Sign al_Bot_gbr	2	10.63	10.63		10.67		20.63	10.00	13.31	30.82	>64.00	13.31

Drill Tools - Original

File	Tool Nr.	Span	Type	Function	Method	Filled Via	Counter	Dia.	Tol. -	Tol. +	Holes in PCB	Routs in PCB	Double Hits	Predrill Hits
								mil	mil	mil				
Relay Controller REV1_NPTH_Drill l_gbr	49	1-2	NPTH	mech.	mech.	unknown	unknown	73.23	0.00	0.00	3	0	0	0
Relay Controller REV1_NPTH_Drill l_gbr	50	1-2	NPTH	mech.	mech.	unknown	unknown	73.23	0.00	0.00	6	0	0	0
Relay Controller REV1_NPTH_Drill l_gbr	51	1-2	NPTH	mech.	mech.	unknown	unknown	70.08	0.00	0.00	1	0	0	0
Relay Controller REV1_PTH_Drill gbr	52	1-2	PTH	comp.	mech.	unknown	unknown	74.41	0.00	0.00	6	0	0	0
Relay Controller REV1_PTH_Drill gbr	53	1-2	PTH	comp.	mech.	unknown	unknown	74.41	0.00	0.00	12	0	0	0
Relay Controller REV1_PTH_Drill gbr	54	1-2	PTH	comp.	mech.	unknown	unknown	25.59	0.00	0.00	20	0	0	0
Relay Controller REV1_PTH_Drill gbr	55	1-2	NPTH	mech.	mech.	unknown	unknown	118.11	0.00	0.00	1	0	0	0
Relay Controller REV1_PTH_Drill gbr	56	1-2	NPTH	mech.	mech.	unknown	unknown	118.11	0.00	0.00	1	0	0	0
Relay Controller REV1_PTH_Drill gbr	57	1-2	NPTH	mech.	mech.	unknown	unknown	118.11	0.00	0.00	1	0	0	0
Relay Controller REV1_PTH_Drill gbr	58	1-2	NPTH	mech.	mech.	unknown	unknown	118.11	0.00	0.00	1	0	0	0
Relay Controller REV1_PTH_Drill gbr	59	1-2	PTH	comp.	mech.	unknown	unknown	71.26	0.00	0.00	4	0	0	0
Relay Controller REV1_PTH_Drill gbr	60	1-2	PTH	via	mech.	unknown	unknown	10.24	0.00	0.00	146	0	0	0

Name	o1uameqb.zip	Id.	18558 - QED OK
Report Generated on	Feb 24, 2025, 2:21:19 AM	Customer	InstantDFM

Drill Tools - Drill vs Copper - Original

File	Tool Nr.	Span	Type	Function	Method	Dia.	Ring on Outer	Ring on Inner	Min. Pad Size	Via in Pad	Plated to Copper Clr. 			
											Overall	to Pad	to Trace	to Region
						mil	mil	mil	mil		mil	mil	mil	mil
Relay Controller REV1_NPTH_Drill_gbr	49	1-2	NPTH	mech.	mech.	73.23	>32.00							
Relay Controller REV1_NPTH_Drill_gbr	50	1-2	NPTH	mech.	mech.	73.23	>32.00							
Relay Controller REV1_NPTH_Drill_gbr	51	1-2	NPTH	mech.	mech.	70.08	>32.00							
Relay Controller REV1_PTH_Drill_gbr	52	1-2	PTH	comp.	mech.	74.41	18.60		111.61		28.60	>32.00	>32.00	28.60
Relay Controller REV1_PTH_Drill_gbr	53	1-2	PTH	comp.	mech.	74.41	18.60		111.61		28.60	>32.00	>32.00	28.60
Relay Controller REV1_PTH_Drill_gbr	54	1-2	PTH	comp.	mech.	25.59	10.67		46.93		>32.00	>32.00	>32.00	>32.00
Relay Controller REV1_PTH_Drill_gbr	55	1-2	NPTH	mech.	mech.	118.11	>32.00							
Relay Controller REV1_PTH_Drill_gbr	56	1-2	NPTH	mech.	mech.	118.11	>32.00							
Relay Controller REV1_PTH_Drill_gbr	57	1-2	NPTH	mech.	mech.	118.11	>32.00							
Relay Controller REV1_PTH_Drill_gbr	58	1-2	NPTH	mech.	mech.	118.11	>32.00							
Relay Controller REV1_PTH_Drill_gbr	59	1-2	PTH	comp.	mech.	71.26	17.82		106.90		27.81	>32.00	>32.00	27.81
Relay Controller REV1_PTH_Drill_gbr	60	1-2	PTH	via	mech.	10.24	10.63		31.50	0	20.63	30.91	23.41	20.63

Sequences - Original

Span	Type	Tools	Min. End Dia.	Max. End Dia.	Holes	Ring on Outer	Ring on Inner	Hole to Copper Clr.	Hole to Outline Clr.	Slot to Outline Clr.
			mil	mil		mil	mil	mil	mil	mil
1-2	PTH	5	10.24	74.41	188	10.63		20.63	41.45	>256.00
1-2	NPTH	7	70.08	118.11	14	>32.00		10.00	129.84	>256.00
All	All	12	10.24	118.11	202	10.63		10.00	41.45	>256.00

Rout Tools - Original

File	Tool Nr.	Type	Tool Dia.	End Dia.	Rout Length	Nibble Count
			mil	mil	mil	

Routed Holes - Original

File	Hole Nr.	Instances	X Size	Y Size	Rout Length	Nibble Count
			mil	mil	mil	

Name	o1uameqb.zip	Id.	18558 - QED OK
Report Generated on	Feb 24, 2025, 2:21:19 AM	Customer	InstantDFM

Files - Original

Initial	Renamed	Function	Position	Color	Thickness	
					Base	Finished
					mil	mil
Relay Controller REV1_Paste_Top.gbr		paste	top			
Relay Controller REV1_Legend_Top.gbr		silk	top	white	unknown	unknown
Relay Controller REV1_Soldermask_Top.gbr		mask	top	green	unknown	unknown
Relay Controller REV1_Copper_Signal_Top.gbr		outer	1		unknown	unknown
Relay Controller REV1_Copper_Signal_Bot.gbr		outer	2		unknown	unknown
Relay Controller REV1_Soldermask_Bot.gbr		mask	bottom	green	unknown	unknown
Relay Controller REV1_Legend_Bot.gbr		silk	bottom	white	unknown	unknown
Relay Controller REV1_NPTH_Drill.gbr		nonplated	1-2			
Relay Controller REV1_PTH_Drill.gbr		mixed	1-2			
Relay Controller REV1_Paste_Bot.gbr		empty	none			
Relay Controller REV1_Profile.gbr		cad_outline	none			

Input Remarks - Original

Gerber import: Self-intersecting contours are detected, continuing with an interpretation of the contours. 'Relay Controller REV1_Legend_Top.gbr' (at line 518)
Gerber import: Gerber X2 attribute specification '%TA.AperFunction,OtherDrill,Pad Free-1 (6680mil,4865mil)' is invalid, continuing. 'Relay Controller REV1_PTH_Drill.gbr' (at line 15)
Gerber import: Gerber X2 attribute specification '%TA.AperFunction,OtherDrill,Pad Free-1 (6680mil,1210mil)' is invalid, continuing. 'Relay Controller REV1_PTH_Drill.gbr' (at line 17)
Gerber import: Gerber X2 attribute specification '%TA.AperFunction,OtherDrill,Pad Free-1 (3110mil,1210mil)' is invalid, continuing. 'Relay Controller REV1_PTH_Drill.gbr' (at line 19)
Gerber import: Gerber X2 attribute specification '%TA.AperFunction,OtherDrill,Pad Free-1 (3110mil,4865mil)' is invalid, continuing. 'Relay Controller REV1_PTH_Drill.gbr' (at line 21)
Gerber import: Gerber X2 attribute specification '%TA.AperFunction,ViaDrill,NotFilled' is deprecated, continuing. 'Relay Controller REV1_PTH_Drill.gbr' (at line 25)

Comments - Original

--