Adv.JAVA
Practical Lab_01

Crud Operation using JDBC

Submitted By :-

Name:- Praveer Kishore
Enrollment No.:- A45349521001
Cousre:- BCA+MCA (Dual)
Semester:- 6th 'B'

About Our Project:-

Telecom Management System

The Telecom Management System is a Java-based console application that provides functionalities for managing customer information in a telecom database. The system utilizes MySQL as the backend database for storing and retrieving customer details. Users interact with the system through a text-based interface, entering information and executing various operations on the telecom database.

Key Features:

1. **Insert Customer Information:**

   Users can input customer details such as ID, name, phone number, telecom company name, plan price, and data usage. The entered information is then stored in the telecom database.

2. **Display Telecom Information:**

   The system allows users to view the entire telecom database, displaying details like customer ID, name, phone number, telecom company, plan price, and data usage for each customer.

3. **Update Customer Information:**

   Users can update customer details by providing the phone number of the customer and entering the new customer name.

   This operation is useful for updating information when a customer's phone number is transferred.

4. **Remove Customer Record:**

   Users can delete a customer record from the telecom database by specifying the customer ID.

   This operation is useful for removing outdated or irrelevant customer information.

5. Display Important Information:

The system provides an option to display essential customer information, including customer name, phone number, and the telecom company they are associated with.

6. Display Data Based on Telecom Company Name:

Users can retrieve and display customer data based on the telecom company's name, providing a targeted view of customer information.

7. Display Data Based on Customer Name Alphabet:

Users can obtain and display customer data based on the initial letter or character of the customer's name.

8. Display Number of Customers:

The system offers a feature to display the total number of customers present in the telecom database.

9. Display Highest Plan by a Customer:

Users can view details of the customer with the highest data usage plan, aiding in identifying high-data users.

10. Display Data Based on Rank Order of Data:

Users have the option to view customer data based on the rank order of data usage. This utilizes the RANK() function in SQL to provide a ranked list of customers.

Tech Stack Used in the Telecom Management System:-

1. **Integrated Development Environment (IDE):**

Eclipse: The project is developed using the Eclipse IDE, providing a robust and user-friendly development environment for Java applications.

2. **Database Management System:**

MySQL Workbench: MySQL Workbench is used as the database management system to design, model, create, and manage the MySQL database that stores customer information.

3. **Programming Language:**

Java: The entire application is written in Java, a versatile and platform-independent programming language. Java is used for its object-oriented principles, extensive libraries, and wide industry adoption.

4. **Java Database Connectivity (JDBC) Architecture:**

JDBC is employed for database connectivity, allowing Java applications to interact with relational databases like MySQL. The JDBC architecture is utilized to establish connections, execute SQL queries, and manage data retrieval and updates.

PoJo of Telecom Management System:-

Telecom
- Customer ID: Int - Customer Name: String - Phone Number: Int - Telecom Company: String - Plan Price: Int - Data (Gb): Double
+ telecom() + telecom(Id: Int, Name: String, Phone: Int, Telecomname: String, Plan: int, Data: Double)
+getId(): Int +setId(Id:int):void +getName(): String +setName(Name:string):void +getPhone(): Int +setPhone(Phone:int):void +getTelecomname(): String +setTelecomname (Telecomname:string):void +getPlan(): Int +setPlan(Plan:int):void +getData(): Double +setData(Data:double):void +toString(): String

My sql Workbench (Queries):-

1. CREATE SCHEMA `lab` ;

2. use lab

3. CREATE TABLE `telecom` (

 `id` INT NOT NULL,

 `name` VARCHAR(45) NULL,

 `phone` BIGINT(10) NULL,

 `telecom_name` VARCHAR(45) NULL,

 `plan` INT NULL,

 `Data` DOUBLE NULL,

 PRIMARY KEY (`id`));

 PRIMARY KEY (`Id`));

4. Desc telecom

Field	Type	Null	Key	Default	Extra
Id	int	NO	PRI	NULL	
name	varchar(45)	YES		NULL	
phone	int	YES		NULL	
telname	varchar(45)	YES		NULL	
plan	int	YES		NULL	
data	double	YES		NULL	

5. INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('4001', 'Aman', '9568214753', 'Airtel', '249', '24');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('4008', 'Ayush', '9875632145', 'Airtel', '379', '45');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('4010', 'Akbar', '9756278965', 'Airtel', '749', '85.6');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('6102', 'Nahid', '8745369852', 'Jio', '199', '28');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('6245', 'Mohan', '8745698521', 'Jio', '799', '95.5');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('6751', 'Sahid', '7589632541', 'Jio', '1799', '241.5');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('7458', 'Dhruv', '6325874153', 'VI', '449', '65.2');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('7210', 'Gaurav', '7524136985', 'VI', '3499', '365');

INSERT INTO `lab`.`telecom` (`Id`, `name`, `phone`, `telecom_name`, `plan`, `data`) VALUES ('8210', 'Harshit', '8532469874', 'VI', '179', '24');

5. select * from telecom

id	name	phone	telecom_name	plan	Data
4001	Aman	9568214753	Airtel	249	24
4008	Ayush	9875632145	Airtel	379	45
4010	Akbar	9756278965	Airtel	749	85.6
6102	Nahid	8745369852	Jio	199	28
6245	Mohan	8745698521	Jio	799	95.5
6254	Suraj	7452689314	Airtel	599	62
6751	Sahid	7589632541	Jio	1799	241.5
7210	farhan	7524136985	VI	3499	365
7458	Dhruv	6325874153	VI	449	65.2
8210	Harshit	8532469874	VI	179	24
NULL	NULL	NULL	NULL	NULL	NULL

Project in Eclipse:-

Telecom.java :-

```java
package Telecom.pojo;

import java.sql.Connection;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.Scanner;

public class Telecom {

    public Telecom() {
        super();
    }

    // Inserting information in the table
    public void insertTelecom(Connection con, Scanner sc) throws SQLException {
        Statement st = con.createStatement();
        System.out.println("Enter Customer Id: ");
        int id = sc.nextInt();

        System.out.println("Enter Customer Name: ");
        String name = sc.next();

        System.out.println("Enter Phone Number: ");
        String phoneStr = sc.next();
        long phone = Long.parseLong(phoneStr);

        System.out.println("Enter Tel-Company Name: ");
        String telecom_name = sc.next();

        System.out.println("Enter Plan price: ");
        int plan = sc.nextInt();

        System.out.println("Enter Data(gb): ");
        double data = sc.nextDouble();

        String query = String.format("INSERT INTO telecom VALUES(%d, '%s', %d, '%s', %d,
%f)", id, name, phone, telecom_name, plan, data);

        int rowsAffected = st.executeUpdate(query);
        System.out.println(rowsAffected + " Information successfully stored...");
    }

    // Display the information of telecom
    public void displayTelecom(Connection con) throws SQLException {
        Statement st = con.createStatement();
        ResultSet rs = st.executeQuery("SELECT * FROM telecom");
        while (rs.next()) {
            System.out.println(rs.getInt(1) + "  " + rs.getString(2) + "  " +
rs.getLong(3) + "  " + rs.getString(4) + "  " + rs.getInt(5) + "  " + rs.getDouble(6));
        }
    }

    // Update the customer of expired or blocked phone number
    public void updateTelecom(Connection con, Scanner sc) throws SQLException {
        Statement st = con.createStatement();
```

```java
        System.out.println("Enter the Phone number: ");
        String phoneStr = sc.next();
        long phone = Long.parseLong(phoneStr);
        System.out.println("Enter transferred-Customer Name: ");
        String name = sc.next();
        String query = String.format("UPDATE telecom SET name='%s' WHERE phone = %d",
name, phone);
        int rowsAffected = st.executeUpdate(query);
        System.out.println(rowsAffected + " Information updated...");
    }

    // Remove the customer record from table with the help of their id
    public void removeTelecom(Connection con, Scanner sc) throws SQLException {
        Statement st = con.createStatement();
        System.out.println("Enter Customer Id: ");
        int id = sc.nextInt();
        int rowsAffected = st.executeUpdate(String.format("DELETE FROM telecom WHERE id =
%d", id));
        System.out.println(rowsAffected + " Record deleted...");
    }

    // Display the column of customer name, phone, and their telecompany
    public void displayimportant(Connection con) throws SQLException {
        Statement st = con.createStatement();
        ResultSet rt = st.executeQuery("SELECT name, phone, telecom_name FROM telecom");
        while (rt.next()) {
            System.out.println(rt.getString(1) + "   " + rt.getLong(2) + "    " +
rt.getString(3));
        }
    }

    // Displaying the data based on telecompany name
    public void displaytelecomp(Connection con, Scanner sc) throws SQLException {
        Statement st = con.createStatement();
        System.out.println("Enter Telecom Name: ");
        String telname = sc.next();
        String query = String.format("SELECT * FROM telecom WHERE telecom_name = '%s'",
telname);
        ResultSet rs = st.executeQuery(query);
        while (rs.next()) {
            System.out.println(rs.getInt(1) + "   " + rs.getString(2) + "    " +
rs.getLong(3) + "   " + rs.getString(4) + "    " + rs.getInt(5) + "    " + rs.getDouble(6));
        }
    }

    // Displaying the data of the customer based on their name alphabet or character
    public void displaycust(Connection con, Scanner sc) throws SQLException {
        Statement st = con.createStatement();
        System.out.println("Enter the first letter: ");
        String custname = sc.next();
        String query = String.format("SELECT * FROM telecom WHERE name LIKE '%s%%'",
custname);
        ResultSet rs = st.executeQuery(query);
        while (rs.next()) {
            System.out.println(rs.getInt(1) + "   " + rs.getString(2) + "    " +
rs.getLong(3) + "   " + rs.getString(4) + "    " + rs.getInt(5) + "    " + rs.getDouble(6));
        }
    }

    // Displaying the number of customers present in telecom data
    public void displayrows(Connection con) throws SQLException {
        Statement st = con.createStatement();
        ResultSet rs = st.executeQuery("SELECT COUNT(*) FROM telecom");
```

```java
        if (rs.next()) {
            System.out.println(rs.getInt(1));
        }
    }

// Displaying the data of the customer with the highest plan
    public void displayHighestPlan(Connection con) throws SQLException {
        Statement st = con.createStatement();
        String query = "SELECT * FROM telecom WHERE data IN (SELECT MAX(data) FROM
telecom)";
        ResultSet rs = st.executeQuery(query);

        while (rs.next()) {
            System.out.println(rs.getInt(1) + "  " + rs.getString(2) + "  " +
rs.getLong(3) + "  " + rs.getString(4) + "  " + rs.getInt(5) + "  " + rs.getDouble(6));
        }
    }

// Displaying the data based on rank order of data
    public void displayByRank(Connection con, Scanner sc) throws SQLException {
        Statement st = con.createStatement();

        System.out.println("Enter the rank (n): ");
        int n = sc.nextInt();

        String query = String.format("SELECT * FROM (SELECT id, name, phone, plan, data,
RANK() OVER (ORDER BY data DESC) AS ranking FROM telecom) AS ranked WHERE ranking = %d",
n);

        ResultSet rs = st.executeQuery(query);

        while (rs.next()) {
            System.out.println(rs.getInt(1) + "  " + rs.getString(2) + "  " +
rs.getLong(3) + "  " + rs.getInt(4) + "  " + rs.getDouble(5));
        }
    }
}
```

Main.Java :-

```java
package Telecom.main;

import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;
import java.util.Scanner;
import Telecom.pojo.Telecom;

public class Main {

    public static void main(String[] args) throws ClassNotFoundException, SQLException {
        Class.forName("com.mysql.cj.jdbc.Driver");

        String url = "jdbc:mysql://localhost:3306/lab";
        String username = "root";
        String pwd = "praveer";

        Connection con = DriverManager.getConnection(url, username, pwd);
        Scanner sc = new Scanner(System.in);
```

```java
        Telecom tel = new Telecom();

        int choice;

        do {
            System.out.println("_____");
            System.out.println("---Welcome to InfraTel Insight---");
            System.out.println("------------------------------------");
            System.out.println("1. Insert Customer Information");
            System.out.println("2. Display Information");
            System.out.println("3. Update customer of expired phone number");
            System.out.println("4. Remove the customer record");
            System.out.println("5. Display customer, Telecompany with their phone
number");
            System.out.println("6. Display the users of a specific telecompany");
            System.out.println("7. Search customer with the first letter of the name");
            System.out.println("8. Total customer present in telecom");
            System.out.println("9. Display data with the highest plan");
            System.out.println("10. Display data by rank (based on data)");
            System.out.println("0. Exit");
            System.out.print("Enter your choice: ");
            choice = sc.nextInt();

            switch (choice) {
                case 1:
                    tel.insertTelecom(con, sc);
                    break;
                case 2:
                    tel.displayTelecom(con);
                    break;
                case 3:
                    tel.updateTelecom(con, sc);
                    break;
                case 4:
                    tel.removeTelecom(con, sc);
                    break;
                case 5:
                    tel.displayimportant(con);
                    break;
                case 6:
                    tel.displaytelecomp(con, sc);
                    break;
                case 7:
                    tel.displaycust(con, sc);
                    break;
                case 8:
                    tel.displayrows(con);
                    break;
                case 9:
                    tel.displayHighestPlan(con);
                    break;
                case 10:
                    tel.displayByRank(con, sc);
                    break;
                case 0:
                    System.out.println("Goodbye! Have a great day!");
                    System.out.println("_____");
                    System.exit(0);
                    break;
                default:
                    System.out.println("Invalid choice.");
            }
        }
```

```
        while (choice != 0);

        sc.close();
        con.close();
    }
}
```

-: Output :-

1. Insert Customer Information:

```
_____
---Welcome to InfraTel Insight---
------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 1
Enter Customer Id:
4532
Enter Customer Name:
Lalit
Enter Phone Number:
7458963251
Enter Tel-Company Name:
Jio
Enter Plan price:
249
Enter Data(gb):
42
1 Information successfully stored...
```

2. Display Telecom Information:

```
_____
---Welcome to InfraTel Insight---
--------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 2
4001   Aman   9568214753   Airtel   249   24.0
4008   Ayush  9875632145   Airtel   379   45.0
4532   Lalit  7458963251   Jio   249   42.0
6102   Nahid  8745369852   Jio   199   28.0
6245   Mohan  8745698521   Jio   799   95.5
6254   Suraj  7452689314   Airtel   599   62.0
6751   Sahid  7589632541   Jio   1799   241.5
7210   farhan 7524136985   VI   3499   365.0
7458   Dhruv  6325874153   VI   449   65.2
8210   Harshit 8532469874  VI   179   24.0
```

3. Update Customer Information:

```
_____
---Welcome to InfraTel Insight---
--------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 3
Enter the Phone number:
6325874153
Enter transferred-Customer Name:
Aryan
1 Information updated...
```

4. Remove Customer Record:

```
_____
---Welcome to InfraTel Insight---
------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 4
Enter Customer Id:
4532
1 Record deleted...
```

5. Display Important Information (customer name, phone number, and their telecom company):

```
_____
---Welcome to InfraTel Insight---
------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 5
Aman   9568214753   Airtel
Ayush  9875632145   Airtel
Nahid  8745369852   Jio
Mohan  8745698521   Jio
Suraj  7452689314   Airtel
Sahid  7589632541   Jio
farhan 7524136985   VI
Aryan  6325874153   VI
Harshit 8532469874  VI
```

6. Display Data Based on Telecom Company Name:

```
_____
---Welcome to InfraTel Insight---
------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 6
Enter Telecom Name:
Jio
6102   Nahid   8745369852   Jio   199    28.0
6245   Mohan   8745698521   Jio   799    95.5
6751   Sahid   7589632541   Jio   1799   241.5
```

7. Display Data Based on Customer Name Alphabet:

```
_____
---Welcome to InfraTel Insight---
------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 7
Enter the first letter:
a
4001   Aman    9568214753   Airtel   249   24.0
4008   Ayush   9875632145   Airtel   379   45.0
7458   Aryan   6325874153   VI       449   65.2
```

8. Display Number of Customers:

```
_____
---Welcome to InfraTel Insight---
-------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 8
9
```

9. Display Highest Plan by a Customer:

```
_____
---Welcome to InfraTel Insight---
-------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 9
7210   farhan   7524136985   VI   3499   365.0
```

10. Display Data Based on Rank Order of Data:

```
_____
---Welcome to InfraTel Insight---
-------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 10
Enter the rank (n):
3
6245  Mohan  8745698521  799  95.5
```

THANK YOU

```
_____
---Welcome to InfraTel Insight---
-------------------------------------
1. Insert Customer Information
2. Display Information
3. Update customer of expired phone number
4. Remove the customer record
5. Display customer, Telecompany with their phone number
6. Display the users of a specific telecompany
7. Search customer with the first letter of the name
8. Total customer present in telecom
9. Display data with the highest plan
10. Display data by rank (based on data)
0. Exit
Enter your choice: 0
Goodbye! Have a great day!
```