

(a) Baseline: Terminal Donor Alone
(20,213 elements, Step-2 Frame 337)
(b) Control B: Candidate C Alone
(6,171 elements, Step-2 Frame 150)
(c) Experiment C: Combined Multi-Step
(21,569 elements, Candidate C + Terminal)
Primary Branch ($d \geq 0.80$)
Secondary Branch ($d \geq 0.80$)
Initial Slit ($a_0 = 0.5\,\mathrm{mm}$)
Notch Tip: $h_{\mathrm{med}} = 5.59\,\mu\mathrm{m}$ | Secondary: $h_{\mathrm{med}} = 2.15\,\mu\mathrm{m}$
Notch Tip: $h_{\mathrm{med}} = 2.89\,\mu\mathrm{m}$ | Secondary: $h_{\mathrm{med}} = 8.80\,\mu\mathrm{m}$
Notch Tip: $h_{\mathrm{med}} = 2.91\,\mu\mathrm{m}$ | Secondary: $h_{\mathrm{med}} = 2.16\,\mu\mathrm{m}$
x [mm]
y [mm]
0.0
0.2
0.4
0.6
0.8
1.0
1.5 ($\ell_0/5$)
2×10^0
2.5 ($\ell_0/3$)
3×10^0
3.75 ($\ell_0/2$)
4×10^0
5.0
6×10^0
7.5 (ℓ_0)
10.0
15.0
20.0
25.0
Element Size $h_{\max}$ [μm] (Log Scale; $\ell_0 = 7.50\,\mu\mathrm{m}$)