

APEX AI Automated Penetration Test Report

Generated on 2026-10-08 19:25:36 | Target: <https://practicetestautomation.com/practice-test-login/>

Target Host:	https://practicetestautomation.com/practice-test-login/	Overall Risk Rating:	HIGH
Confirmed Vulnerabilities:	6 security finding(s)	Discovered Endpoints:	6 pages & endpoints

Target Application Profile & Context

Application Type:	Authentication & User Login Portal
Identified Purpose:	User authentication and access control interface for Test Login Practice Test Automation
DOM Architecture:	Password credentials field (Authentication DOM), 14 script tag(s)

Vulnerability Summary Table

Vulnerability Type	Endpoint	Parameter	Severity	Confidence
Open URL Redirection	https://practicetestautomation.com/	location.hash	MEDIUM	100%
Open URL Redirection	https://practicetestautomation.com/	objectL10n.sliderTime	MEDIUM	100%
Open URL Redirection	https://practicetestautomation.com/	objectL10n.autoRotateSlider	MEDIUM	100%
Open URL Redirection	https://practicetestautomation.com	location.hash	MEDIUM	100%
Open URL Redirection	https://practicetestautomation.com	objectL10n.sliderTime	MEDIUM	100%
Open URL Redirection	https://practicetestautomation.com	objectL10n.autoRotateSlider	MEDIUM	100%

In-Depth Vulnerability Analysis & Technical Remediation

Finding #1: Open URL Redirection

Finding:	#1: Open URL Redirection [MEDIUM]
Target URL:	https://practicetestautomation.com/
Parameter:	location.hash
Trigger Payload:	//example.com/pentest_verify
Plain Description:	The web application accepts an untrusted URL parameter and uses it to redirect the user to an arbitrary external website.
Root Cause:	Unvalidated redirect destination: The server-side redirection handler (HTTP 302/301 Location header) blindly trusts user-supplied URLs without checking against an allowlist of valid, safe destinations.
Trigger Mechanism:	1. The attacker crafts a link using the legitimate site's domain pointing parameter 'location.hash' to an external attacker-controlled site. 2. The victim clicks the trusted link believing they are visiting the legitimate service. 3. The server sends an HTTP redirect header instructing the browser to navigate to the attacker's destination. 4. The victim lands on an exact replica phishing website and is tricked into entering credentials.
Security Impact:	Highly effective credential phishing attacks that abuse the legitimate domain's reputation to trick users and bypass security filters.
Remediation:	Avoid user-controllable redirect parameters. If required, validate destinations against an explicit strict allowlist of authorized domain names or relative paths.

Finding #2: Open URL Redirection

Finding:	#2: Open URL Redirection [MEDIUM]
Target URL:	https://practicetestautomation.com/
Parameter:	objectL10n.sliderTime
Trigger Payload:	//example.com/pentest_verify
Plain Description:	The web application accepts an untrusted URL parameter and uses it to redirect the user to an arbitrary external website.
Root Cause:	Unvalidated redirect destination: The server-side redirection handler (HTTP 302/301 Location header) blindly trusts user-supplied URLs without checking against an allowlist of valid, safe destinations.
Trigger Mechanism:	1. The attacker crafts a link using the legitimate site's domain pointing parameter 'objectL10n.sliderTime' to an external attacker-controlled site. 2. The victim clicks the trusted link believing they are visiting the legitimate service. 3. The server sends an HTTP redirect header instructing the browser to navigate to the attacker's destination. 4. The victim lands on an exact replica phishing website and is tricked into entering credentials.
Security Impact:	Highly effective credential phishing attacks that abuse the legitimate domain's reputation to trick users and bypass security filters.
Remediation:	Avoid user-controllable redirect parameters. If required, validate destinations against an explicit strict allowlist of authorized domain names or relative paths.

Finding #3: Open URL Redirection

Finding:	#3: Open URL Redirection [MEDIUM]
Target URL:	https://practicetestautomation.com/
Parameter:	objectL10n.autoRotateSlider
Trigger Payload:	//example.com/pentest_verify
Plain Description:	The web application accepts an untrusted URL parameter and uses it to redirect the user to an arbitrary external website.
Root Cause:	Unvalidated redirect destination: The server-side redirection handler (HTTP 302/301 Location header) blindly trusts user-supplied URLs without checking against an allowlist of valid, safe destinations.
Trigger Mechanism:	1. The attacker crafts a link using the legitimate site's domain pointing parameter 'objectL10n.autoRotateSlider' to an external attacker-controlled site. 2. The victim clicks the trusted link believing they are visiting the legitimate service. 3. The server sends an HTTP redirect header instructing the browser to navigate to the attacker's destination. 4. The victim lands on an exact replica phishing website and is tricked into entering credentials.
Security Impact:	Highly effective credential phishing attacks that abuse the legitimate domain's reputation to trick users and bypass security filters.
Remediation:	Avoid user-controllable redirect parameters. If required, validate destinations against an explicit strict allowlist of authorized domain names or relative paths.

Finding #4: Open URL Redirection

Finding:	#4: Open URL Redirection [MEDIUM]
Target URL:	https://practicetestautomation.com
Parameter:	location.hash
Trigger Payload:	//example.com/pentest_verify
Plain Description:	The web application accepts an untrusted URL parameter and uses it to redirect the user to an arbitrary external website.
Root Cause:	Unvalidated redirect destination: The server-side redirection handler (HTTP 302/301 Location header) blindly trusts user-supplied URLs without checking against an allowlist of valid, safe destinations.
Trigger Mechanism:	1. The attacker crafts a link using the legitimate site's domain pointing parameter 'location.hash' to an external attacker-controlled site. 2. The victim clicks the trusted link believing they are visiting the legitimate service. 3. The server sends an HTTP redirect header instructing the browser to navigate to the attacker's destination. 4. The victim lands on an exact replica phishing website and is tricked into entering credentials.
Security Impact:	Highly effective credential phishing attacks that abuse the legitimate domain's reputation to trick users and bypass security filters.
Remediation:	Avoid user-controllable redirect parameters. If required, validate destinations against an explicit strict allowlist of authorized domain names or relative paths.

Finding #5: Open URL Redirection

Finding:	#5: Open URL Redirection [MEDIUM]
Target URL:	https://practicetestautomation.com
Parameter:	objectL10n.sliderTime
Trigger Payload:	//example.com/pentest_verify
Plain Description:	The web application accepts an untrusted URL parameter and uses it to redirect the user to an arbitrary external website.
Root Cause:	Unvalidated redirect destination: The server-side redirection handler (HTTP 302/301 Location header) blindly trusts user-supplied URLs without checking against an allowlist of valid, safe destinations.
Trigger Mechanism:	1. The attacker crafts a link using the legitimate site's domain pointing parameter 'objectL10n.sliderTime' to an external attacker-controlled site. 2. The victim clicks the trusted link believing they are visiting the legitimate service. 3. The server sends an HTTP redirect header instructing the browser to navigate to the attacker's destination. 4. The victim lands on an exact replica phishing website and is tricked into entering credentials.
Security Impact:	Highly effective credential phishing attacks that abuse the legitimate domain's reputation to trick users and bypass security filters.
Remediation:	Avoid user-controllable redirect parameters. If required, validate destinations against an explicit strict allowlist of authorized domain names or relative paths.

Finding #6: Open URL Redirection

Finding:	#6: Open URL Redirection [MEDIUM]
Target URL:	https://practicetestautomation.com
Parameter:	objectL10n.autoRotateSlider
Trigger Payload:	//example.com/pentest_verify
Plain Description:	The web application accepts an untrusted URL parameter and uses it to redirect the user to an arbitrary external website.
Root Cause:	Unvalidated redirect destination: The server-side redirection handler (HTTP 302/301 Location header) blindly trusts user-supplied URLs without checking against an allowlist of valid, safe destinations.
Trigger Mechanism:	1. The attacker crafts a link using the legitimate site's domain pointing parameter 'objectL10n.autoRotateSlider' to an external attacker-controlled site. 2. The victim clicks the trusted link believing they are visiting the legitimate service. 3. The server sends an HTTP redirect header instructing the browser to navigate to the attacker's destination. 4. The victim lands on an exact replica phishing website and is tricked into entering credentials.
Security Impact:	Highly effective credential phishing attacks that abuse the legitimate domain's reputation to trick users and bypass security filters.
Remediation:	Avoid user-controllable redirect parameters. If required, validate destinations against an explicit strict allowlist of authorized domain names or relative paths.

Discovered Application Endpoints

/api/search
/dashboard
/admin
/login
/search
/api