Demographics Report (Issued: 2025-05-28)

Demographic table is showing baseline household and individual characteristic.

Date of included data upload to Synapse: 2025-04-18

Contents

Table 1. Household Characteristics 2

Table 2. Individual Characteristics 3

Table 3. Maternal health behaviors 5

Table 4. Maternal/fetal Characteristics 6

Table 1. Household Characteristics

Table 1. Household Characteristics	Site						Total
	Ghana	India-CMC	India-SAS	Kenya	Pakistan	Zambia	
Total participants: N	2546	1727	1999	2413	4429	1714	14828
Female head of household							
Denominator, N (%)[a]	2522 (99)	1727 (100)	1999 (100)	2413 (100)	4326 (98)	1615 (94)	14602 (98)
Female head, n (%)[b]	346 (14)	294 (17)	507 (25)	436 (18)	1028 (24)	168 (10)	2779 (19)
Household size (people)							
Denominator, N (%)[a]	2523 (99)	1727 (100)	1999 (100)	2413 (100)	4332 (98)	1615 (94)	14609 (99)
HH size: mean (SD)	6 (3.7)	5 (2.0)	7 (2.7)	4 (1.8)	8 (4.5)	4 (1.8)	6 (3.6)
HH size: median (IQR)	5 (3,7)	5 (4,6)	6 (5,8)	3 (2,5)	7 (4,10)	4 (3,5)	5 (3,7)
Improved water source*							
Denominator, N (%)[a]	2523 (99)	1727 (100)	1999 (100)	2413 (100)	4332 (98)	1615 (94)	14609 (99)
Improved water, n (%)[b]	2262 (90)	1686 (98)	1996 (100)	2042 (85)	4331 (100)	1612 (100)	13929 (95)
Improved toilet*							
Denominator, N (%)[a]	2523 (99)	1727 (100)	1999 (100)	2413 (100)	4332 (98)	1615 (94)	14609 (99)
Improved toilet, n (%)[b]	765 (30)	1631 (94)	1902 (95)	1974 (82)	4320 (100)	1564 (97)	12156 (83)
Private toilet							
Denominator, N (%)[a]	2521 (99)	1727 (100)	1999 (100)	2413 (100)	4332 (98)	1615 (94)	14607 (99)
Private toilet, n (%)[b]	1950 (77)	1709 (99)	1778 (89)	538 (22)	4325 (100)	370 (23)	10670 (73)
Mobile phone access							
Denominator, N (%)[a]	2509 (99)	0 (0)	1971 (99)	2413 (100)	4332 (98)	594 (35)	11819 (80)
Personally own, n (%)[b]	1933 (77)	0 (-)	1180 (60)	2192 (91)	1421 (33)	514 (87)	7240 (61)
Share with others, n (%)[b]	234 (9.3)	0 (-)	639 (32)	189 (7.8)	2807 (65)	80 (13)	3949 (33)
No access, n (%)[b]	342 (14)	0 (-)	152 (7.7)	32 (1.3)	104 (2.4)	0 (0)	630 (5.3)
Household smoke exposure							
Denominator, N (%)[a]	2522 (99)	1727 (100)	1999 (100)	2413 (100)	1168 (26)	1615 (94)	11444 (77)
HH members smokes, n (%)[b]	139 (5.5)	262 (15)	1109 (55)	43 (1.8)	1168 (100)	143 (8.9)	2864 (25)

[a] denominator is total participants with non-missing data among all participants.

[b] denominator is total participants with non-missing data (N).

Improved water source* includes: Piped water into dwelling, Piped to yard/plot, Public tap/standpipe, Tube well or borehole, Protected well, Water from spring (protected), Tanker truck, Cart with small tank, Bottled water or sachets, Water vendo

Improved toilet facility* includes: Flush/pour flush to piped sewer system, Flush/pour flush to septic tank, Flush/pour flush to pit latrine, Flush/pour flush to somewhere else, Flush/pour flush, don't know where, Ventilated improved pit latrine

Table 2. Individual Characteristics

Table 2. Maternal demographics							
Part 1	Site						Total
	Ghana	India-CMC	India-SAS	Kenya	Pakistan	Zambia	
Total participants: N	2546	1727	1999	2413	4429	1714	14828
Current age of participant (years)							
Denominator, N (%)[a]	2546 (100)	1721 (100)	1987 (99)	2408 (100)	4428 (100)	1708 (100)	14798 (100)
mean (SD)	28 (6.3)	25 (4.3)	24 (3.7)	27 (5.3)	27 (5.9)	28 (6.1)	26 (5.6)
median (IQR)	27 (23,32)	24 (22,28)	23 (21,26)	26 (23,30)	26 (22,31)	28 (23,32)	26 (22,30)
Age < 20 n (%)[b]	237 (9.3)	112 (6.5)	214 (11)	128 (5.3)	336 (7.6)	153 (9)	1180 (8)
Age 20-34 n (%)[b]	1898 (75)	1553 (90)	1750 (88)	2027 (84)	3565 (81)	1302 (76)	12095 (82)
Age >= 35 n (%)[b]	411 (16)	56 (3.3)	23 (1.2)	253 (11)	527 (12)	253 (15)	1523 (10)
Maternal height (cm)							
Denominator, N (%)[a]	2524 (99)	1726 (100)	1999 (100)	2412 (100)	4429 (100)	1703 (99)	14793 (100)
Height <145, n (%)[b]	17 (0.67)	42 (2.4)	138 (6.9)	3 (0.12)	205 (4.6)	57 (3.3)	462 (3.1)
Height 145 to <150, n (%)[b]	95 (3.8)	217 (13)	381 (19)	32 (1.3)	769 (17)	158 (9.3)	1652 (11)
Height 150 to <155, n (%)[b]	366 (15)	534 (31)	639 (32)	189 (7.8)	1492 (34)	390 (23)	3610 (24)
Height 155+, n (%)[b]	2046 (81)	933 (54)	841 (42)	2188 (91)	1963 (44)	1098 (64)	9069 (61)
Body Mass Index at enrollment (kg/m^2)							
Denominator, N (%)[a]	2517 (99)	1726 (100)	1998 (100)	2412 (100)	4428 (100)	1703 (99)	14784 (100)
BMI: <18.5, n (%)[b]	107 (4.3)	205 (12)	483 (24)	109 (4.5)	1054 (24)	60 (3.5)	2018 (14)
BMI: 18.5 to <25, n (%)[b]	1700 (68)	791 (46)	1197 (60)	1407 (58)	2219 (50)	778 (46)	8092 (55)
BMI: 25 to <30, n (%)[b]	536 (21)	482 (28)	263 (13)	602 (25)	782 (18)	502 (29)	3167 (21)
BMI: 30+, n (%)[b]	174 (6.9)	248 (14)	55 (2.8)	294 (12)	373 (8.4)	363 (21)	1507 (10)
Marital status							
Denominator, N (%)[a]	2523 (99)	1727 (100)	1999 (100)	2413 (100)	4332 (98)	1615 (94)	14609 (99)
Married/cohabitating, n (%)[b]	2337 (93)	1727 (100)	1998 (100)	2024 (84)	4332 (100)	1298 (80)	13716 (94)
Single/divorced/separated/ widowed, n (%)[b]	186 (7.4)	0 (0)	1 (0.05)	389 (16)	0 (0)	317 (20)	893 (6.1)
Marital age							
Denominator, N (%)^a	1713 (67)	1727 (100)	1999 (100)	1992 (83)	4332 (98)	1308 (76)	13071 (88)
Marital age: mean (SD)	22 (3.8)	22 (3.4)	20 (2.7)	21 (3.5)	21 (2.9)	22 (4.4)	21 (3.4)
Marital age: median (IQR)	21 (20,24)	21 (19,24)	20 (18,22)	21 (19,23)	21 (19,23)	21 (19,24)	21 (19,23)

[a] denominator is total participants with non-missing data among all participants.

[b] denominator is total participants with non-missing data (N).

Table 2. Maternal demographics

Part 2	Site						Total
	Ghana	India-CMC	India-SAS	Kenya	Pakistan	Zambia	
Total participants: N	2546	1727	1999	2413	4429	1714	14828
Educated							
Denominator, N (%)[a]	2546 (100)	1722 (100)	1988 (99)	2409 (100)	4429 (100)	1707 (100)	14801 (100)
Attended primary, secondary, or higher, n (%)[b]	1560 (61)	1712 (99)	1754 (88)	2400 (100)	1815 (41)	1685 (99)	10926 (74)
Years of Education							
Denominator, N (%)[a]	2546 (100)	1722 (100)	1988 (99)	2413 (100)	4429 (100)	1707 (100)	14805 (100)
Edu years: mean (SD)	35 (33.3)	13 (2.9)	10 (4.8)	11 (3.0)	3 (4.1)	9 (2.8)	13 (17.9)
Edu years: median (IQR)	12 (8,77)	13 (12,15)	10 (8,12)	12 (8,13)	0 (0,6)	9 (8,12)	10 (5,12)
Primigravida							
Denominator, N (%)[a]	2433 (96)	1726 (100)	1998 (100)	2400 (99)	4429 (100)	1699 (99)	14685 (99)
Primigravida, n (%)[b]	747 (31)	719 (42)	608 (30)	586 (24)	1029 (23)	340 (20)	4029 (27)
Nulliparous							
Denominator, N (%)[a]	2432 (96)	1726 (100)	1998 (100)	2398 (99)	4429 (100)	1699 (99)	14682 (99)
Nulliparous, n (%)[b]	895 (37)	832 (48)	757 (38)	718 (30)	1237 (28)	412 (24)	4851 (33)
Paid work							
Denominator, N (%)[a]	2525 (99)	1727 (100)	1999 (100)	2413 (100)	4359 (98)	620 (36)	13643 (92)
Paid work, n (%)[b]	1816 (72)	134 (7.8)	85 (4.3)	1193 (49)	749 (17)	281 (45)	4258 (31)

[a] denominator is total participants with non-missing data among all participants.

[b] denominator is total participants with non-missing data (N).

Table 3. Maternal health behaviors

Table 3. Maternal health behaviors	Site						Total
	Ghana	India-CMC	India-SAS	Kenya	Pakistan	Zambia	
Total participants: N	2546	1727	1999	2413	4429	1714	14828
Smokes							
Denominator, N (%)[a]	2522 (99)	1727 (100)	1999 (100)	2413 (100)	4332 (98)	1614 (94)	14607 (99)
Smokes, n (%)[b]	18 (0.71)	0 (0)	15 (0.75)	2 (0.083)	76 (1.8)	1 (0.062)	112 (0.77)
Chews tobacco							
Denominator, N (%)[a]	2521 (99)	1727 (100)	1999 (100)	2413 (100)	4331 (98)	1614 (94)	14605 (98)
Chews tobacco, n (%)[b]	9 (0.36)	0 (0)	21 (1.1)	2 (0.083)	642 (15)	3 (0.19)	677 (4.6)
Betel nut							
Denominator, N (%)[a]	2522 (99)	1726 (100)	1999 (100)	2413 (100)	4332 (98)	1615 (94)	14607 (99)
Chews betel nut, n (%)[b]	16 (0.63)	2 (0.12)	19 (0.95)	0 (0)	790 (18)	0 (0)	827 (5.7)
Alcohol consumption							
Denominator, N (%)[a]	2516 (99)	1723 (100)	1998 (100)	2368 (98)	0 (0)	1612 (94)	10217 (69)
Drinks alcohol, n (%)[b]	79 (3.1)	0 (0)	62 (3.1)	39 (1.6)	0 (-)	129 (8)	309 (3)
Folic supplementation							
Denominator, N (%)[a]	2513 (99)	1725 (100)	1997 (100)	2405 (100)	4429 (100)	663 (39)	13732 (93)
Receives folic supplements, n (%)[b]	1119 (45)	1621 (94)	1971 (99)	1917 (80)	4110 (93)	612 (92)	11350 (83)
Sleeps under net							
Denominator, N (%)[a]	2514 (99)	1726 (100)	1998 (100)	2404 (100)	4429 (100)	1695 (99)	14766 (100)
Sleeps under net, n (%)[b]	1598 (64)	41 (2.4)	126 (6.3)	2370 (99)	0 (0)	493 (29)	4628 (31)
Plan to give birth at facility							
Denominator, N (%)[a]	2522 (99)	1727 (100)	1999 (100)	2413 (100)	4332 (98)	1615 (94)	14608 (99)
Facility birth, n (%)[b]	2470 (98)	1723 (100)	1984 (99)	2374 (98)	4332 (100)	1615 (100)	14498 (99)

[a] denominator is total participants with non-missing data among all participants.

[b] denominator is total participants with non-missing data (N).

Table 4. Maternal/fetal Characteristics

Table 4. Maternal/fetal characteristics	Site						Total
	Ghana	India-CMC	India-SAS	Kenya	Pakistan	Zambia	
Total participants: N	2546	1727	1999	2413	4429	1714	14828
GA at enrollment							
Denominator, N (%)[a]	2546 (100)	1727 (100)	1999 (100)	2413 (100)	4429 (100)	1714 (100)	14828 (100)
GA: mean (SD)	14 (3.5)	13 (3.7)	10 (2.1)	13 (3.8)	12 (3.5)	14 (3.6)	13 (3.6)
GA: median (IQR)	14.7 (12,17)	13.1 (11,18)	10.1 (9,12)	14.1 (11,17)	12.4 (10,16)	14.7 (12,17)	12.9 (10,16)
Number of fetuses							
Denominator, N (%)[a]	2528 (99)	1727 (100)	1999 (100)	2413 (100)	4429 (100)	1713 (100)	14809 (100)
num of Fetuses > 1: n (%)[b]	61 (2.4)	28 (1.6)	13 (0.65)	51 (2.1)	69 (1.6)	38 (2.2)	260 (1.8)
Previous miscarriage							
Denominator, N (%)[a]	2433 (96)	1725 (100)	1998 (100)	2380 (99)	4429 (100)	1699 (99)	14664 (99)
Miscarriage, n (%)[b]	280 (12)	364 (21)	511 (26)	413 (17)	1202 (27)	277 (16)	3047 (21)
Previous miscarriage (count)							
Denominator, N (%)[a c]	1674 (66)	1007 (58)	1390 (70)	1795 (74)	3400 (77)	1359 (79)	10625 (72)
num of miscarriage: mean (SD)	0.2 (0.5)	0.4 (0.7)	0.5 (0.7)	0.3 (0.6)	0.5 (0.8)	0.3 (0.7)	0.4 (0.7)
num of miscarriage: median (IQR)	0 (0,0)	0 (0,1)	0 (0,1)	0 (0,0)	0 (0,1)	0 (0,0)	0 (0,1)
Mid-upper arm circumference (MUAC_ENROLL)							
Denominator, N (%)[a]	2516 (99)	1726 (100)	1999 (100)	2412 (100)	4429 (100)	1703 (99)	14785 (100)
MUAC_ENROLL: mean (SD)	28 (3.6)	26 (4.0)	25 (3.2)	28 (4.2)	25 (4.4)	27 (4.2)	26 (4)
MUAC_ENROLL: median (IQR)	28 (26,30)	26 (24,29)	25 (23,27)	27 (25,30)	24 (22,28)	27 (25,30)	26 (24,29)

[a] denominator is total participants with non-missing data among all participants.

[b] denominator is total participants with non-missing data (N).

[c] denominator for the number of previous miscarriages excludes participants with no previous pregnancies..