
Q1. Create table students, with following columns.
Roll_no number(3)
F_name varchar(25)
L_name varchar(25)
Course varchar(5)
DOB date
Marks number(5,2)




```
Table created.
```

0.00 seconds

Q2. Insert 10 records into table .

Autocommit Display 500

```
INSERT INTO students (Roll_no, F_name, L_name, Course, DOB, Marks
VALUES (101, 'John', 'Doe', 'CS', DATE '2001-05-15', 85.50);

INSERT INTO students (Roll_no, F_name, L_name, Course, DOB, Marks
VALUES (102, 'Jane', 'Smith', 'IT', DATE '2002-08-22', 92.00);

INSERT INTO students (Roll_no, F_name, L_name, Course, DOB, Marks
VALUES (103, 'Alice', 'Johnson', 'ECE', DATE '2001-11-30', 78.25)

INSERT INTO students (Roll_no, F_name, L_name, Course, DOB, Marks
VALUES (111, 'Roy', 'Brown', 'IT', DATE '2000-02-10', null);

INSERT INTO students (Roll_no, F_name, L_name, Course, Marks)
```

Results Explain Describe Saved SQL History

ROLL_NO	F_NAME	L_NAME	COURSE	DOB	MARKS
101	John	Doe	CS	15-MAY-01	85.5
102	Jane	Smith	IT	22-AUG-02	92
103	Alice	Johnson	ECE	30-NOV-01	78.25
104	Bob	Brown	MECH	10-FEB-00	-
106	Eva	White	CS	25-JAN-02	95.1
107	Frank	Harris	IT	14-SEP-01	72.3
108	Grace	Martin	ECE	05-DEC-00	81.9
109	Henry	Clark	MECH	-	68.5
110	Ivy	Lewis	CS	-	-
111	Roy	Doe	IT	28-OCT-05	-

10 rows returned in 0.00 seconds CSV Export