Q1 Create table worker, with following columns.

- **Name**: Empno, **Type**: Number
- **Name**: Ename, **Type**: Varchar2(10)
- **Name**: Job, **Type**: Varchar2(10)
- **Name**: Mgr, **Type**: Number
- **Name**: Sal, **Type**: Number

```
create table worker(Empno number, Ename varchar2(10), job varchar2(10), Mgr number, sal number)
```

Results Explain Describe Saved SQL History

```
Table created.
```

0.05 seconds

Q2. Add a column commission .

Autocommit Display 10


```
alter table worker add commission number
```

Results Explain Describe Saved SQL History


```
Table altered.
```

0.00 seconds

Q3. Rename column job to designation



Q4. Remove column commission.



Q5. Change datatype of ename to varchar2(25)

```
alter table worker modify Ename varchar2(25);
```

Results Explain Describe Saved SQL History

```
Table altered.
```

Q6. Insert five records into table worker.


```
insert into worker (Empno, Ename, designation, Mgr, sal) values (001, 'Raj', 'Analyst', 100, 45000);
insert into worker (Empno, Ename, designation, Mgr, sal) values (002, 'Amit', 'Manager', null, 85000);
insert into worker (Empno, Ename, designation, Mgr, sal) values (003, 'Neha', 'Clerk', 102, 25000);
insert into worker (Empno, Ename, designation, Mgr, sal) values (004, 'Kabir', 'HR', 102, 40000);
insert into worker (Empno, Ename, designation, Mgr, sal) values (005, 'Priya', 'Sales', 102, 35000);
select * from worker
```

Results Explain Describe Saved SQL History

EMPNO	ENAME	DESIGNATION	MGR	SAL	COMMISSION
1	Raj	Analyst	100	45000	-
2	Amit	Manager	-	85000	-
3	Neha	Clerk	102	25000	-
4	Kabir	HR	102	40000	-
5	Priya	Sales	102	35000	-


5 rows returned in 0.00 seconds CSV Export

Q7. Create table new_worker having all the columns and data of worker table.




```
Table created.
```

Q8. Remove table worker




```
Table dropped.
```