Assignment-6

(Table creation & Manipulation)

1. Create table Personal1 having attributes , Personal1_id, name, date of birth, email_id, Telephone no, address and insert 10 records into it.

Home > SQL > SQL Commands

Autocommit Display 100

```
CREATE TABLE Personal1 (
    Personal1_id NUMBER(5) PRIMARY KEY,
    Name         VARCHAR2(20),
    DOB          DATE,
    Email_id     VARCHAR2(100),
    Telephone_no VARCHAR2(15),
    Address      VARCHAR2(100)
);

DESC Personal1;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **PERSONAL1**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PERSONAL1	PERSONAL1_ID	Number	-	5	0	1	-	-	-
	NAME	Varchar2	20	-	-	-	✓	-	-
	DOB	Date	7	-	-	-	✓	-	-
	EMAIL_ID	Varchar2	100	-	-	-	✓	-	-
	TELEPHONE_NO	Varchar2	15	-	-	-	✓	-	-
	ADDRESS	Varchar2	100	-	-	-	✓	-	-

1 - 6

Home > SQL > SQL Commands

Autocommit Display 100

```
INSERT INTO Personal1 VALUES(1, 'Rahul', DATE '1995-05-12', 'rahul@example.com', '9876543210', 'Pune');
INSERT INTO Personal1 VALUES(2, 'Amit', DATE '1998-08-20', 'amit@example.com', '9876543211', 'Mumbai');
INSERT INTO Personal1 VALUES(3, 'Priya', DATE '1996-03-15', 'priya@example.com', '9876543212', 'Nagpur');
INSERT INTO Personal1 VALUES(4, 'Sneha', DATE '2000-11-25', 'sneha@example.com', '9876543213', 'Nashik');
INSERT INTO Personal1 VALUES(5, 'Rohan', DATE '1994-02-10', 'rohan@example.com', '9876543214', 'Satara');
INSERT INTO Personal1 VALUES(6, 'Neha', DATE '2001-07-18', 'neha@example.com', '9876543215', 'Kolhapur');
INSERT INTO Personal1 VALUES(7, 'Vikas', DATE '1993-09-05', 'vikas@example.com', '9876543216', 'Thane');
INSERT INTO Personal1 VALUES(8, 'Pooja', DATE '1999-12-30', 'pooja@example.com', '9876543217', 'Aurangabad');
INSERT INTO Personal1 VALUES(9, 'Karan', DATE '1996-06-22', 'karan@example.com', '9876543218', 'Solapur');
INSERT INTO Personal1 VALUES(10, 'Anjali', DATE '2002-04-14', 'anjali@example.com', '9876543219', 'Sangli');

SELECT * FROM Personal1;
```

Results Explain Describe Saved SQL History

PERSONAL1_ID	NAME	DOB	EMAIL_ID	TELEPHONE_NO	ADDRESS
1	Rahul	12-MAY-95	rahul@example.com	9876543210	Pune
2	Amit	20-AUG-98	amit@example.com	9876543211	Mumbai
3	Priya	15-MAR-96	priya@example.com	9876543212	Nagpur
4	Sneha	25-NOV-00	sneha@example.com	9876543213	Nashik
5	Rohan	10-FEB-94	rohan@example.com	9876543214	Satara
6	Neha	18-JUL-01	neha@example.com	9876543215	Kolhapur
7	Vikas	05-SEP-93	vikas@example.com	9876543216	Thane
8	Pooja	30-DEC-99	pooja@example.com	9876543217	Aurangabad
9	Karan	22-JUN-96	karan@example.com	9876543218	Solapur
10	Anjali	14-APR-02	anjali@example.com	9876543219	Sangli

10 rows returned in 0.02 seconds CSV Export

2. Create table student_11 having attributes Rollno, Registration no, name, branch, section, five subject marks and insert 10 records into it.

Home > SQL > SQL Commands

Autocommit Display 100

```
CREATE TABLE Student_11 (
    Rollno           NUMBER(5) PRIMARY KEY,
    Registration_no  VARCHAR2(20),
    Name             VARCHAR2(20),
    Branch           VARCHAR2(20),
    Section          VARCHAR2(5),
    Sub1             NUMBER(5,2),
    Sub2             NUMBER(5,2),
    Sub3             NUMBER(5,2),
    Sub4             NUMBER(5,2),
    Sub5             NUMBER(5,2)
);

DESC Student_11;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **STUDENT_11**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
STUDENT_11	ROLLNO	Number	-	5	0	1	-	-	-
	REGISTRATION_NO	Varchar2	20	-	-	-	✓	-	-
	NAME	Varchar2	20	-	-	-	✓	-	-
	BRANCH	Varchar2	20	-	-	-	✓	-	-
	SECTION	Varchar2	5	-	-	-	✓	-	-
	SUB1	Number	-	5	2	-	✓	-	-
	SUB2	Number	-	5	2	-	✓	-	-
	SUB3	Number	-	5	2	-	✓	-	-
	SUB4	Number	-	5	2	-	✓	-	-
	SUB5	Number	-	5	2	-	✓	-	-

1 - 10

Autocommit Display 100

```
INSERT INTO Student_11 VALUES(1, 'REG2026001', 'Rahul', 'BCA', 'A', 85, 78, 90, 88, 80);
INSERT INTO Student_11 VALUES(2, 'REG2026002', 'Amit', 'BCA', 'A', 75, 80, 82, 79, 85);
INSERT INTO Student_11 VALUES(3, 'REG2026003', 'Priya', 'BCA', 'B', 90, 92, 88, 95, 91);
INSERT INTO Student_11 VALUES(4, 'REG2026004', 'Sneha', 'BCA', 'A', 65, 70, 68, 72, 75);
INSERT INTO Student_11 VALUES(5, 'REG2026005', 'Rohan', 'BCA', 'B', 80, 85, 78, 82, 88);
INSERT INTO Student_11 VALUES(6, 'REG2026006', 'Neha', 'BCA', 'A', 95, 91, 93, 89, 94);
INSERT INTO Student_11 VALUES(7, 'REG2026007', 'Vikas', 'BCA', 'B', 70, 75, 72, 78, 80);
INSERT INTO Student_11 VALUES(8, 'REG2026008', 'Pooja', 'BCA', 'A', 88, 86, 90, 84, 87);
INSERT INTO Student_11 VALUES(9, 'REG2026009', 'Karan', 'BCA', 'B', 60, 65, 70, 68, 72);
INSERT INTO Student_11 VALUES(10, 'REG2026010', 'Anjali', 'BCA', 'A', 92, 89, 95, 90, 96);

SELECT * FROM Student_11;
```

Results Explain Describe Saved SQL History

ROLLNO	REGISTRATION_NO	NAME	BRANCH	SECTION	SUB1	SUB2	SUB3	SUB4	SUB5
1	REG2026001	Rahul	BCA	A	85	78	90	88	80
2	REG2026002	Amit	BCA	A	75	80	82	79	85
3	REG2026003	Priya	BCA	B	90	92	88	95	91
4	REG2026004	Sneha	BCA	A	65	70	68	72	75
5	REG2026005	Rohan	BCA	B	80	85	78	82	88
6	REG2026006	Neha	BCA	A	95	91	93	89	94
7	REG2026007	Vikas	BCA	B	70	75	72	78	80
8	REG2026008	Pooja	BCA	A	88	86	90	84	87
9	REG2026009	Karan	BCA	B	60	65	70	68	72
10	REG2026010	Anjali	BCA	A	92	89	95	90	96

10 rows returned in 0.00 seconds CSV Export

3. Create table Product_11 having attributes Product_id, Product_name, Mfg date, Expiry date, Sale price , Batch no and insert 10 records into it.

Home > SQL > SQL Commands

Autocommit Display 100

```
CREATE TABLE Product_11 (
    Product_id    NUMBER(5) PRIMARY KEY,
    Product_name  VARCHAR2(50),
    Mfg_date      DATE,
    Expiry_date   DATE,
    Sale_price    NUMBER(10,2),
    Batch_no      VARCHAR2(20)
);

DESC Product_11;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **PRODUCT_11**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PRODUCT_11	PRODUCT_ID	Number	-	5	0	1	-	-	-
	PRODUCT_NAME	Varchar2	50	-	-	-	✓	-	-
	MFG_DATE	Date	7	-	-	-	✓	-	-
	EXPIRY_DATE	Date	7	-	-	-	✓	-	-
	SALE_PRICE	Number	-	10	2	-	✓	-	-
	BATCH_NO	Varchar2	20	-	-	-	✓	-	-

1 - 6

Autocommit Display 100

```
INSERT INTO Product_11 VALUES(1, 'Milk', DATE '2024-01-01', DATE '2026-01-01', 60, 'B001');
INSERT INTO Product_11 VALUES(2, 'Shampoo', DATE '2024-06-01', DATE '2027-06-01', 180, 'B002');
INSERT INTO Product_11 VALUES(3, 'Biscuits', DATE '2023-03-15', DATE '2025-09-15', 40, 'B003');
INSERT INTO Product_11 VALUES(4, 'Face Cream', DATE '2025-01-01', DATE '2026-01-01', 150, 'B004');
INSERT INTO Product_11 VALUES(5, 'Toothpaste', DATE '2024-04-01', DATE '2025-10-01', 90, 'B005');
INSERT INTO Product_11 VALUES(6, 'Cooking Oil', DATE '2023-07-01', DATE '2026-07-01', 160, 'B006');
INSERT INTO Product_11 VALUES(7, 'Juice', DATE '2025-02-01', DATE '2027-02-01', 50, 'B007');
INSERT INTO Product_11 VALUES(8, 'Body Lotion', DATE '2024-11-01', DATE '2026-05-01', 220, 'B008');
INSERT INTO Product_11 VALUES(9, 'Chocolate', DATE '2025-05-01', DATE '2026-11-01', 100, 'B009');
INSERT INTO Product_11 VALUES(10, 'Coffee Powder', DATE '2023-10-01', DATE '2028-10-01', 350, 'B010');

SELECT * FROM Product_11;
```

Results Explain Describe Saved SQL History

PRODUCT_ID	PRODUCT_NAME	MFG_DATE	EXPIRY_DATE	SALE_PRICE	BATCH_NO
1	Milk	01-JAN-24	01-JAN-26	60	B001
2	Shampoo	01-JUN-24	01-JUN-27	180	B002
3	Biscuits	15-MAR-23	15-SEP-25	40	B003
4	Face Cream	01-JAN-25	01-JAN-26	150	B004
5	Toothpaste	01-APR-24	01-OCT-25	90	B005
6	Cooking Oil	01-JUL-23	01-JUL-26	160	B006
7	Juice	01-FEB-25	01-FEB-27	50	B007
8	Body Lotion	01-NOV-24	01-MAY-26	220	B008
9	Chocolate	01-MAY-25	01-NOV-26	100	B009
10	Coffee Powder	01-OCT-23	01-OCT-28	350	B010

10 rows returned in 0.00 seconds CSV Export

4. Create table employee_11 having attributes Emp_id, Emp_name, Date of joining, Date of Birth, email_id, Mobile_no, department, Designation, Basic salary, TA, DA, HRA, PF, Gross salary, Net salary. Insert 10 records into it.

Home > SQL > SQL Commands

Autocommit Display 100

```
CREATE TABLE Employee_11 (
    Emp_id              NUMBER(5) PRIMARY KEY,
    Emp_name            VARCHAR2(50),
    Date_of_joining     DATE,
    DOB                 DATE,
    Email_id            VARCHAR2(100),
    Mobile_no           VARCHAR2(15),
    Department          VARCHAR2(30),
    Designation         VARCHAR2(30),
    Basic_salary        NUMBER(10,2),
    TA                  NUMBER(10,2),
    DA                  NUMBER(10,2),
    HRA                 NUMBER(10,2),
    PF                  NUMBER(10,2),
    Gross_salary        NUMBER(10,2),
    Net_salary          NUMBER(10,2)
);

DESC Employee_11;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **EMPLOYEE_11**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMPLOYEE_11	EMP_ID	Number	-	5	0	1	-	-	-
	EMP_NAME	Varchar2	50	-	-	-	✓	-	-
	DATE_OF_JOINING	Date	7	-	-	-	✓	-	-
	DOB	Date	7	-	-	-	✓	-	-
	EMAIL_ID	Varchar2	100	-	-	-	✓	-	-
	MOBILE_NO	Varchar2	15	-	-	-	✓	-	-
	DEPARTMENT	Varchar2	30	-	-	-	✓	-	-
	DESIGNATION	Varchar2	30	-	-	-	✓	-	-
	BASIC_SALARY	Number	-	10	2	-	✓	-	-
	TA	Number	-	10	2	-	✓	-	-
	DA	Number	-	10	2	-	✓	-	-
	HRA	Number	-	10	2	-	✓	-	-
	PF	Number	-	10	2	-	✓	-	-
	GROSS_SALARY	Number	-	10	2	-	✓	-	-
	NET_SALARY	Number	-	10	2	-	✓	-	-

1 - 15

Home > SQL > SQL Commands

Autocommit Display 100 Save Run

```
INSERT INTO Employee_11 VALUES(1, 'Rahul', DATE '2023-01-10', DATE '1995-05-12', 'rahul.emp@example.com', '9000000001', 'IT', 'Developer', 30000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(2, 'Amit', DATE '2022-03-15', DATE '1994-08-20', 'amit.emp@example.com', '9000000002', 'HR', 'Manager', 40000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(3, 'Priya', DATE '2021-06-01', DATE '1996-03-15', 'priya.emp@example.com', '9000000003', 'Finance', 'Accountant', 35000, 0, 0, 0, 0, 0,
0);
INSERT INTO Employee_11 VALUES(4, 'Sneha', DATE '2023-08-12', DATE '1998-11-25', 'sneha.emp@example.com', '9000000004', 'IT', 'Tester', 28000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(5, 'Rohan', DATE '2020-02-20', DATE '1993-02-10', 'rohan.emp@example.com', '9000000005', 'Sales', 'Executive', 32000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(6, 'Neha', DATE '2022-09-05', DATE '2000-07-18', 'neha.emp@example.com', '9000000006', 'HR', 'Assistant', 25000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(7, 'Vikas', DATE '2019-04-18', DATE '1992-09-05', 'vikas.emp@example.com', '9000000007', 'IT', 'Team Leader', 50000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(8, 'Pooja', DATE '2021-11-25', DATE '1999-12-30', 'pooja.emp@example.com', '9000000008', 'Finance', 'Analyst', 38000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(9, 'Karan', DATE '2023-05-10', DATE '1996-06-22', 'karan.emp@example.com', '9000000009', 'Sales', 'Manager', 45000, 0, 0, 0, 0, 0);
INSERT INTO Employee_11 VALUES(10, 'Anjali', DATE '2020-07-01', DATE '1997-04-14', 'anjali.emp@example.com', '9000000010', 'IT', 'Developer', 42000, 0, 0, 0, 0, 0);

SELECT * FROM Employee_11;
```

Results Explain Describe Saved SQL History

EMP_ID	EMP_NAME	DATE_OF_JOINING	DOB	EMAIL_ID	MOBILE_NO	DEPARTMENT	DESIGNATION	BASIC_SALARY	TA	DA	HRA	PF	GROSS_SALARY	NET_SALARY
1	Rahul	10-JAN-23	12-MAY-95	rahul.emp@example.com	9000000001	IT	Developer	30000	0	0	0	0	0	0
2	Amit	15-MAR-22	20-AUG-94	amit.emp@example.com	9000000002	HR	Manager	40000	0	0	0	0	0	0
3	Priya	01-JUN-21	15-MAR-96	priya.emp@example.com	9000000003	Finance	Accountant	35000	0	0	0	0	0	0
4	Sneha	12-AUG-23	25-NOV-98	sneha.emp@example.com	9000000004	IT	Tester	28000	0	0	0	0	0	0
5	Rohan	20-FEB-20	10-FEB-93	rohan.emp@example.com	9000000005	Sales	Executive	32000	0	0	0	0	0	0
6	Neha	05-SEP-22	18-JUL-00	neha.emp@example.com	9000000006	HR	Assistant	25000	0	0	0	0	0	0
7	Vikas	18-APR-19	05-SEP-92	vikas.emp@example.com	9000000007	IT	Team Leader	50000	0	0	0	0	0	0
8	Pooja	25-NOV-21	30-DEC-99	pooja.emp@example.com	9000000008	Finance	Analyst	38000	0	0	0	0	0	0
9	Karan	10-MAY-23	22-JUN-96	karan.emp@example.com	9000000009	Sales	Manager	45000	0	0	0	0	0	0
10	Anjali	01-JUL-20	14-APR-97	anjali.emp@example.com	9000000010	IT	Developer	42000	0	0	0	0	0	0

10 rows returned in 0.02 seconds CSV Export

5. Add a column Qualification in the Personal1 table you have created previously.




Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PERSONAL1	PERSONAL1_ID	Number	-	5	0	1	-	-	-
	NAME	Varchar2	20	-	-	-	✓	-	-
	DOB	Date	7	-	-	-	✓	-	-
	EMAIL_ID	Varchar2	100	-	-	-	✓	-	-
	TELEPHONE_NO	Varchar2	15	-	-	-	✓	-	-
	ADDRESS	Varchar2	100	-	-	-	✓	-	-
	QUALIFICATION	Varchar2	40	-	-	-	✓	-	-

1 - 7

6. Insert appropriate data into the column Qualification.

Home > SQL > SQL Commands

Autocommit Display 100

```
UPDATE Personal1 SET Qualification = 'BCA' WHERE Personal1_id = 1;
UPDATE Personal1 SET Qualification = 'BSc' WHERE Personal1_id = 2;
UPDATE Personal1 SET Qualification = 'BCom' WHERE Personal1_id = 3;
UPDATE Personal1 SET Qualification = 'MCA' WHERE Personal1_id = 4;
UPDATE Personal1 SET Qualification = 'BA' WHERE Personal1_id = 5;
UPDATE Personal1 SET Qualification = 'BCA' WHERE Personal1_id = 6;
UPDATE Personal1 SET Qualification = 'BSc' WHERE Personal1_id = 7;
UPDATE Personal1 SET Qualification = 'BCom' WHERE Personal1_id = 8;
UPDATE Personal1 SET Qualification = 'MCA' WHERE Personal1_id = 9;
UPDATE Personal1 SET Qualification = 'BA' WHERE Personal1_id = 10;

SELECT * FROM Personal1;
```

Results Explain Describe Saved SQL History

PERSONAL1_ID	NAME	DOB	EMAIL_ID	TELEPHONE_NO	ADDRESS	QUALIFICATION
1	Rahul	12-MAY-95	rahul@example.com	9876543210	Pune	BCA
2	Amit	20-AUG-98	amit@example.com	9876543211	Mumbai	BSc
3	Priya	15-MAR-96	priya@example.com	9876543212	Nagpur	BCom
4	Sneha	25-NOV-00	sneha@example.com	9876543213	Nashik	MCA
5	Rohan	10-FEB-94	rohan@example.com	9876543214	Satara	BA
6	Neha	18-JUL-01	neha@example.com	9876543215	Kolhapur	BCA
7	Vikas	05-SEP-93	vikas@example.com	9876543216	Thane	BSc
8	Pooja	30-DEC-99	pooja@example.com	9876543217	Aurangabad	BCom
9	Karan	22-JUN-96	karan@example.com	9876543218	Solapur	MCA
10	Anjali	14-APR-02	anjali@example.com	9876543219	Sangli	BA

10 rows returned in 0.00 seconds CSV Export

7. In student_11 table increase the length of Name. also add columns Tot_mark, Percentage. Calculate and update the total_mark with Percentage for all the rows you inserted before.

Home > SQL > SQL Commands

Autocommit Display 100

```
ALTER TABLE Student_11 MODIFY (Name VARCHAR2(50));

ALTER TABLE Student_11 ADD (Tot_mark NUMBER(6,2), Percentage NUMBER(5,2));

DESC Student_11;

UPDATE Student_11
SET Tot_mark = Sub1 + Sub2 + Sub3 + Sub4 + Sub5,
    Percentage = (Sub1 + Sub2 + Sub3 + Sub4 + Sub5) / 5;

SELECT * FROM Student_11;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **STUDENT_11**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
STUDENT_11	ROLLNO	Number	-	5	0	1	-	-	-
	REGISTRATION_NO	Varchar2	20	-	-	-	✓	-	-
	NAME	Varchar2	50	-	-	-	✓	-	-
	BRANCH	Varchar2	20	-	-	-	✓	-	-
	SECTION	Varchar2	5	-	-	-	✓	-	-
	SUB1	Number	-	5	2	-	✓	-	-
	SUB2	Number	-	5	2	-	✓	-	-
	SUB3	Number	-	5	2	-	✓	-	-
	SUB4	Number	-	5	2	-	✓	-	-
	SUB5	Number	-	5	2	-	✓	-	-
	TOT_MARK	Number	-	6	2	-	✓	-	-
	PERCENTAGE	Number	-	5	2	-	✓	-	-

1 - 12

Results Explain Describe Saved SQL History

ROLLNO	REGISTRATION_NO	NAME	BRANCH	SECTION	SUB1	SUB2	SUB3	SUB4	SUB5	TOT_MARK	PERCENTAGE
1	REG2026001	Rahul	BCA	A	85	78	90	88	80	421	84.2
2	REG2026002	Amit	BCA	A	75	80	82	79	85	401	80.2
3	REG2026003	Priya	BCA	B	90	92	88	95	91	456	91.2
4	REG2026004	Sneha	BCA	A	65	70	68	72	75	350	70
5	REG2026005	Rohan	BCA	B	80	85	78	82	88	413	82.6
6	REG2026006	Neha	BCA	A	95	91	93	89	94	462	92.4
7	REG2026007	Vikas	BCA	B	70	75	72	78	80	375	75
8	REG2026008	Pooja	BCA	A	88	86	90	84	87	435	87
9	REG2026009	Karan	BCA	B	60	65	70	68	72	335	67
10	REG2026010	Anjali	BCA	A	92	89	95	90	96	462	92.4

10 rows returned in 0.00 seconds CSV Export

8. In product_11 table add a column durability and calculate each products durability (expiry_date-mfg_date) in years and update it.

Home > SQL > SQL Commands

Autocommit Display 100

```
ALTER TABLE Product_11 ADD (Durability NUMBER(5,2));

DESC Product_11;

UPDATE Product_11
SET Durability = ROUND(MONTHS_BETWEEN(Expiry_date, Mfg_date) / 12, 2);

SELECT * FROM Product_11;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **PRODUCT_11**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PRODUCT_11	PRODUCT_ID	Number	-	5	0	1	-	-	-
	PRODUCT_NAME	Varchar2	50	-	-	-	✓	-	-
	MFG_DATE	Date	7	-	-	-	✓	-	-
	EXPIRY_DATE	Date	7	-	-	-	✓	-	-
	SALE_PRICE	Number	-	10	2	-	✓	-	-
	BATCH_NO	Varchar2	20	-	-	-	✓	-	-
	DURABILITY	Number	-	5	2	-	✓	-	-

1 - 7

Results Explain Describe Saved SQL History

PRODUCT_ID	PRODUCT_NAME	MFG_DATE	EXPIRY_DATE	SALE_PRICE	BATCH_NO	DURABILITY
1	Milk	01-JAN-24	01-JAN-26	60	B001	2
2	Shampoo	01-JUN-24	01-JUN-27	180	B002	3
3	Biscuits	15-MAR-23	15-SEP-25	40	B003	2.5
4	Face Cream	01-JAN-25	01-JAN-26	150	B004	1
5	Toothpaste	01-APR-24	01-OCT-25	90	B005	1.5
6	Cooking Oil	01-JUL-23	01-JUL-26	160	B006	3
7	Juice	01-FEB-25	01-FEB-27	50	B007	2
8	Body Lotion	01-NOV-24	01-MAY-26	220	B008	1.5
9	Chocolate	01-MAY-25	01-NOV-26	100	B009	1.5
10	Coffee Powder	01-OCT-23	01-OCT-28	350	B010	5

10 rows returned in 0.00 seconds CSV Export

9. In employee_11 table make the value 0 to the columns TA, DA, HRA, PF, Gross salary, Net salary. Recalculate and update the above column values such as TA = 35% of basic, DA= 75% of basic, HRA= 32% of basic, PF= 15% of basic. Also update the Gross salary, Net salary.

Home > SQL > SQL Commands

Autocommit Display 100

```
UPDATE Employee_11
SET TA = 0,
    DA = 0,
    HRA = 0,
    PF = 0,
    Gross_salary = 0,
    Net_salary = 0;

SELECT * FROM Employee_11;

UPDATE Employee_11 SET TA = ROUND(Basic_salary * 0.35, 2);

UPDATE Employee_11 SET DA = ROUND(Basic_salary * 0.75, 2);

UPDATE Employee_11 SET HRA = ROUND(Basic_salary * 0.32, 2);

UPDATE Employee_11 SET PF = ROUND(Basic_salary * 0.15, 2);

UPDATE Employee_11 SET Gross_salary = Basic_salary + TA + DA + HRA;

UPDATE Employee_11 SET Net_salary = Gross_salary - PF;

SELECT * FROM Employee_11;
```

Results Explain Describe Saved SQL History

EMP_ID	EMP_NAME	DATE_OF_JOINING	DOB	EMAIL_ID	MOBILE_NO	DEPARTMENT	DESIGNATION	BASIC_SALARY	TA	DA	HRA	PF	GROSS_SALARY	NET_SALARY
1	Rahul	10-JAN-23	12-MAY-95	rahul.emp@example.com	9000000001	IT	Developer	30000	0	0	0	0	0	0
2	Amit	15-MAR-22	20-AUG-94	amit.emp@example.com	9000000002	HR	Manager	40000	0	0	0	0	0	0
3	Priya	01-JUN-21	15-MAR-96	priya.emp@example.com	9000000003	Finance	Accountant	35000	0	0	0	0	0	0
4	Sneha	12-AUG-23	25-NOV-98	sneha.emp@example.com	9000000004	IT	Tester	28000	0	0	0	0	0	0
5	Rohan	20-FEB-20	10-FEB-93	rohan.emp@example.com	9000000005	Sales	Executive	32000	0	0	0	0	0	0
6	Neha	05-SEP-22	18-JUL-00	neha.emp@example.com	9000000006	HR	Assistant	25000	0	0	0	0	0	0
7	Vikas	18-APR-19	05-SEP-92	vikas.emp@example.com	9000000007	IT	Team Leader	50000	0	0	0	0	0	0
8	Pooja	25-NOV-21	30-DEC-99	pooja.emp@example.com	9000000008	Finance	Analyst	38000	0	0	0	0	0	0
9	Karan	10-MAY-23	22-JUN-96	karan.emp@example.com	9000000009	Sales	Manager	45000	0	0	0	0	0	0
10	Anjali	01-JUL-20	14-APR-97	anjali.emp@example.com	9000000010	IT	Developer	42000	0	0	0	0	0	0

10 rows returned in 0.02 seconds CSV Export

Results Explain Describe Saved SQL History

EMP_ID	EMP_NAME	DATE_OF_JOINING	DOB	EMAIL_ID	MOBILE_NO	DEPARTMENT	DESIGNATION	BASIC_SALARY	TA	DA	HRA	PF	GROSS_SALARY	NET_SALARY
1	Rahul	10-JAN-23	12-MAY-95	rahul.emp@example.com	9000000001	IT	Developer	30000	10500	22500	9600	4500	72600	68100
2	Amit	15-MAR-22	20-AUG-94	amit.emp@example.com	9000000002	HR	Manager	40000	14000	30000	12800	6000	96800	90800
3	Priya	01-JUN-21	15-MAR-96	priya.emp@example.com	9000000003	Finance	Accountant	35000	12250	26250	11200	5250	84700	79450
4	Sneha	12-AUG-23	25-NOV-98	sneha.emp@example.com	9000000004	IT	Tester	28000	9800	21000	8960	4200	67760	63560
5	Rohan	20-FEB-20	10-FEB-93	rohan.emp@example.com	9000000005	Sales	Executive	32000	11200	24000	10240	4800	77440	72640
6	Neha	05-SEP-22	18-JUL-00	neha.emp@example.com	9000000006	HR	Assistant	25000	8750	18750	8000	3750	60500	56750
7	Vikas	18-APR-19	05-SEP-92	vikas.emp@example.com	9000000007	IT	Team Leader	50000	17500	37500	16000	7500	121000	113500
8	Pooja	25-NOV-21	30-DEC-99	pooja.emp@example.com	9000000008	Finance	Analyst	38000	13300	28500	12160	5700	91960	86260
9	Karan	10-MAY-23	22-JUN-96	karan.emp@example.com	9000000009	Sales	Manager	45000	15750	33750	14400	6750	108900	102150
10	Anjali	01-JUL-20	14-APR-97	anjali.emp@example.com	9000000010	IT	Developer	42000	14700	31500	13440	6300	101640	95340

10 rows returned in 0.00 seconds CSV Export

10. Rename column Tot_mark to Total_Mark in student_11 Table.

Home > SQL > SQL Commands

Autocommit Display 100

```
ALTER TABLE Student_11 RENAME COLUMN Tot_mark TO Total_Mark;

DESC Student_11;

SELECT * FROM Student_11;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **STUDENT_11**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
STUDENT_11	ROLLNO	Number	-	5	0	1	-	-	-
	REGISTRATION_NO	Varchar2	20	-	-	-	✓	-	-
	NAME	Varchar2	50	-	-	-	✓	-	-
	BRANCH	Varchar2	20	-	-	-	✓	-	-
	SECTION	Varchar2	5	-	-	-	✓	-	-
	SUB1	Number	-	5	2	-	✓	-	-
	SUB2	Number	-	5	2	-	✓	-	-
	SUB3	Number	-	5	2	-	✓	-	-
	SUB4	Number	-	5	2	-	✓	-	-
	SUB5	Number	-	5	2	-	✓	-	-
	TOTAL_MARK	Number	-	6	2	-	✓	-	-
	PERCENTAGE	Number	-	5	2	-	✓	-	-

1 - 12

Results Explain Describe Saved SQL History

ROLLNO	REGISTRATION_NO	NAME	BRANCH	SECTION	SUB1	SUB2	SUB3	SUB4	SUB5	TOTAL_MARK	PERCENTAGE
1	REG2026001	Rahul	BCA	A	85	78	90	88	80	421	84.2
2	REG2026002	Amit	BCA	A	75	80	82	79	85	401	80.2
3	REG2026003	Priya	BCA	B	90	92	88	95	91	456	91.2
4	REG2026004	Sneha	BCA	A	65	70	68	72	75	350	70
5	REG2026005	Rohan	BCA	B	80	85	78	82	88	413	82.6
6	REG2026006	Neha	BCA	A	95	91	93	89	94	462	92.4
7	REG2026007	Vikas	BCA	B	70	75	72	78	80	375	75
8	REG2026008	Pooja	BCA	A	88	86	90	84	87	435	87
9	REG2026009	Karan	BCA	B	60	65	70	68	72	335	67
10	REG2026010	Anjali	BCA	A	92	89	95	90	96	462	92.4

10 rows returned in 0.00 seconds CSV Export

11. Remove the column Telephone no from Personal1 table and add mobile_no in it. Update the data in it.

Home > SQL > SQL Commands

Autocommit Display 100

```
ALTER TABLE Personal1 DROP COLUMN Telephone_no;

SELECT * FROM Personal1;

ALTER TABLE Personal1 ADD (Mobile_no VARCHAR2(15));

UPDATE Personal1 SET Mobile_no = '9000000001' WHERE Personal1_id = 1;
UPDATE Personal1 SET Mobile_no = '9000000002' WHERE Personal1_id = 2;
UPDATE Personal1 SET Mobile_no = '9000000003' WHERE Personal1_id = 3;
UPDATE Personal1 SET Mobile_no = '9000000004' WHERE Personal1_id = 4;
UPDATE Personal1 SET Mobile_no = '9000000005' WHERE Personal1_id = 5;
UPDATE Personal1 SET Mobile_no = '9000000006' WHERE Personal1_id = 6;
UPDATE Personal1 SET Mobile_no = '9000000007' WHERE Personal1_id = 7;
UPDATE Personal1 SET Mobile_no = '9000000008' WHERE Personal1_id = 8;
UPDATE Personal1 SET Mobile_no = '9000000009' WHERE Personal1_id = 9;
UPDATE Personal1 SET Mobile_no = '9000000010' WHERE Personal1_id = 10;

SELECT * FROM Personal1;
```

Results Explain Describe Saved SQL History

PERSONAL1_ID	NAME	DOB	EMAIL_ID	ADDRESS	QUALIFICATION
1	Rahul	12-MAY-95	rahul@example.com	Pune	BCA
2	Amit	20-AUG-98	amit@example.com	Mumbai	BSc
3	Priya	15-MAR-96	priya@example.com	Nagpur	BCom
4	Sneha	25-NOV-00	sneha@example.com	Nashik	MCA
5	Rohan	10-FEB-94	rohan@example.com	Satara	BA
6	Neha	18-JUL-01	neha@example.com	Kolhapur	BCA
7	Vikas	05-SEP-93	vikas@example.com	Thane	BSc
8	Pooja	30-DEC-99	pooja@example.com	Aurangabad	BCom
9	Karan	22-JUN-96	karan@example.com	Solapur	MCA
10	Anjali	14-APR-02	anjali@example.com	Sangli	BA

10 rows returned in 0.00 seconds CSV Export

Results Explain Describe Saved SQL History

PERSONAL1_ID	NAME	DOB	EMAIL_ID	ADDRESS	QUALIFICATION	MOBILE_NO
1	Rahul	12-MAY-95	rahul@example.com	Pune	BCA	9000000001
2	Amit	20-AUG-98	amit@example.com	Mumbai	BSc	9000000002
3	Priya	15-MAR-96	priya@example.com	Nagpur	BCom	9000000003
4	Sneha	25-NOV-00	sneha@example.com	Nashik	MCA	9000000004
5	Rohan	10-FEB-94	rohan@example.com	Satara	BA	9000000005
6	Neha	18-JUL-01	neha@example.com	Kolhapur	BCA	9000000006
7	Vikas	05-SEP-93	vikas@example.com	Thane	BSc	9000000007
8	Pooja	30-DEC-99	pooja@example.com	Aurangabad	BCom	9000000008
9	Karan	22-JUN-96	karan@example.com	Solapur	MCA	9000000009
10	Anjali	14-APR-02	anjali@example.com	Sangli	BA	9000000010

10 rows returned in 0.00 seconds CSV Export

12. Create a duplicate table Person from Personal1.

Home > SQL > SQL Commands

Autocommit Display 100

```
CREATE TABLE Person AS SELECT * FROM Personal1;


SELECT * FROM Person;
```

Results Explain Describe Saved SQL History


PERSONAL1_ID	NAME	DOB	EMAIL_ID	ADDRESS	QUALIFICATION	MOBILE_NO
1	Rahul	12-MAY-95	rahul@example.com	Pune	BCA	9000000001
2	Amit	20-AUG-98	amit@example.com	Mumbai	BSc	9000000002
3	Priya	15-MAR-96	priya@example.com	Nagpur	BCom	9000000003
4	Sneha	25-NOV-00	sneha@example.com	Nashik	MCA	9000000004
5	Rohan	10-FEB-94	rohan@example.com	Satara	BA	9000000005
6	Neha	18-JUL-01	neha@example.com	Kolhapur	BCA	9000000006
7	Vikas	05-SEP-93	vikas@example.com	Thane	BSc	9000000007
8	Pooja	30-DEC-99	pooja@example.com	Aurangabad	BCom	9000000008
9	Karan	22-JUN-96	karan@example.com	Solapur	MCA	9000000009
10	Anjali	14-APR-02	anjali@example.com	Sangli	BA	9000000010

10 rows returned in 0.00 seconds CSV Export

13. **Delete all the rows from person.**



14. **Recover all the rows of person table and reinsert it in same table.**



PERSONAL1_ID	NAME	DOB	EMAIL_ID	ADDRESS	QUALIFICATION	MOBILE_NO
1	Rahul	12-MAY-95	rahul@example.com	Pune	BCA	9000000001
2	Amit	20-AUG-98	amit@example.com	Mumbai	BSc	9000000002
3	Priya	15-MAR-96	priya@example.com	Nagpur	BCom	9000000003
4	Sneha	25-NOV-00	sneha@example.com	Nashik	MCA	9000000004
5	Rohan	10-FEB-94	rohan@example.com	Satara	BA	9000000005
6	Neha	18-JUL-01	neha@example.com	Kolhapur	BCA	9000000006
7	Vikas	05-SEP-93	vikas@example.com	Thane	BSc	9000000007
8	Pooja	30-DEC-99	pooja@example.com	Aurangabad	BCom	9000000008
9	Karan	22-JUN-96	karan@example.com	Solapur	MCA	9000000009
10	Anjali	14-APR-02	anjali@example.com	Sangli	BA	9000000010

10 rows returned in 0.00 seconds CSV Export

15. **Completely remove all the rows from person table using truncate. Repopulate it from its duplicate table.**

Home > SQL > SQL Commands

Autocommit Display 100

```
TRUNCATE TABLE Person;

INSERT INTO Person SELECT * FROM Personal1;


SELECT * FROM Person;
```

Results Explain Describe Saved SQL History

PERSONAL1_ID	NAME	DOB	EMAIL_ID	ADDRESS	QUALIFICATION	MOBILE_NO
1	Rahul	12-MAY-95	rahul@example.com	Pune	BCA	9000000001
2	Amit	20-AUG-98	amit@example.com	Mumbai	BSc	9000000002
3	Priya	15-MAR-96	priya@example.com	Nagpur	BCom	9000000003
4	Sneha	25-NOV-00	sneha@example.com	Nashik	MCA	9000000004
5	Rohan	10-FEB-94	rohan@example.com	Satara	BA	9000000005
6	Neha	18-JUL-01	neha@example.com	Kolhapur	BCA	9000000006
7	Vikas	05-SEP-93	vikas@example.com	Thane	BSc	9000000007
8	Pooja	30-DEC-99	pooja@example.com	Aurangabad	BCom	9000000008
9	Karan	22-JUN-96	karan@example.com	Solapur	MCA	9000000009
10	Anjali	14-APR-02	anjali@example.com	Sangli	BA	9000000010

10 rows returned in 0.02 seconds CSV Export

16. **Completely remove the table person.**



17. **Recreate the table person from Personal1 such that no rows will be copied from the old table(only structure). Then insert rows into it having date of birth before 1997.**

Home > SQL > SQL Commands

Autocommit Display 100

```
CREATE TABLE Person AS SELECT * FROM Personal1 WHERE 1 = 2;

SELECT * FROM Person;

INSERT INTO Person SELECT * FROM Personal1 WHERE DOB < DATE '1997-01-01';

SELECT * FROM Person;
```

Results Explain Describe Saved SQL History

no data found

Results Explain Describe Saved SQL History

PERSONAL1_ID	NAME	DOB	EMAIL_ID	ADDRESS	QUALIFICATION	MOBILE_NO
1	Rahul	12-MAY-95	rahul@example.com	Pune	BCA	9000000001
3	Priya	15-MAR-96	priya@example.com	Nagpur	BCom	9000000003
5	Rohan	10-FEB-94	rohan@example.com	Satara	BA	9000000005
7	Vikas	05-SEP-93	vikas@example.com	Thane	BSc	9000000007
9	Karan	22-JUN-96	karan@example.com	Solapur	MCA	9000000009

5 rows returned in 0.00 seconds CSV Export

18. **In the product_11 table add a column Tax and calculate 4% ,12% and 16% tax on different products as per your choice and update it.**

Home > SQL > SQL Commands

Autocommit Display 100

```
ALTER TABLE Product_11 ADD (Tax NUMBER(10,2));

DESC Product_11;

SELECT * FROM Product_11;

UPDATE Product_11
SET Tax = ROUND(
    Sale_price *
    CASE
        WHEN Product_id IN (1, 2, 3) THEN 0.04
        WHEN Product_id IN (4, 5, 6, 7) THEN 0.12
        WHEN Product_id IN (8, 9, 10) THEN 0.16
    END,2
);

SELECT * FROM Product_11;
```

Results Explain Describe Saved SQL History

Object Type **TABLE** Object **PRODUCT_11**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PRODUCT_11	PRODUCT_ID	Number	-	5	0	1	-	-	-
	PRODUCT_NAME	Varchar2	50	-	-	-	✓	-	-
	MFG_DATE	Date	7	-	-	-	✓	-	-
	EXPIRY_DATE	Date	7	-	-	-	✓	-	-
	SALE_PRICE	Number	-	10	2	-	✓	-	-
	BATCH_NO	Varchar2	20	-	-	-	✓	-	-
	DURABILITY	Number	-	5	2	-	✓	-	-
	TAX	Number	-	10	2	-	✓	-	-

1 - 8

Results Explain Describe Saved SQL History

PRODUCT_ID	PRODUCT_NAME	MFG_DATE	EXPIRY_DATE	SALE_PRICE	BATCH_NO	DURABILITY	TAX
1	Milk	01-JAN-24	01-JAN-26	60	B001	2	-
2	Shampoo	01-JUN-24	01-JUN-27	180	B002	3	-
3	Biscuits	15-MAR-23	15-SEP-25	40	B003	2.5	-
4	Face Cream	01-JAN-25	01-JAN-26	150	B004	1	-
5	Toothpaste	01-APR-24	01-OCT-25	90	B005	1.5	-
6	Cooking Oil	01-JUL-23	01-JUL-26	160	B006	3	-
7	Juice	01-FEB-25	01-FEB-27	50	B007	2	-
8	Body Lotion	01-NOV-24	01-MAY-26	220	B008	1.5	-
9	Chocolate	01-MAY-25	01-NOV-26	100	B009	1.5	-
10	Coffee Powder	01-OCT-23	01-OCT-28	350	B010	5	-

10 rows returned in 0.00 seconds CSV Export

Results Explain Describe Saved SQL History

PRODUCT_ID	PRODUCT_NAME	MFG_DATE	EXPIRY_DATE	SALE_PRICE	BATCH_NO	DURABILITY	TAX
1	Milk	01-JAN-24	01-JAN-26	60	B001	2	2.4
2	Shampoo	01-JUN-24	01-JUN-27	180	B002	3	7.2
3	Biscuits	15-MAR-23	15-SEP-25	40	B003	2.5	1.6
4	Face Cream	01-JAN-25	01-JAN-26	150	B004	1	18
5	Toothpaste	01-APR-24	01-OCT-25	90	B005	1.5	10.8
6	Cooking Oil	01-JUL-23	01-JUL-26	160	B006	3	19.2
7	Juice	01-FEB-25	01-FEB-27	50	B007	2	6
8	Body Lotion	01-NOV-24	01-MAY-26	220	B008	1.5	35.2
9	Chocolate	01-MAY-25	01-NOV-26	100	B009	1.5	16
10	Coffee Powder	01-OCT-23	01-OCT-28	350	B010	5	56

10 rows returned in 0.00 seconds CSV Export

@PSCodersHub