

## Krylon Metallic Paint

### Household Products Database

Search as Brand NameType of ProductManufacturer

#### Brand Information

Brand Name: Krylon Industrial Maintenance Metallic Paint,  
Bright Silver  
Form: aerosol  
Product Category: Home inside  
Purpose: Spray Paint  
Type: metallic finish  
Customer Service No.: 800-832-2541  
Date Entered: 2001-07-06  
Related Items: Products with similar usage in this database

#### Manufacturer

Manufacturer: Sherwin-Williams Company  
Address: 1100 Midland Bldg.  
City: Cleveland  
State: OH  
Zip Code: 44115  
Telephone Number: 216-566-2000  
Fax Number: 216-566-3266  
Toll Free Number: 800-832-2541  
Date Info Verified: 2003-01-01  
Related Items: Products by this manufacturer

#### Health Effects

Warning from Label: Extremely flammable. Contents under pressure. Vapors may cause flash fire. Harmful or fatal if swallowed. Vapor harmful. Do not spray near sparks, heat or open flame. Vapors will accumulate readily and may ignite explosively. Ventilate area during use and until all vapors are gone. Do not smoke. Extinguish sources of ignition. Contents under pressure. Avoid prolonged exposure to sunlight. Heating may cause bursting. Do not puncture, incinerate, burn or store above 120 degrees F. Do not discard empty can in home garbage compactor. Contains acetone, hydrocarbon propellants, xylene, ketones, toluene and petroleum distillates. This product contains a chemical known to the state of California to cause cancer, birth defects, or other reproductive harm. May affect the brain or nervous system causing dizziness, headache or nausea. Cause eye, skin, nose and throat irritation. Use with adequate ventilation. Avoid continuous breathing of vapor and spray mist. To avoid breathing vapors or spray mist, open windows and doors or use other means to ensure fresh air entry during application and drying or for cross ventilation. If you experience eye watering, headaches or dizziness, increase respiratory protection. (NIOSH TC23C or equivalent) or leave the area. Avoid contact with skin and eyes. Wash skin thoroughly after

### Krylon Metallic Paint

handling. If swallowed do not induce vomiting. Get medical attention or contact a poison control center immediately. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Keep out of reach of children.

Acute Health Effects: From MSDS:

#### ROUTES OF EXPOSURE

Exposure may be by INHALATION and/or SKIN or EYE contact, depending on conditions of use. To minimize exposure, follow recommendations for proper use, ventilation, and personal protective equipment.

#### ACUTE Health Hazards

##### EFFECTS OF OVEREXPOSURE

Irritation of eyes, skin and respiratory system. May cause nervous system depression. Extreme overexposure may result in unconsciousness and possibly death.

##### SIGNS AND SYMPTOMS OF OVEREXPOSURE

Headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mists. Redness and itching or burning sensation may indicate eye or excessive skin exposure.

#### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None generally recognized.

#### Chronic Health Effects: MSDS: CHRONIC Health Hazards

##### CHRONIC Health Hazards

No ingredient in these products is an IARC, NTP or OSHA listed carcinogen.

Prolonged overexposure to solvent ingredients in Section 2 may cause adverse effects to the liver, urinary, cardiovascular and reproductive systems.

Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage.

#### CALIFORNIA PROPOSITION 65

WARNING: These products contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Carcinogenicity: MSDS: No ingredient in these products is an IARC, NTP or OSHA listed carcinogen.

#### First Aid: MSDS: EMERGENCY AND FIRST AID PROCEDURES

If INHALED: If affected, remove from exposure. Restore breathing.

Keep warm and quiet.

If on SKIN: Wash affected area thoroughly with soap and water.

Remove contaminated clothing and launder before re-use.

If in EYES: Flush eyes with large amounts of water for 15 minutes.

Get medical attention.

If SWALLOWED: Do not induce vomiting.

Get medical attention immediately.

## Krylon Metallic Paint

Health Rating: 2  
Flammability Rating: 4  
Reactivity Rating: 1  
HMIS Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate;  
3 = Serious; 4 = Severe;  
N = No information provided by manufacturer; \* = Chronic  
Health Hazard  
MSDS Date: 2000-07-31

### Handling/Disposal

Handling: MSDS: PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING  
Keep away from heat, sparks, and open flame. Vapors will accumulate ready and may ignite explosively. During use and until all vapors are gone: Keep area ventilated - Do not smoke - Extinguish all flames, pilot lights, and heaters - Turn off stoves, electric tools and appliances, and any other sources of ignition. Consult NFPA Code. Use approved Bonding and Grounding procedures.  
Contents under pressure. Do not puncture, incinerate, or expose to temperature above 120F. Heat from sunlight, radiators, stoves, hot water, and other heat sources could cause container to burst. Do not take internally. Keep out of the reach of children.  
OTHER PRECAUTIONS  
Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Disposal: MSDS: WASTE DISPOSAL METHOD  
Do not incinerate. Depressurize container. Dispose of in accordance with Federal, State, and Local regulations regarding pollution.

### Ingredients from MSDS/Label

Chemical CAS No / Unique ID Percent  
Propane000074-98-618  
Petroleum distillate064742-88-71  
Xylene (mixed isomers)001330-20-74  
Acetone000067-64-147  
Light aliphatic solvent naphtha064742-89-817  
Toluene000108-88-34

Krylon Metallic Paint  
Information is extracted from Consumer Product Information Database ©2001  
by DeLima Associates. All rights reserved.

About | Help | Glossary | Contact Us | Other Resources | Home | Back to Top

Specialized Information Services U.S. National Library of Medicine,  
8600 Rockville Pike, Bethesda, MD 20894  
National Institutes of Health, Department of Health & Human Services  
Copyright, Privacy, Freedom of Information Act, Accessibility  
Customer Service: [tehp@teh.nlm.nih.gov](mailto:tehp@teh.nlm.nih.gov)  
Last updated: May 12, 2003