



Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	E	HCS CLASS: Corrosive liquid.
WHMIS (Pictograms)	WHMIS (Classification)	HCS
Section 1. Chemical Product and Company Identification		
Product Name/ Trade name Spray Foam (At 1:25 Dilution)		Code 126 Diluted 1:25
Synonym Heavy Duty Foaming Degreaser		CAS # Mixture.
Chemical Family Not available.		Validation Date 3/3/2010
Chemical Formula Not applicable.		Print Date 3/3/2010
Manufacturer/ Supplier Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156		In Case of Emergency Chemtrec (800) 424-9300
TSCA TSCA Inventory: All components listed or are exempt from listing.		Protective Clothing
DSL/ NDSL All components listed unless noted elsewhere on this MSDS		

Section 2. Composition and Information on Ingredients				
Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Water	7732-18-5	>90	Not available.	Not available.
Tetrasodium salt of ethylenediaminetetraacetic acid	64-02-8	<1	Not available.	ORAL (LD ₅₀): Acute: 3030 mg/kg [Rat].
Sodium Hydroxide	1310-73-2	<1	TWA: 2 (mg/m ³) from OSHA (PEL) [United States]	ORAL (LD ₅₀): Acute: 140 mg/kg [Rat].
Sodium Metasilicate	6834-92-0	<1	Not available.	Not available.
Sodium Xylene Sulfonate	1300-72-7	1	Not available.	Not available.
Anionic Surfactant	25155-30-0	<1	Not available.	Not available.
Nonionic Surfactant	9016-45-9	<1	Not available.	Not available.
Anionic Surfactant	68130-47-2	<1	Not available.	ORAL (LD ₅₀): Acute: 3950 mg/kg [Rat].
Nonionic Surfactant	66455-15-0	<1	Not available.	Not available.
Propylene Glycol	57-55-6	<1	Not available.	ORAL (LD ₅₀): Acute: 5000 mg/kg [Rat].
Triethanolamine	102-71-6	<1	Not available.	ORAL (LD ₅₀): Acute: 4000 mg/kg [Rat].

Section 3. Hazards Identification

Potential Acute Health Effects	Corrosive to eyes and skin. Harmful if swallowed.
Potential Chronic Health Effects	Over-exposure by inhalation may cause respiratory irritation. Severe over-exposure can result in death.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Products of Combustion	Not Applicable
Fire Fighting Media and Instructions	Non-flammable substance.
Special Remarks on Fire Hazards	No additional remark.
Special Remarks on Explosion Hazards	No additional remark.

Section 6. Accidental Release Measures

Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Full suit. Gloves. Boots. Splash goggles.

Section 7. Handling and Storage

Precautions	Avoid contact with skin and eyes. DO NOT ingest.
Incompatibility	acids
Storage	Corrosive materials should be stored in a separate safety storage cabinet or room. Keep out of the reach of children. Not for use or storage in or around the home.

Section 8. Exposure Controls/Personal Protection

Engineering Controls Good general ventilation should be sufficient to control airborne levels.

Personal Protection

Eyes Splash goggles.

Body Long Pants and Long Sleeves to avoid skin contact.

Respiratory Wear appropriate respirator when ventilation is inadequate.

Hands Gloves (impervious).

Protective Clothing (Pictograms)



Exposure Limits **Sodium Hydroxide**
TWA: 2 (mg/m³) from OSHA (PEL)

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	
pH	12 to 13 [Basic.]	Color	Colorless.
Boiling/Condensation Point	214°F initial		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.08 (Water = 1)		
Vapor Pressure	20mm Hg @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	80		
VOC			
Evaporation Rate	<1 compared to Water		
Dispersion Properties	Dispersed in cold water, hot water, methanol, diethyl ether, n-octanol, acetone.		
Solubility	Soluble		
The Product is:	Non-flammable.		
Auto-ignition Temperature	Not Available		
Flash Points	None to Boiling (TCC)		
Flammable Limits	Non Flammable		

Fire Hazards in Presence of Various Substances	Non-flammable.
Explosion Hazards in Presence of Various Substances	Not applicable

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	acids
Hazardous Decomposition Products	not available

Section 11. Toxicological Information

Routes of Entry	Eye Contact Ingestion. INHALATION Skin contact.
Toxicity to Animals	not available
Acute Effects on Humans	
<i>Eyes</i>	Very hazardous in case of eye contact (irritant, corrosive). Inflammation of the eye is characterized by redness, watering, and itching.
<i>Skin</i>	Very hazardous in case of skin contact (corrosive, irritant). Skin contact may produce burns. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.
<i>Inhalation</i>	Over-exposure by inhalation may cause respiratory irritation.
<i>Ingestion</i>	Very hazardous in case of ingestion. May cause burns to mouth, throat, and stomach. Harmful if swallowed.
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation. Severe over-exposure can result in death.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not Available
Products of Biodegradation	Not Available
Toxicity of the Products of Biodegradation	as toxic as the original product.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

DOT (U.S.A)
(Pictograms)



TDG Classification 8



PIN UN, Proper Shipping Name, PG Shipping name: Corrosive liquids n.o.s. UNNA: 1760 PG: II

Maritime Transportation Not available.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) E



Regulatory Lists No products were found.

Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications

HCS (U.S.A.) HCS CLASS: Corrosive liquid.

USA Regulatory
Lists

DSD (EEC)

International Regulations Lists No products were found.

Hazardous Material
Information System
(U.S.A.)

Health	2
Flammability	0
Physical Hazard	0

National Fire
Protection
Association
(U.S.A.)

Health	2	0	Flammability
		0	Instability

The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Specific Hazard

Section 16. Other Information

Validated by CRushton on 4/18/2006.

Verified by CRushton.

Printed 4/18/2006.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 4/18/2006.

Spray Foam (At 1:25 Dilution)

Page: 6/6

Continued on Next Page