

#8200

<a href="#">Product and Company Identification</a>	<a href="#">Physical and Chemical Properties</a>
<a href="#">Composition/Information on Ingredients</a>	<a href="#">Stability and Reactivity</a>
<a href="#">Hazards Identification</a>	<a href="#">Toxicological Information</a>
<a href="#">First Aid Measures</a>	<a href="#">Ecological Information</a>
<a href="#">Fire Fighting Measures</a>	<a href="#">Disposal Considerations</a>
<a href="#">Accidental Release Measures</a>	<a href="#">Transport Information</a>
<a href="#">Handling and Storage</a>	<a href="#">Regulatory Information</a>
<a href="#">Exposure Controls/Personal Protection</a>	<a href="#">Other Information / Hazmat Info / Hazcom Label</a>

 [OSHA Safety Signs and Labels at Seton.com](#)

## MSDS Safety Information

<b>FSC:</b>	8030
<b>MSDS Date:</b>	05/25/1988
<b>MSDS Num:</b>	CCLKH
<b>Submitter:</b>	D DG
<b>LIIN:</b>	00D020242
<b>Tech Review:</b>	01/09/1997
<b>Status CD:</b>	C
<b>MFN:</b>	01
<b>Article:</b>	N
<b>Kit Part:</b>	N
<b>Responsible Party</b>	72527
<b>Name:</b>	VALVOLINE OIL CO SUBSIDIARY OF ASHLAND OIL INC.
<b>Address:</b>	200 E MAIN ST
<b>Box:</b>	14000
<b>City:</b>	LEXINGTON
<b>State:</b>	KY
<b>Zip:</b>	40512
<b>Country:</b>	US
<b><a href="#">Info Phone Number</a></b>	606-264-7000/7616;FAX 601-429-0537
<b><a href="#">Emergency Phone Number</a></b>	800-ASHLAND/800-274-5263

**Preparer's Name:** N/P  
**Proprietary Ind:** Y  
**Review Ind:** Y  
**Published:** Y  
**Special Project CD:** N

<b>Preparer Company when other than Responsible Party Company</b>
---

**Cage:** [72527](#)  
**Assigned Ind:** N  
**Name:** VALVOLINE OIL  
**Address:** 3499 DABNEY DRIVE  
**Box:** 14000  
**City:** LEXINGTON  
**State:** KY  
**Zip:** 40512  
**Cage:** [70842](#)  
**Address:** 2601 S HOLT ROAD  
**City:** INDIANAPOLIS  
**State:** IN  
**Zip:** 46241  
**Country:** US  
**Phone:** 317-248-0760

---

**Cage:** [050Q3](#)  
**Address:** ONE LINCOLN WAY  
**City:** ST. LOUIS  
**State:** MO  
**Zip:** 63120-1578  
**Country:** US  
**Phone:** 414-255-5520

---

**Cage:** [72527](#)  
**Address:** 3499 DABNEY DRIVE  
**Box:** 14000  
**City:** LEXINGTON  
**State:** KY  
**Zip:** 40512  
**Country:** US  
**Phone:** 606-357-7847

## Ingredients

Cas:

Code:

RTECS #:

Code:

Environmental Wt:

Other REC Limits:

OSHA PEL:

Code:

Code:

Code:

Code:

Ozone Depleting Chemical:

Environmental Wt:

Other REC Limits:

OSHA PEL:

Code:

Code:

Code:

Code:

Ozone Depleting Chemical:

## Health Hazards Data

LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation:

YES

Skin:

YES

Ingestion:

NO

Carcinogenicity Inds - NTP:

NO

IARC:

NO

OSHA:

NO

Health Hazards Acute And Chronic

EYE:CAUSE SEVERE  
IRRIT,REDNESS,TEARING,BLURRED  
VISION.SKIN:PROL/REP CONTACT CAN  
CAUSE MODERATE  
IRRIT,DEFATTING,DERM.BREATH:EXCESSIVE  
VAP INHAL CAN CAUSE NASAL/RESP  
IRRIT,CNS EFFECTS INCLUDING

DIZZ,WEAK,FTG,NAU,HEAD,POSSIBLE  
UNCONSC,EVEN ASPHYXIATION.INGEST:MAY  
CAUSE GASTROINTESTINAL  
IRRIT,NAU,VOMIT,DIARRHEA.(SUPPL)

**Explanation Of Carcinogenicity**

N/P

**Signs And Symptoms Of Overexposure**

EYE IRRIT,REDNESS,TEARING,BLURRED  
VISION.MODERATE SKIN IRRIT,DEFATTING,DERM.  
NASAL/RESPIRATORY IRRIT,CNS EFFECTS-  
DIZZINESS,WEAKNESS,FTG,NAU,HEADACHE,POSSIBLE  
UNCONSC,ASPHYXIATION. GASTROINTESTINAL  
IRRIT,NAU,VOMIT,DIARRHEA. ASPIRATION HAZ-CH EM  
PNEUMONITISFATAL.OVEREXPO:CNS EFFECTS.

**Medical Cond Aggravated By Exposure**

NONE SPECIFIED BY MANUFACTURER.

**First Aid**

SKIN:THOROUGHLY WASH  
W/SOAP/WATER.REMOVE CONTAMIN  
CLOTH/SHOES.EYE:FLUSH W/LG AMTS OF WATER  
LIFTING UPPER/LOWER LIDS OCCASIONALLY.GET  
MED ATTN.INGEST:DO NOT INDUCE VOMIT.KEEP  
WARM/QUIET.GET MED ATTN.ASPIRAITON CAUSE  
CHEM PNEUMONITIS-FATAL.IN HAL:REMOVE  
TOFRESH AIR.BREATH DIFFI ADMIN OXY;BREATH  
STOP GIVE ART RESP.KEEP WARM/QUIET.GET MED  
ATTN.

**Spill Release Procedures**

SM:ABSORB ON PAPER/VERMI/FLOOR  
ABSORB/OTHER ABSORB MATL.ALLOW TO  
EVAPORATE.REMOVE ALL IGN  
SOURCES.LG:ELIMINATE IGN SOURCES.ALLOW  
EVAPORATION.PERSON NOT WEARING PROT  
EQPMT SHOULD BE EXCLUDED FROM AREA TIL  
CLEANUP COMPLETED.SOAK UP W/VERMI/PE  
RM/ABSORBT

**Neutralizing Agent**

NONE SPECIFIED BY MANUFACTURER.

**Waste Disposal Methods**

**Handling and Storage Precautions**

**Other Precautions**

NONE SPECIFIED BY MANUFACTURER.

## Fire and Explosion Hazard Information

<b>Flash Point Method:</b>	N/P
<b>Flash Point:</b>	
<b>Flash Point Text:</b>	<20F,<-7C
<b>Autoignition Temp:</b>	
<b>Autoignition Temp Text:</b>	NP
<b>Lower Limits:</b>	1.6
<b>Upper Limits:</b>	NP
<b>Extinguishing Media</b>	REGULAR FOAM OR CARBON DIOXIDE OR DRY CHEMICAL.
<b>Fire Fighting Procedures</b>	WEAR SCBA W/FULL FACEPIECE OPERATED IN +PRESSURE DEMAND MODE WHEN FIGHTING FIRES.
<b>Unusual Fire/Explosion Hazard</b>	NEVER USE WELD/CUT TORCH ON/NEAR DR(EVEN EMPTY)-PROD(EVEN JUST RESIDUE)CAN IGN EXPLOSIVELY.MAL HIGHLY VOLATILE/READILY GIVES OFF VAP-TRAVEL ALONG GROUND (SUPPL)

## Control Measures

<b>Ventilation</b>	PROVIDE SUFFICIENT MECHANICAL(GEN &/OR LOC EXHAUST)VENTILATION TO MAINTAIN EXPO BELOW TLVS.
<b>Protective Gloves</b>	RESISTANT GLOVES: NITRILE RUBB.
<b>Eye Protection</b>	CHEM SPLASH GOGG,OTHER OSHA TYPE GLASSES
<b>Other Protective Equipment</b>	TO PREVENT REP/PROLONGED SKIN CONTACT WEAR IMPERVIOUS CLOTHING/BOOTS.
<b>Work Hygienic Practices</b>	LAUNDER CONTAMIN CLOTH BEFORE REUSE;DISCARD SHOES SATURATED W/PRODUCT.
<b>Supplemental Safety and Health</b>	BPT/VAP PRESS:COMPONENT 1-10%. FIRE/EXPLO HAZ:& IGN BY ALL IGN SOURCES @LOCATIONS DISTANT FROM MATL HNDLG PT.ALL 5GAL PAIL/LG METAL CNTNR INCLUDE TK CAR/TRUCK SHOULD BE GROUND/BOND WHEN TRANSF MATL. HEALTH HAZ:ASPIRATION-CHEM PNEUMONIA-FATA L.OVEREXPO:CNSEFFECTS. DISPO:IAW LOC/STATE/FED REGS.

## Physical/Chemical Properties

<b>HCC:</b>	V3
<b>NRC/State LIC No:</b>	N/R
<b>Net Prop WT For Ammo:</b>	N/R
<b>Boiling Point:</b>	
<b>B.P. Text:</b>	-45F,-43C

### Reactivity Data

<b>Stability Indicator:</b>	YES
<b>Stability Condition To Avoid:</b>	TEMPERATURES OVER 100F.
<b>Materials To Avoid:</b>	AVOID CONTACT W/STRONG OXIDIZING AGENTS.
<b>Hazardous Decomposition Products:</b>	MAY FORM TOXIC MATLS,CO <sub>2</sub> , CO, VARIOUS HYDROCARBONS, ETC.
<b>Hazardous Polymerization Indicator:</b>	NO

### Toxicological Information

<b>Toxicological Information:</b>	N/P
-----------------------------------	-----

### Ecological Information

<b>Ecological:</b>	N/P
--------------------	-----

### MSDS Transport Information

<b>Transport Information:</b>	N/P
-------------------------------	-----

### Regulatory Information

<b>Sara Title III Information:</b>	N/P
<b><u>Federal Regulatory Information:</u></b>	N/P
<b>State Regulatory Information:</b>	N/P

### Other Information

<b>Other Information:</b>	N/P
---------------------------	-----

## HMIS Transportation Information

Responsible Party Cage:	<a href="#">72527</a>
Trans ID NO:	8201
Product Name:	#8200
MSDS Prepared Date:	05/25/1988
Review Date:	01/09/1997
MFN:	1
Submitter:	D DG
Status CD:	C
Tech Entry NOS Shipping Nm:	ALIPHATIC PETROLEUM DISTILLATES, ISOBUTANE, PROPANE, METHYL ALCOHOL.
Radioactivity:	
Form:	
Net Explosive Weight:	
Coast Guard AMMO Code:	
Magnetism:	N/P
Net Unit Weight:	UNKNOWN
AF MMAC Code:	
DOD Exemption NUM:	
Multiple KIT Number:	0
Kit IND:	N
Kit Part IND:	N
Review IND:	Y
Unit Of Issue:	NK
Container QTY:	NK
Type Of Container:	
Additional Data:	PER MSDS:DOT HAZ CLASSIFICATION:ORM-D.

## Detail DOT Information

DOT PSN Code:	DTJ
Symbols:	D
DOT Proper Shipping Name:	CONSUMER COMMODITY
DOT PSN Modifier:	
Hazard Class:	ORM-D
UN ID Num:	
DOT Packaging Group:	
Label:	NONE
Special Provision:	

<b>Packaging Exception:</b>	
<b>Non Bulk Pack:</b>	156,306
<b>Bulk Pack:</b>	NONE
<b>Max Qty Pass:</b>	30KGGROSS
<b>Max Qty Cargo:</b>	30KGGROSS
<b>Vessel Stow Req:</b>	A
<b>Water/Ship/Other Req:</b>	

#### Detail IMO Information

<b>IMO PSN Code:</b>	AIY
<b>IMO Proper Shipping Name:</b>	AEROSOL DISPENSERS ?
<b>IMO PSN Modifier:</b>	,WITH A CAPACITY OF 1000 CUBIC CM OR LESS
<b>IMDG Page Number:</b>	9022
<b>UN Number:</b>	1950
<b>UN Hazard Class:</b>	9?
<b>IMO Packaging Group:</b>	-
<b>Subsidiary Risk Label:</b>	-
<b>EMS Number:</b>	2-13
<b>MED First Aid Guide NUM:</b>	

#### Detail IATA Information

<b>IATA PSN Code:</b>	HDW
<b>IATA UN ID NUM:</b>	8000
<b>IATA Proper Shipping Name:</b>	CONSUMER COMMODITY,
<b>IATA PSN Modifier:</b>	CONTAINING FLAMMABLE AEROSOL AND/OR NON-FLAMMABLE AEROSOL AND/OR FLAMMABLE LIQUID AND/OR TOXIC SUBSTANCE +
<b>IATA UN Class:</b>	9
<b>Subsidiary Risk Class:</b>	
<b>IATA Label:</b>	MISCELLANEOUS
<b>UN Packing Group:</b>	
<b>Packing Note Passenger:</b>	910
<b>Max Quant Pass:</b>	25KG G
<b>Max Quant Cargo:</b>	25KG G
<b>Packaging Note Cargo:</b>	910
<b>Exceptions:</b>	



### Detail AFI Information

<b>AFI PSN Code:</b>	HEB
<b>AFI Symbols:</b>	
<b>AFI Proper Shipping Name:</b>	CONSUMER COMMODITY
<b>AFI PSN Modifier:</b>	
<b>AFI Hazard Class:</b>	9
<b>AFI UN ID NUM:</b>	UN8000
<b>Special Provisions:</b>	P5
<b>Back Pack Reference:</b>	A13.13

### HMIS HAZCOM Label

<b>Product Name:</b>	#8200
<b>Cage:</b>	<a href="#">72527</a>
<b>Assigned IND:</b>	N
<b>Company Name:</b>	VALVOLINE OIL
<b>Street:</b>	3499 DABNEY DRIVE
<b>PO Box:</b>	14000
<b>City:</b>	LEXINGTON
<b>State:</b>	KY
<b>Zipcode:</b>	40512
<b>Country:</b>	US
<b>Health Emergency Phone:</b>	800-ASHLAND/800-274-5263
<b>Label Required IND:</b>	Y
<b>Date Of Label Review:</b>	01/09/1997
<b>Status Code:</b>	C
<b>MFG Label NO:</b>	
<b>Label Date:</b>	01/09/1997
<b>Year Procured:</b>	N/K
<b>Origination Code:</b>	F
<b>Chronic Hazard IND:</b>	N
<b>Eye Protection IND:</b>	YES
<b>Skin Protection IND:</b>	YES
<b>Signal Word:</b>	WARNING
<b>Respiratory Protection IND:</b>	N/P
<b>Health Hazard:</b>	Slight
<b>Contact Hazard:</b>	Slight
<b>Fire Hazard:</b>	Moderate
<b>Reactivity Hazard:</b>	None

---

This information is derived from the Hazardous Material Information System which is utilized by the U.S. Department of Defense. [IntraWEB, LLC](#) and its Distributors in no manner whatsoever, expressly or implied warrants, states, or intends said information to have any application use or viability by or to any person or persons. Any person utilizing this information should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.