

MINWAX -- MINWAX(R) WOODFINISH-ALL SHADES,NATIONAL VOC - STAIN
MATERIAL SAFETY DATA SHEET
NSN: 8010001617264
Manufacturer's CAGE: 0K1A4
Part No. Indicator: F
Part Number/Trade Name: MINWAX(R) WOODFINISH-ALL SHADES,NATIONAL VOC

=====

General Information

Item Name: STAIN
Company's Name: MINWAX CO
Company's Street: 15 MERCEDES DR
Company's P. O. Box: 438
Company's City: MONTVALE
Company's State: NJ
Company's Country: US
Company's Zip Code: 07645
Company's Emerg Ph #: 800-424-9300(CHEMTREC)
Company's Info Ph #: 201-391-0253201-573-5700
Safety Data Action Code: A
Record No. For Safety Entry: 007
Tot Safety Entries This Stk#: 009
Status: FE
Date MSDS Prepared: 05JAN95
Safety Data Review Date: 15MAY97
Supply Item Manager: GSA
MSDS Serial Number: CDQLC
Specification Number: TT-S-711
Hazard Characteristic Code: F4
Unit Of Issue: PT
Unit Of Issue Container Qty: 1 PT
Type Of Container: CAN
Net Unit Weight: 0.8 LBS

=====

Ingredients/Identity Information

Proprietary: NO
Ingredient: DISTILLATES (PETROELUM), HYDROTREATED LIGHT.
Ingredient Sequence Number: 01
Percent: 0-3.0
Ingredient Action Code: A
NIOSH (RTECS) Number: OA5504000
CAS Number: 64742-47-8
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: NAPHTHA, LIGHT AROMATIC (SOLVENT NAPHTHA)
Ingredient Sequence Number: 02
Percent: 0-2.0
Ingredient Action Code: A
NIOSH (RTECS) Number: WF3400000
CAS Number: 64742-95-6
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: SOLVENT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC

Ingredient Sequence Number: 03
Percent: 74-87
Ingredient Action Code: A
NIOSH (RTECS) Number: 1003692SN
CAS Number: 64742-88-7
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: STODDARD SOLVENT
Ingredient Sequence Number: 04
Percent: 0-12.0
Ingredient Action Code: A
NIOSH (RTECS) Number: WJ8925000
CAS Number: 8052-41-3
OSHA PEL: 500 PPM
ACGIH TLV: 100 PPM; 9596
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, 720 G/L.
Ingredient Sequence Number: 05
Percent: NA
Ingredient Action Code: A
NIOSH (RTECS) Number: 9999999VC
CAS Number: UNKNOWN
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

=====

Physical/Chemical Characteristics

=====

Appearance And Odor: CLEAR AMBER TO OPAQUE EARTH-TONE, SLIGHTLY VISCOSUS LIQUID W/MILD HYDROCARBON ODOR

Boiling Point: NP
Melting Point: NP
Vapor Pressure (MM Hg/70 F): N/DETERMIN
Vapor Density (Air=1): N/DETERMIN
Specific Gravity: 0.805-0.878
Decomposition Temperature: NP
Evaporation Rate And Ref: NP
Solubility In Water: INSOLUBLE.
Percent Volatiles By Volume: NP
Viscosity: 50CPS(MAX)

pH: NA
Corrosion Rate (IPY): NP
Autoignition Temperature: NP

=====

Fire and Explosion Hazard Data

=====

Flash Point: 106F, 41C
Flash Point Method: TCC
Lower Explosive Limit: N/DETERMINE
Upper Explosive Limit: N/DETERMINE
Extinguishing Media: WATERSPRAY, FOAM, DRY CHEM, CARBON DIOXIDE. DON'T USE DIRECT STREAM OF WATER. PROD MAY FLOAT, REIGN ON SURFACE OF WATER.
Special Fire Fighting Proc: COMBUSTIBLE. WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING APPROPRIATE FOR FIGHTING TYPICAL CHEM FIRE. USE WATERSPRAY TO COOL FIRE-EXPO CNTNRS.

Unusual Fire And Expl Hazrds: CONMBUST.DANGER! CONTAINS MINERAL SPIRITS.
DON'T USE/STORE NEAR HEAT/SPARKS/FLAME/OTHER GIN SOURCES.CNTNRS EXPO
TO INTENSE HEAT FROM FIRES SHOULD BE COOL (SUPPLEM)

=====
Reactivity Data
=====

Stability: YES

Cond To Avoid (Stability): HEAT,SPARKS,OPEN FLAM, ALL SOURCES OF HEAT OR
IGNITION.

Materials To Avoid: STRONG OXIDIZING AGENTS.

Hazardous Decomp Products: HYDROCARBON FUMES, SMOKE, CARBON MONOXIDE (WHERE
COMBUSTION IS INCOMPLETE) MAY BE FORMED DURING THERMAL DECOMPOSITION.

Hazardous Poly Occur: NO

Conditions To Avoid (Poly): NOT APPLICABLE

=====
Health Hazard Data
=====

LD50-LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: NO

Health Haz Acute And Chronic: DANGER:HARMFUL OR FATAL IF SWALLOWED.

CONTAINS MINERAL SPIRITS.SKIN IRRITANT.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: PER MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.

Signs/Symptoms Of Overexp: HARMFUL/FATAL IF INGESTED.SKIN IRRITANT.

Med Cond Aggravated By Exp: NONE SPECIFIED BY MANUFACTURER.

Emergency/First Aid Proc: INHAL:IMMED REMOVE TO FRESH AIR.SYMPOTMS PERSIST

CALL PHYSICIAN.SKIN:WASH THOROUGHLY W/SOAP/WATER.IRRIT PERSISTS GET MED

ATTN.EYE:IMMED FLUSH THOROUGHLY W/WATER,THEN REMOVE ANY CONTACT LENSES.

CONTINUE TO FLUSH W/WATER FOR @LEAST 15MINS.IRRIT PERSISTS GET MED ATTN.

INGEST:DO NOT INDUCE VOMIT.CALL PHYSICIAN IMMED.

=====
Precautions for Safe Handling and Use
=====

Steps If Matl Released/Spill: ABSORB SMALL SPILLS W/SAND/OTHER SUITABLE
ABSORBENT MATL.PLACE IN CNTNR FOR DISP.LG SPILLS, AREA MAY BE SLIPPERY,DIKE
AROUND SPILL W/ABSORBENT MATL.TRANSFER LIQ/CONTAMIN DIKING MATLS TO
SEPARATE SUITABLE CNTNRS FOR RECOVERY/DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Method: DISPOSE OF IN ACCORDANCE IWTH LOCAL, STATE AND
FEDERAL REGULATIONS.NONE OF INGREDNS INT PRODUCT MEET REPORTING REQMTS OF
SARA TITLE III SEC 313 LIST OF TOXIC CHEMS.

Precautions-Handling/Storing: AVOID INHAL.USE W/ADEQUA VENTI.AVOID SKIN/
EYE CONTACT.DON'T TAKE INTERNALLY.IF USING INDOORS OPEN ALL WINDOWS/DOORS
TO MAKE SURE THERE'S FRESH AIR MOV

Other Precautions: DANGER:CONTAINS MINERAL SPIRITS.HARMFUL/FATAL IF
INGEST.DON'T TAKE INTERNALLY.SKIN IRRIT.AVOID SKIN/EYES.WEAR RUBB GLVOES/
SAF GLASSES WHEN HNDLG.COMBUSTIBLE.DON'T USE/STORE NEAT HEAT/SPARKS/FLAME/
OTHER IGN SOURCES.CLS CNTNR AFT EA USE.

=====
Control Measures
=====

Respiratory Protection: AVOID INHALATION & USE ONLY WITH ADEQUATE
VENTILATION.

Ventilation: IF USING INDOORS OPEN ALL WINDOWS & DOORS TO MAKE SURE THERE
IS FRESH AIR MOVEMENT.

Protective Gloves: RUBBER GLOVES.

Eye Protection: SAFETY GLASSES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: KEEP OUT REACH OF CHILDREN.

Suppl. Safety & Health Data: FIRE/EXPLO HAZ:W/WATER TO PREVENT VAP
PRESSURE BUILD-UP WHICH COULD RESULT IN CNTNR RUPTURE.

=====

Transportation Data

Transportation Action Code: A

Trans Data Review Date: 97135

DOT PSN Code: LFK

DOT Proper Shipping Name: PAINT RELATED MATERIAL

DOT Class: 3

DOT ID Number: UN1263

DOT Pack Group: III

DOT Label: FLAMMABLE LIQUID

IMO PSN Code: LCT

IMO Proper Shipping Name: PAINT OR PAINT RELATED MATERIAL

IMO Regulations Page Number: 3372

IMO UN Number: 1263

IMO UN Class: 3.3

IMO Subsidiary Risk Label: -

IATA PSN Code: SXM

IATA UN ID Number: 1263

IATA Proper Shipping Name: PAINT RELATED MATERIAL

IATA UN Class: 3

IATA Label: FLAMMABLE LIQUID

AFI PSN Code: SXH

AFI Prop. Shipping Name: PAINT OR PAINT RELATED MATERIAL

AFI Class: 3

AFI ID Number: UN1263

AFI Pack Group: III

AFI Label: FLAMMABLE LIQUID

=====

Disposal Data

Label Data

Label Required: YES

Technical Review Date: 15MAY97

Label Status: D

Common Name: MINWAX(R) WOODFINISH-ALL SHADES,NATIONAL VOC

Chronic Hazard: YES

Signal Word: DANGER!

Acute Health Hazard-Moderate: X

Contact Hazard-Slight: X

Fire Hazard-Moderate: X

Reactivity Hazard-None: X

Special Hazard Precautions: DANGER:HARMFUL OR FATAL IF SWALLOWED.CONTAINS MINERAL SPIRITS.SKIN IRRITANT. AVOID INHAL.USE W/ADEQUA VENTI.AVOID SKIN/EYE CONTACT.DON'T TAKE INTERNALLY.IF USING INDOORS OPEN ALL WINDOWS/DOORS TO MAKE SURE THERE'S FRESH AIR MOV FIRST AID: INHAL:IMMED REMOVE TO FRESH AIR.SYMPTOMS PERSIST CALL PHYSICIAN.SKIN:WASH THOROUGHLY W/SOAP/WATER.IRRIT PERSISTS GET MED ATTN.EYE:IMMED FLUSH THOROUGHLY W/WATER,THEN REMOVE ANY CONTACT LENSES.CONTINUE TO FLUSH W/WATER FOR @LEAST 15MINS.IRRIT PERSISTS SKIN/EYE.

Protect Eye: X

Protect Skin: X

Protect Respiratory: X

Label Name: MINWAX CO
Label Street: 15 MERCEDES DR
Label P.O. Box: 438
Label City: MONTVALE
Label State: NJ
Label Zip Code: 07645
Label Country: US

Label Emergency Number: 800-424-9300(CHEMTREC)

=====

URL for this msds <http://siri.org>. If you wish to change, add to, or delete information in this archive please sent updates to dan@siri.org.