



MIDWEST SPRAY-A-DAY

Product and Company

Identification

Composition/Information on Ingredients

Hazards Identification

First Aid Measures

Fire Fighting Measures

Accidental Release Measures

Handling and Storage

Exposure Controls/Personal Protection

Physical and Chemical Properties

Stability and Reactivity

Toxicological Information

Ecological Information

Disposal Considerations

Transport Information

Regulatory Information

Other Information / Hazmat

Info / Hazcom Label

MSDS Safety Information

FSC:	6520
NIIN:	00-241-3559
MSDS Date:	04/30/1990
MSDS Num:	BWXQX
Submitter:	F BT
Tech Review:	04/03/1995
Status CD:	C
MFN:	03
Article:	N
Kit Part:	N

Responsible Party 0ADK6
Name: U S PACKAGING CORP
Address: 440 DENNISTON CT
Box: N/K
City: WHEELING
State: IL
Zip: 60090
Country: US
Info Phone Number 708-459-5030
Emergency Phone Number 708-459-5030
Preparer's Name: P A ZOUBEK
Proprietary Ind: N
Review Ind: Y
Published: Y
Special Project CD: N

Preparer Company when other than Responsible Party Company

Cage: [0ADK6](#)
Assigned Ind: N
Name: U S PACKAGING CORP
Address: 440 DENNISTON CT
Box:
City: WHEELING
State: IL
Zip: 60090
Cage: [81490](#)
Address: 901 WEST OAKTON STREET

City: DES PLAINES
State: IL
Zip: 60018-1884
Country: US
Phone: 708-640-4800

Cage: [0ADK6](#)
Address: 440 DENNISTON CT
City: WHEELING
State: IL
Zip: 60090
Country: US
Phone: 708-459-5030

Item Description Information

Ingredients

Cas: 75-69-4
Code: M
RTECS #: PB6125000
Code: M

Environmental Wt:

Other REC Limits: 1000 PPM MSHA

OSHA PEL: 1000 PPM

Code: M

Code:

Code: M

Code:
Ozone Depleting
Chemical: 1

Cas:
Code: X
RTECS #: 1003171SL
Code: M
Environmental Wt:
Other REC Limits: N/K
OSHA PEL: N/K
Code: M
Code:
Code: M
Code:

Ozone Depleting
Chemical:

Cas: 68476-86-8
Code: M
RTECS #: 1004627HP
Code: M
Environmental Wt:
Other REC Limits: N/K
OSHA PEL: N/K
Code: M
Code:
Code: M
Code:
Ozone Depleting
Chemical: N

Health Hazards Data

LD50 LC50 Mixture	N/P
Route Of Entry Inds - Inhalation:	YES
Skin:	YES
Ingestion:	NO
Carcinogenicity Inds - NTP:	NO
IARC:	NO
OSHA:	NO
Health Hazards Acute And Chronic	EYES: SEVERE IRRITATION, CORNEAL INJURY, FROSTBITE. SKIN: FROSTBITE. INHALATION: EXPOSURE TO HIGH CONCENTRATIONS OF VAPORS MAY PRODUCE CARDIAC ARRHYTHMIAS/ARREST DUE TO SENSITIZATION OF HEART TO ADRENALIN & NORADRENALIN.
Explanation Of Carcinogenicity	NONE
Signs And Symtoms Of Overexposure	IRRITATION, REDNESS, TEARING, BLURRED VISION, DRYNESS, DIZZINESS, HEADACHE, NAUSEA, UNCONSCIOUSNESS, VOMITING, CRAMPS.
Medical Cond Aggravated By Exposure	PERSONS W/KNOWN HISTORY OF HEART DISEASE/IRREGULAR HEARTBEAT.

First Aid

EYES: FLUSH W/CLEAR WATER FOR 15 MINS. SKIN: WARM W/WARM WATER <105F.
INHALATION: REMOVE TO FRESH AIR. RESTORE NORMAL BREATHING. OBTAIN MEDICAL ATTENTION IN ALL CASES.
DON'T ADMINISTER ADRENALIN DUE TO SENSITIZING EFFECT OF FLUOROCARBONS ON MYOCARDIUM. REATMENT OF OVEREXPOSURE SHOULD BE DIRECTED AT CONTROL OF SYMPTOMS & CLINICAL CONDITION.

Spill Release Procedures

SMALL: CONTAIN & COLLECT PRODUCT W/INERT ABSORBENT. LARGE: REMOVE ALL IGNITION SOURCES.
EVACUATE & VENTILARE AREA.
WEAR PROTECTIVE EQUIPMENT. CONTAIN & COLLECT PRODUCT W/INERT ABSORBENT. PLACE IN CLOSED CONTAINERS W/NON-SPARKING TOOLS. (SEE SUPP)

Neutralizing Agent

N/K

Waste Disposal Methods

Handling and Storage Precautions

Other Precautions

DON'T PUNCTURE/INCINERATE CONTAINERS. VAPORS ARE >AIR & MAY SETTLE IN LOW AREAS. WEAR RESPIRATORY PROTECTION WHEN ENTERING LOW AREAS.

Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point:

Flash Point Text: 73F

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/K

Upper Limits: N/K

Extinguishing Media

CO2, FOAM, DRY CHEMICAL.

Fire Fighting Procedures

WEAR POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS. WATER SPRAY MAY BE USED TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard

CONTAINERS MAY BUILD PRESSURE & EXPLODE IF EXPOSED TO FIRE.

Control Measures

Ventilation	SUFFICIENT MECHANICAL (GENERAL &/LOCAL EXHAUST) TO MAINTAIN EXPOSURE <TLV.
Protective Gloves	VITON
Eye Protection	CHEMICAL SPLASH GOGGLES
Other Protective Equipment	EYE WASH STATIONS
Work Hygienic Practices	LAUNDER CONTAMINATED EQUIPMENT BEFORE REUSE.
Supplemental Safety and Health	SPILLS CONT'D: PREVENT MATERIAL FROM ENTERING WATER SUPPLY.

Physical/Chemical Properties

HCC:	
NRC/State LIC No:	
Net Prop WT For Ammo:	
Boiling Point:	
B.P. Text:	75F

Reactivity Data

Stability Indicator:	YES
Stability Condition To Avoid:	HIGH TEMPS, FIRE & OTHER IGNITION SOURCES.
Materials To Avoid:	STRONG OXIDIZING AGENTS.
Hazardous Decomposition	HYDROGEN FLUORIDE, HYDROGEN CHLORIDE,

Products: CHLORINE VAPORS.
Hazardous Polymerization Indicator: NO

Toxicological Information

Toxicological Information: N/P

Ecological Information

Ecological: N/P

MSDS Transport Information

Transport Information: N/P

Regulatory Information

Sara Title III Information: N/P
Federal Regulatory Information: N/P
State Regulatory Information: N/P

Other Information

Other Information: N/P

HMIS HAZCOM Label

Product Name:	MIDWEST SPRAY-A-DAY
Cage:	0ADK6
Assigned IND:	N
Company Name:	U S PACKAGING CORP
Street:	440 DENNISTON CT
PO Box:	
City:	WHEELING
State:	IL
Zipcode:	60090
Country:	US
Health Emergency Phone:	708-459-5030
Label Required IND:	Y
Date Of Label Review:	12/16/1998
Status Code:	C
MFG Label NO:	
Label Date:	12/16/1998
Year Procured:	N/K
Origination Code:	G
Chronic Hazard IND:	N/P
Eye Protection IND:	N/P
Skin Protection IND:	N/P
Signal Word:	N/P
Respiratory Protection IND:	N/P

Health Hazard:**Contact Hazard:****Fire Hazard:****Reactivity Hazard:**

This information is derived from the Hazardous Material Information System which is utilized by the U.S. Department of Defense. IntraWEB, LLC and its Distributors in no manner whatsoever, expressly or implied warrants, states, or intends said information to have any application use or viability by or to any person or persons. Any person utilizing this information should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.