

[Close this window](#)

MSDS

**Common Name:** 907 ALL PURPOSE GYMWIPE**Manufacturer:** ITW DYMON**MSDS Revision Date:** 6/3/2005**Grainger Item Number(s):** 1PA26**Manufacturer Model Number(s):**

## MSDS Table of Contents

Click the desired link below to jump directly to that section in the MSDS.

[SECTION I](#)[SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION](#)[SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS](#)[SECTION IV - FIRE AND EXPLOSION HAZARD DATA](#)[SECTION V - REACTIVITY DATA](#)[SECTION VI - HEALTH HAZARD DATA](#)[SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE](#)[SECTION VIII - CONTROL MEASURES](#)

## MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. STANDARD MUST BE CONSULTED FOR SPECIFIC REQUIREMENTS.

### HMIS(R\*):

HEALTH	1
REACTIVITY	0
FLAMMABILITY	3
PERSONAL PROTECTION	NONE

### IDENTITY (AS USED ON LABEL AND LIST):

907  
ALL PURPOSE GYMWIPE.

### NOTE:

BLANK SPACES ARE NOT PERMITTED. IF ANY ITEM IS NOT APPLICABLE, OR NO INFORMATION IS AVAILABLE, THE SPACE MUST BE MARKED TO INDICATE THAT.

## SECTION I

**MANUFACTURER'S NAME:** ITW DYMON**ADDRESS (NUMBER, STREET, CITY, STATE, AND ZIP CODE):**

805 EAST OLD 56 HIGHWAY  
OLATHE, KANSAS 66061

**EMERGENCY TELEPHONE NUMBER:** 1-800-535-5053

TELEPHONE NUMBER FOR INFORMATION: 1-913-397-9889

DATE PREPARED: JUNE 3, 2005

SIGNATURE OF PREPARER (OPTIONAL): REGULATORY DEPT.

## SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION



HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY, COMMON NAME(S))	CAS NO.	OSHA PEL	ACGIH-TLV	OTHER LIMITS RECOMMENDED	% (OPT.)
ISOPROPYL ALCOHOL	67-63-0	400 PPM	400 PPM	STEL 500 PPM	10-30%

THIS PRODUCT IS NOT KNOWN TO CONTAIN ANY COMPOUND IN CONCENTRATIONS  
REQUIRING REPORTING UNDER SARA TITLE III SECTION 313.

TSCA:

ALL INGREDIENTS ARE ON THE TSCA INVENTORY OR ARE NOT REQUIRED TO BE LISTED  
ON THE TSCA INVENTORY.

ANY SUBSTANCE LISTED AS HAZARDOUS BY THE STATES OF CALIFORNIA, FLORIDA,  
ILLINOIS, MICHIGAN, NEW JERSEY, OHIO, PENNSYLVANIA OR TEXAS IS DESCRIBED  
ABOVE IF KNOWN PRESENT IN REGULATED CONCENTRATIONS.

## SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS



BOILING POINT INITIAL: 212 DEG. F

SPECIFIC GRAVITY (H<sub>2</sub>O = 1) @ 70 DEG. F: 0.968

VAPOR PRESSURE (MM-Hg @ 70 DEG. F): NO DATA

MELTING POINT: NO DATA

VAPOR DENSITY (AIR = 1): GREATER THAN ONE (1)

EVAPORATION RATE (BUTYL ACETATE = 1): NO DATA

SOLUBILITY IN WATER: COMPLETE

pH: 6.7 +/- 0.5

APPEARANCE AND ODOR:

HAZY WHITE TRANSLUCENT LIQUID WITH AN ALCOHOL BERRY SCENT.

VOC'S: THIS PRODUCT CONTAINS 196 GRAMS PER LITER OR 20% BY WEIGHT VOC'S.

## SECTION IV - FIRE AND EXPLOSION HAZARD DATA



FLASH POINT (METHOD USED): 75 DEG. F (PMCC)

FLAMMABLE LIMITS: NO DATA

LEL: NO DATA

UEL: NO DATA

EXTINGUISHING MEDIA:

USE CARBON DIOXIDE, DRY CHEMICAL, HALON, POLAR OR ALCOHOL FOAM. WATER MAY BE INEFFECTIVE.

SPECIAL FIRE FIGHTING PROCEDURES:

KEEP CONTAINERS COOL AND VAPORS DOWN WITH WATER SPRAY. PREVENT RUNOFF FROM ENTERING SEWERS AND PUBLIC WATERWAYS. WEAR SCBA IN CHEMICAL FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

FLAMMABLE LIQUID THAT MAY BE IGNITED BY HEAT, SPARKS, FLAME STATIC ELECTRICITY, PILOT LIGHTS, ETC. VAPORS MAY TRAVEL CONSIDERABLE DISTANCES TO AN IGNITION SOURCE THEN IGNITE, FLASHBACK OR EXPLODE.

## SECTION V - REACTIVITY DATA



STABILITY:

UNSTABLE ( )

STABLE (X)

CONDITIONS TO AVOID: EXTREME HEAT AND FREEZING TEMPERATURES

INCOMPATIBILITY (MATERIALS TO AVOID):

STRONG ACIDS, OXIDIZERS, ISOCYANATES, ACETALDEHYDE, CHLORINE, ETHYLENE OXIDE, ALUMINUM AND ORGANOMETALLIC CONTAMINANTS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

CARBON DIOXIDE, CARBON MONOXIDE, ACRID SMOKE AND IRRITATING FUMES.

HAZARDOUS POLYMERIZATION:

MAY OCCUR ( )

WILL NOT OCCUR (X)

CONDITIONS TO AVOID: NONE KNOWN

## SECTION VI - HEALTH HAZARD DATA



ROUTE(S) OF ENTRY:

EYES?: YES

INHALATION?: YES

SKIN?: YES

INGESTION?: NO

HEALTH HAZARDS (ACUTE AND CHRONIC):

WARNING. FLAMMABLE LIQUID AND VAPOR. MAY CAUSE EYE AND SKIN IRRITATION. MAY CAUSE RESPIRATORY AND GASTROINTESTINAL TRACT IRRITATION. OVEREXPOSURE MAY INDUCE CENTRAL NERVOUS SYSTEM EFFECTS. REPEATED OR PROLONGED OCCUPATIONAL OVEREXPOSURE MAY CAUSE DERMATITIS OR INDUCE PAINTERS SYNDROME.

CARCINOGENICITY: NONE KNOWN

NTP?: NO

IARC MONOGRAPHS?: NO

OSHA REGULATED?: NO

PROP 65 WARNING:

THIS PRODUCT MAY CONTAIN TRACE CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

SIGNS AND SYMPTOMS OF EXPOSURE:

REDNESS, TEARING, SWELLING OR BURNING IN EYES. REDNESS DRYING OR CRACKING

OF THE SKIN. HEADACHE, DROWSINESS, DIZZINESS, FATIGUE, LOSS OF COORDINATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

PRE-EXISTING SKIN, LUNG, KIDNEY AND LIVER DISORDERS MAY BE ADVERSELY AFFECTED. FOLLOW GOOD CHEMICAL HYGIENE PRACTICES WHEN USING THIS PRODUCT.

EMERGENCY AND FIRST AID PROCEDURES:

EYES:

FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES LIFTING EYELIDS TO INSURE COMPLETE REMOVAL. SEE A PHYSICIAN IMMEDIATELY.

INGESTION:

DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

INHALATION:

GET TO FRESH AIR. IF BREATHING HAS STOPPED, QUALIFIED PERSONNEL SHOULD ADMINISTER ARTIFICIAL RESPIRATION.

SKIN:

FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION ARISES AND PERSISTS, CALL A PHYSICIAN.

## SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE



STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

CAUTION, SLIP HAZARD. WIPE UP SMALL SPILLS WITH A RAG OR OTHER ABSORBENT MATERIAL. FOR LARGE SPILLS, ISOLATE AND VENTILATE AREA. ELIMINATE ALL IGNITION SOURCES. WEAR PROTECTIVE GEAR AS NECESSARY. DIKE TO PREVENT SPREAD. DO NOT ALLOW TO ENTER DRAIN, SEWERS, ETC. PICK UP ON AN ABSORBENT MATERIAL AND PUT IN SUITABLE CONTAINER FOR PROPER DISPOSAL.

WASTE DISPOSAL METHOD:

CONSULT LOCAL, STATE, AND FEDERAL REGULATIONS. TRIPLE RINSE EMPTY CONTAINER THEN OFFER FOR RECYCLING, REUSE, OR RECONDITIONING.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

DO NOT USE OR STORE AROUND IGNITION SOURCES SUCH AS HEAT, SPARKS, FLAME, STATIC ELECTRICITY, PILOT LIGHTS, ETC. DO NOT GET IN EYES. DO NOT SWALLOW. WASH THOROUGHLY AFTER HANDLING. AVOID INHALING MIST OR VAPORS. DO NOT SMOKE WHILE USING.

OTHER PRECAUTIONS:

FOLLOW LABEL DIRECTIONS CAREFULLY. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINER TIGHTLY SEALED WHEN NOT IN USE. DO NOT CONTAMINATE WATER, FOOD, OR FEED BY USE OR STORAGE. DO NOT INTENTIONALLY CONCENTRATE AND INHALE VAPORS. EMPTY CONTAINER MAY RETAIN FLAMMABLE VAPORS. KEEP FROM FREEZING.

## SECTION VIII - CONTROL MEASURES



RESPIRATORY PROTECTION (SPECIFY TYPE):

NOT USUALLY NECESSARY. USE WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR IF PELS OR TLVS ARE EXCEEDED.

VENTILATION:

LOCAL EXHAUST: NOT USUALLY NEEDED

SPECIAL: NONE

MECHANICAL (GENERAL): YES

OTHER: NONE

PROTECTIVE GLOVES: NOT USUALLY NEEDED.

EYE PROTECTION:

ONLY IF DIRECT CONTACT IS POSSIBLE. USE APPROVED SAFETY GLASSES  
(ANSI Z87) OR GOGGLES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NOT USUALLY NEEDED.

WORK/HYGIENIC PRACTICES:

NORMAL. WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, SMOKING,  
USING RESTROOMS, ETC.

WARNING!:

THE USE OF THIS PRODUCT IS BEYOND THE CONTROL OF THE MANUFACTURER;  
THEREFORE, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE AS TO THE  
EFFECTS OF SUCH OR THE RESULTS TO BE OBTAINED IF NOT USED IN  
ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE. THE USER  
MUST ASSUME ALL RESPONSIBILITY, INCLUDING INJURY OR DAMAGE, RESULTING  
FROM ITS MISUSE AS SUCH, OR IN COMBINATION WITH OTHER MATERIALS.  
THE MANUFACTURER WARRANTS ONLY THAT THIS PRODUCT MEETS THE  
MANUFACTURER'S SPECIFICATIONS FOR SUCH PRODUCT. THIS WARRANTY IS IN  
LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION,  
QUALITY, MERCHANTABILITY. FITNESS FOR ANY PARTICULAR PURPOSE,  
PRODUCTIVENESS, OR ANY OTHER MATTER, OF THIS PRODUCT. THE  
MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE IMPROPER USE OF  
THIS PRODUCT. THE SOLE AND EXCLUSIVE REMEDY AGAINST THE MANUFACTURER  
FOR BREACH OF WARRANTY SHALL BE REIMBURSEMENT OF THE PURCHASE PRICE  
OF THE PRODUCT IN THE EVENT THAT A DEFECTIVE CONDITION OF THE PRODUCT  
SHALL BE FOUND TO EXIST. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED  
TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR  
PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE  
AVAILABLE.