

Syngenta Crop Protection, Inc.
Post Office Box 18300
Greensboro, NC 27419

In Case of Emergency, Call
1-800-888-8372

1. PRODUCT IDENTIFICATION

| | | | |
|-----------------------------|--------------------------------------------------------------------------------------------------------|---------------------|------------|
| Product Name: | DEMON WP | Product No.: | A12839A |
| EPA Signal Word: | Warning | | |
| Active Ingredient(%): | Cypermethrin Technical (40%) | CAS No.: | 52315-07-8 |
| Chemical Name: | a-cyano-(3-phenoxyphenyl)methyl-cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate | | |
| Chemical Class: | A pyrethroid insecticide | | |
| EPA Registration Number(s): | 100-990; 100-1000 (formerly 10182-71; 10182-100) | Section(s) Revised: | 1 |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Material | OSHA PEL | ACGIH TLV | Other | NTP/IARC/OSHA Carcinogen |
|------------------------------|----------------------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------------------|-----------------------------|
| Amorphous Silica | 80 mg/m ³ /0.1%SiO ₂ TWA (total dust) | 10 mg/m ³ TWA (total dust) | Not Established | IARC Group 3 |
| Calcium Silicate | 15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust) | 10 mg/m ³ TWA (irritation) | 10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust)** | No |
| Cypermethrin Technical (40%) | Not Established | Not Established | 0.5 mg/m ³ TWA *** | No |

** recommended by NIOSH

*** Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION

Symptoms of Acute Exposure

Harmful if inhaled or swallowed. Dust, mist or vapor irritating to eyes and respiratory tract. May cause skin irritation. May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

Physical Properties

Appearance: Off-white powder
 Odor: Slightly aromatic

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours. Treat symptomatically.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

| | | |
|------------------------------|-------------------------|-------------------------|
| Flash Point (Test Method): | Not Applicable | |
| Flammable Limits (% in Air): | Lower: % Not Applicable | Upper: % Not Applicable |
| Autoignition Temperature: | Not Available | |
| Flammability: | Not Applicable | |

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent it from spreading, contaminating soil, or entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. If a solid, sweep up material and place in a compatible disposal container. If a liquid, cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT.

FOR COMMERCIAL APPLICATIONS AND ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

| | |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ingestion: | Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling. |
| Eye Contact: | Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. |
| Skin Contact: | Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear. Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11). |
| Inhalation: | Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. A NIOSH-certified combination air-purifying respirator with an N, P or R 95 or HE class filter and an organic vapor cartridge may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a pressure demand atmosphere-supplying respirator if there is any potential for uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------------|-------------------|
| Appearance: | Off-white powder |
| Odor: | Slightly aromatic |
| Melting Point: | Not Available |
| Boiling Point: | Not Applicable |
| Specific Gravity/Density: | Not Available |
| pH: | 8.6 |

Solubility in H₂O

| | |
|-------------------------|-------------------|
| Cypermethrin Technical: | 0.004 mg/L (pH 7) |
|-------------------------|-------------------|

Vapor Pressure

| | |
|-------------------------|-----------------------|
| Cypermethrin Technical: | 4 mm Hg @ 68°F (20°C) |
|-------------------------|-----------------------|

10. STABILITY AND REACTIVITY

| | |
|-----------------------------------|---------------------------------------------------------|
| Stability: | Stable under normal use and storage conditions. |
| Hazardous Polymerization: | Will not occur. |
| Conditions to Avoid: | None known. |
| Materials to Avoid: | Oxidizing agents. |
| Hazardous Decomposition Products: | Can decompose at high temperatures forming toxic gases. |

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

| | |
|---------------------|--------------------------------------------------------------------------|
| Ingestion: | <u>Slightly Toxic</u> Oral (LD50 Rat) : = 1,800 mg/kg body weight |
| Dermal: | <u>Slightly Toxic</u> Dermal (LD50 Rabbit) : = 2000 mg/kg body weight |
| Inhalation: | <u>Not Available</u> Inhalation (Not available at this time.) : |
| Eye Contact: | Moderately Irritating (Rabbit) |
| Skin Contact: | Not Available |
| Skin Sensitization: | A skin sensitizer in animal tests. |

Neurotoxicity

| | |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cypermethrin Technical: | Nervous system effects typical of pyrethroids (motor incoordination, gait abnormalities) in a range of repeated dose studies (dog and rat). Possible nerve fiber degeneration in 14-day study in rats. |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Reproductive Effects

Cypermethrin Technical: There were no cypermethrin-induced effects in fertility in two separate two-litter three (filial) generation studies in the rat.

Chronic/Subchronic Toxicity Studies

Cypermethrin Technical: NOEL (2-yr) for dogs 5 mg/kg, rats 7.5 mg/kg.

Carcinogenicity

Cypermethrin Technical: Two separate 2-year feeding studies in the rat revealed no evidence of carcinogenicity that could be attributable to cypermethrin.

Other Toxicity Information

In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as "subjective facial sensation" or SFS.

Toxicity of Other Components

Amorphous Silica

Amorphous Silica is listed as an IARC (Group 3) carcinogen not classifiable as a human carcinogen (No Data Available) with limited animal evidence. Prolonged exposure to amorphous silica may cause damage to respiratory system and irritation to skin and eyes.

Calcium Silicate

May cause skin or eye irritation upon prolonged or repeated contact.

Target Organs

Active Ingredients

Cypermethrin Technical: CNS, eye, liver, skin

Inert Ingredients

Amorphous Silica: Respiratory tract, skin, eye

Calcium Silicate: Skin, eye

12. ECOLOGICAL INFORMATION

Summary of Effects

Cypermethrin Technical:

This material is extremely toxic to fish and other aquatic organisms.

Eco-Acute Toxicity

Cypermethrin Technical: Rainbow Trout 96-hour LC50 0.92 ug/L
Daphnia magna 48 hours EC50 1.25 ug/L

Eco-Chronic Toxicity

Cypermethrin Technical: Not available at this time.

Environmental Fate

Cypermethrin Technical:

No data available for the formulation. The information presented here is for the active ingredient, cypermethrin. A thorough review of environmental information is not possible in this document. For additional information call the toll free number listed in Section 16.

Soil/Environment: In soil, typical DT50 60 d (fine sandy loam); hydrolysis with cleavage of the ester bond occurs and also further hydrolytic and oxidative degradation. Field dissipation is much faster. In river water, rapid degradation occurs, DT50 c. 5 d.

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Non-Bulk: Not regulated by DOT.

B/L Freight Classification

Insecticides, NOIBN, o/t poison

Comments

None.

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard
Chronic Health Hazard

Section 313 Toxic Chemicals: Not Applicable

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 2
Flammability: 1
Reactivity: 0

0 Minimal
1 Slight
2 Moderate
3 Serious
4 Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 08/06/1998

Revision Date: 04/09/2002

Replaces: 11/19/2001

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

RSVP# : SCP-955-00322B

End of MSDS

