

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

1 Identification

- **Product Identifier**
- **Product Name:** Sedi-Stain
- **Catalog Number:** 421570
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation** In-vitro Diagnostics
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BD Diagnostic Systems
7 Loveton Circle
Sparks, MD 21152
Telephone: (410) 771 - 0100 or (800) 638 – 8663
Email Address: Technical_Services@bd.com
- **Information Department:** Technical Service
- **Emergency telephone number:**
In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R40-22: Limited evidence of a carcinogenic effect. Harmful if swallowed.

R10: Flammable.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02

- **Signal word** Warning

- **Hazard statements**

H226 Flammable liquid and vapour.

(Contd. on page 2)

US

**Safety Data Sheet
acc. to OSHA HCS**

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 1)

· Precautionary statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P233 Keep container tightly closed.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· NFPA ratings (scale 0-4)

Health = 0
Flammability = 2
Reactivity = 0

· HMIS ratings (scale 0-4)

Health = 0
Flammability = 2
Reactivity = 0

· Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**3 Composition/information on ingredients****· Chemical characterization: Mixture****· Description:** Mixture consisting of the following components.**· Dangerous Components:**

CAS: 64-17-5 EINECS: 200-578-6	ethanol	FR10	10.0%
CAS: 548-62-9 EINECS: 208-953-6	C.I. Basic Violet 3	Xn R22-40; Xi R41; N R50/53 Carc. Cat. 3	0.1%

· Additional information Risk phrases refer to section 15.**4 First-aid measures****· Description of first aid measures****· General information** No special measures required.

(Contd. on page 3)

US

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 2)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.

(Contd. on page 4)

US

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 3)

- **Information about storage in one common storage facility:**
Store away from oxidizing agents.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:**
No further data; see Section 7.

Control parameters

- **Components with limit values that require monitoring at the workplace:**

64-17-5 ethanol

PEL	1900 mg/m ³ , 1000 ppm
REL	1900 mg/m ³ , 1000 ppm
TLV	1880 mg/m ³ , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

Exposure controls**Personal Protective Equipment****General protective and hygienic measures**

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

Protection of hands:

Chemical resistant gloves (i.e. nitrile, or equivalent).

Eye protection:

Safety glasses

Tightly sealed goggles.

Body protection: Protective work clothing (lab coat).**9 Physical and chemical properties**

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:

Liquid

Color:

Purple

Odor:

Characteristic

(Contd. on page 5)

US

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 4)

· Odor threshold:	Not determined.
· pH-value:	6.0 +/- 0.1
· Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
· Flash point:	52.2 °C (126 °F)
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	425.0 °C (797 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· Density:	Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Soluble
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	10.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Incompatible material: strong oxidizers.

(Contd. on page 6)

US

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 5)

- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

64-17-5 ethanol

Oral	LD50	3450 mg/kg (MOU) 7060 mg/kg (rat)
------	------	--------------------------------------

- **Primary irritant effect:**

- **on the skin:** No irritating effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Subacute to chronic toxicity:** Target organs: thyroid, kidney, ureter or bladder tumors.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability:** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential:** No further relevant information available.

- **Mobility in soil:** No further relevant information available.

- **Ecotoxicological effects:**

- **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

- **Additional ecological information:**

- **General notes:** Generally not hazardous for water.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 7)

US



Safety Data Sheet

acc. to OSHA HCS

Page 7/10

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 6)

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**

RCRA hazardous waste - RCRA # D001 (ignitable).
Must not be disposed of with solid waste.
Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.
- **Cleaned packagings:**
- **Recommendation:** Disposal must be made according to state and federal regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- UN-Number	
- DOT, ADR, ADN, IMDG, IATA	Void
- UN proper shipping name	
- DOT, ADR, ADN, IMDG, IATA	Void
- Transport hazard class(es)	
- DOT, ADR, ADN, IMDG, IATA	
- Class	Void
- Packing group	
- DOT, ADR, IMDG, IATA	Void
- Environmental hazards:	
- Marine pollutant:	No
- Special precautions for user	Not applicable.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- DOT	
- Remarks:	49CFR 173.150(e)(2) - States that aqueous solution of alcohol containing 24 percent or less alcohol by volume and no other hazardous material can be re-class as a combustible liquid and is not subject to the requirements.

(Contd. on page 8)

US



Safety Data Sheet

acc. to OSHA HCS

Page 8/10

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 7)

- IMDG
- Remarks:

IMDG Special Provision 144 - An aqueous solution containing not more than 24% alcohol by volume is not subject to the provisions of this code.

- IATA
- Remarks:

IATA Special Provision A58 - Aqueous solutions containing 24% or less alcohol by volume is not subject to these regulations.

- UN "Model Regulation":

-

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

- SARA Section 313 (specific toxic chemical listings)

64-17-5 ethanol

- TSCA (Toxic Substances Control Act)

7732-18-5 water

64-17-5 ethanol

477-73-6 safranin o

548-62-9 C.I. Basic Violet 3

- California Proposition 65 - Chemicals known to cause cancer

None of the ingredients is listed.

- California Proposition 65 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- California Proposition 65 - Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- California Proposition 65 - Chemicals known to cause developmental toxicity:

64-17-5 ethanol

- Carcinogenic categories

- TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

A4

- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 8)

· Hazard pictograms



GHS02

· Signal word Warning

· Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P233 Keep container tightly closed.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations

· Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing MSDS:

Environmental, Health & Safety

Created by Michael J. Spinazzola

· Contact: Technical Service Representative

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer
(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

US



**Safety Data Sheet
acc. to OSHA HCS**

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 9)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

US