

## MATERIAL SAFETY DATA SHEET

**CETYLITE® INDUSTRIES, INC.**

P.O. Box 90006

Pennsauken, NJ 08110-0700

Phone: 856-665-6111

**Hazard Rating (NFPA 704)**

Health	1	0=Least
Fire	3	1=Slight
Reactivity	0	2=Moderate
Special	none	3=High
		4=Extreme

Date Prepared: 12/1/06

### SECTION 1 - IDENTIFICATION

**PRODUCT NAME: ZAROSEN® OR VARNAL®** (Item #0800, 0801)**MAIN HAZARDOUS  
CHEMICAL INGREDIENTS****OSHA  
PEL****ACGIH  
TLV****CAS #**SDA-23A (Specially denatured alcohol)  
Manila Copal1000ppm\*  
none1000ppm\*  
none64-17-5  
9000-14-0

**Note:** Substances listed as hazardous ingredients are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is classified and listed as a potential carcinogen by OSHA Hazard Communication Standard.

### SECTION 2 - PHYSICAL DATA

**BOILING POINT:** 173°F\*  
**VAPOR PRESSURE:** 44.6mm Hg @ 68°F\*  
**VAPOR DENSITY (air=1):** 1.59\*  
**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 0.815@60°F\*

**SOLUBILITY IN WATER:** Not determined.  
**MELTING POINT:** N/A  
**EVAPORATION RATE:** Not determined.

**APPEARANCE AND ODOR:** Amber liquid; alcohol odor.**Note:** Mixture not tested as a whole.

### SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

**FLASH POINT:** 60°F\*  
**FLAMMABLE LIMITS:** LFL-3.3%\*  
 UFL-19%\*

**EXTINGUISHING MEDIA:** Dry chemical; alcohol foam; carbon dioxide.  
**FIRE AND EXPLOSION HAZARDS:** Flammable. Fire Hazard.  
**FIRE FIGHTING EQUIPMENT:** Keep container cool with water spray. If a leak or spill has not ignited, use water spray to dilute or disperse the vapors. Wear positive-pressure, self-contained breathing apparatus.

\*for SDA-23A

#### SECTION 4 - REACTIVITY DATA

**STABILITY:** (conditions to avoid) Stable under normal storage conditions.

**INCOMPATIBILITY:** (specific materials to avoid) Oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon monoxide(in fire).

**HAZARDOUS POLYMERIZATION:** Will not occur.

#### SECTION 5 - ENVIRONMENTAL AND DISPOSAL INFORMATION

**ACTION TO TAKE FOR SPILLS/LEAKS:** Contain spilled material. Transfer to secure containers. Where necessary, collect using absorbent media.

**DISPOSAL METHOD:** All recovered material should be handled in conformance with applicable laws and regulations.

#### SECTION 6 - HEALTH HAZARD DATA (Symptoms of Overexposure)

**EYE:** May cause irritation.

**SKIN CONTACT:** May cause irritation and skin defatting.

**INGESTION:** Can cause depression of central nervous system, nausea.

**INHALATION:** Can cause headache, drowsiness and respiratory tract irritation.

**SYSTEMIC AND OTHER EFFECTS:** None reported. IARC has reported a relationship between drinking alcohol beverages and cancer of the oral cavity, pharynx, esophagus and liver.

#### SECTION 7 - FIRST AID

**EYES:** Irrigate immediately with water for at least 15 minutes. Get immediate medical attention.

**SKIN:** Wash off with water. Get immediate medical attention.

**INGESTION:** If conscious drink water or milk. Call a physician.

**INHALATION:** Remove to fresh air. Get immediate medical attention.

## SECTION 8 - HANDLING PRECAUTIONS

**EXPOSURE GUIDELINE(S):** OSHA PEL; 1000 ppm for ethanol.

**VENTILATION:** Good general ventilation should be adequate.

**RESPIRATORY PROTECTION:** If respiratory irritation is experienced, use an approved air-purifying respirator with organic vapor cartridge.

**SKIN PROTECTION:** Use impervious gloves when prolonged or repeated contact could occur. Wash contaminated clothing before reuse.

**EYE PROTECTION:** Use safety glasses with side shields.

## SECTION 9 - ADDITIONAL INFORMATION

**SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Preferred storage is an approved flammable liquids storage room or cabinet. At a minimum store in a cool, dry, well ventilated place away from incompatible materials. Keep container tightly closed when not in use. Avoid repeated skin contact and eye exposure. Do not permit eating, drinking or smoking near material.

**EPA-EPCRA - Section 313 (Listed Chemicals):** NONE

**STATE:**

**California Proposition 65-WARNING.** This product can contain chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

— Ethyl Alcohol (when in alcoholic beverages)

## DISCLAIMER:

The information herein given was derived solely from the Main Hazardous Chemical Ingredients MSDS's on file at the time of this MSDS preparation. The information is given in good faith but no warranty, express or implied to the accuracy, completeness or adequacy of the information contained in this MSDS is made. We assume no warranties of fitness or liability from the use of this product. Since the conditions for use, handling, storage and disposal of this product are beyond Cetylite control, users should make their own investigations to determine the suitability of the information for their particular purposes. Users assume liability for damage, or expense arising out of product's improper use. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.