
Section 1 - Product and Company Identification

7700/633 THINNER

Product Identification: 7700/633 THINNER

Date of MSDS: 09/22/1987 **Technical Review Date:** 09/28/1994

FSC: 8010 **NIIN:** LIIN: 00F003783

Submitter: F BT

Status Code: C

MFN: 01

Article: N

Kit Part: N

Manufacturer's Information

Manufacturer's Name: RUST-OLEUM CORP

Post Office Box: N/K

Manufacturer's Address1: 11 HAWTHORN PKWY

Manufacturer's Address2: VERNON HILLS, IL 60061-1583

Manufacturer's Country: US

General Information Telephone: 312-367-7700

Emergency Telephone: 312-367-7700/312-864-8200

Emergency Telephone: 312-367-7700/312-864-8200

MSDS Preparer's Name: N/P

Proprietary: N

Reviewed: Y

Published: Y

CAGE: 08882

Special Project Code: N

Preparer Information

Preparer's Name: RUST-OLEUM CORP

Preparer's Address1: 11 HAWTHORN PARKWAY

Preparer's Address2: VERNON HILLS, IL 60061-1583

Preparer's CAGE: 08882

Assigned Individual: N

Contractor Information

Contractor's Name: RUST-OLEUM CORP

Contractor's Address1: 11 HAWTHORN PARKWAY

Contractor's Address2: VERNON HILLS, IL 60061-1583

Contractor's Telephone: 847-367-7700

Contractor's CAGE: 08882

Section 2 - Compositon/Information on Ingredients

7700/633 THINNER

Ingredient Name: STODDARD SOLVENT (PETROLEUM DISTILLATE), MINERAL SPIRITS

Ingredient CAS Number: 8052-41-3 **Ingredient CAS Code:** M

RTECS Number: WJ8925000 **RTECS Code:** M

=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 100
% Environmental Weight:
Other REC Limits: 525 MG/CUM
OSHA PEL: 500 PPM OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: 100 PPM ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical: N

Section 3 - Hazards Identification, Including Emergency Overview
7700/633 THINNER

Health Hazards Acute & Chronic: INHALATION: HARMFUL, BRAIN/NERVOUS SYSTEM EFFECTS, NOSE & THROAT IRRITATION. SKIN: IRRITATION, DERMATITIS. EYES: IRRITATION. INGESTION: GI IRRITATION. CHRONIC: REPEATED & PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS REPORTED TO CAUSE PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.

Signs & Symptoms of Overexposure:
DIZZINESS, HEADACHE, NAUSEA, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS, COMA, IRRITATION, VOMITING, DIARRHEA

Medical Conditions Aggravated by Exposure:
N/K

LD50 LC50 Mixture: N/P

Route of Entry Indicators:
Inhalation: YES
Skin: NO
Ingestion: YES

Carcinogenicity Indicators
NTP: NO
IARC: NO
OSHA: NO

Carcinogenicity Explanation: NONE

**Section 4 - First Aid Measures
7700/633 THINNER**

First Aid:

INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. EYES: FLUSH IMMEDIATELY W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINS. SKIN: WASH AREA W/SOAP & WATER. INGESTION: DON'T INDUCE VOMITING. KEEP WARM & QUIET. ASPIRATION HAZARD. OBTAIN MEDICAL ATTENTION IN ALL CASES.

**Section 5 - Fire Fighting Measures
7700/633 THINNER**

Fire Fighting Procedures:

WEAR FULL PROTECTIVE EQUIPMENT INCLUDING SCBA. WATER SPRAY MAY BE INEFFECTIVE. USE WATER TO COOL CLOSED CONTAINERS. IF WATER IS USED, FOG NOZZLES ARE PREFERRED.

Unusual Fire or Explosion Hazard:

CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

Extinguishing Media:

CO₂, DRY CHEMICAL, FOAM

Flash Point: Flash Point Text: 104F

Autoignition Temperature:

Autoignition Temperature Text: N/A

Lower Limit(s): N/K

Upper Limit(s): N/K

**Section 6 - Accidental Release Measures
7700/633 THINNER**

Spill Release Procedures:

REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. REMOVE W/INERT ABSORBENT & NON-SPARKING TOOLS.

**Section 7 - Handling and Storage
7700/633 THINNER**

Handling and Storage Precautions:

Other Precautions:

**Section 8 - Exposure Controls & Personal Protection
7700/633 THINNER**

Respiratory Protection:

USE NIOSH APPROVED CHEMICAL CARTRIDGE RESPIRATOR DURING SPRAY APPLICATION. IN CONFINED AREAS USE NIOSH APPROVED SUPPLIED-AIR RESPIRATORS/HOODS.

Ventilation:

GENERAL DILUTION/LOCAL EXHAUST VENTILATION.**Protective Gloves:**

IMPERVIOUS

Eye Protection: SAFETY EYEWEAR**Other Protective Equipment:** N/K**Work Hygenic Practices:** REMOVE & LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.**Supplemental Health & Safety Information:** N/K

Section 9 - Physical & Chemical Properties7700/633 THINNER

HCC:**NRC/State License Number:****Net Property Weight for Ammo:****Boiling Point:** Boiling Point Text: 307-389F**Melting/Freezing Point:** Melting/Freezing Text: N/K**Decomposition Point:** Decomposition Text: N/K**Vapor Pressure:** N/K Vapor Density: >1**Percent Volatile Organic Content:****Specific Gravity:** N/K**Volatile Organic Content Pounds per Gallon:****pH:** N/R**Volatile Organic Content Grams per Liter:****Viscosity:** N/P**Evaporation Weight and Reference:** SLOWER THAN ETHER**Solubility in Water:** N/K**Appearance and Odor:** N/K**Percent Volatiles by Volume:** 100**Corrosion Rate:** N/K

Section 10 - Stability & Reactivity Data7700/633 THINNER

Stability Indicator: YES**Materials to Avoid:**

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:

HEAT, ELECTRICAL EQUIPMENT, SPARKS & OPEN FLAME

Hazardous Decomposition Products:CO, CO₂**Hazardous Polymerization Indicator:** NO**Conditions to Avoid Polymerization:**

N/K

Section 11 - Toxicological Information7700/633 THINNER

Toxicological Information:

N/P

Section 12 - Ecological Information

7700/633 THINNER**Ecological Information:**

N/P

**Section 13 - Disposal Considerations
7700/633 THINNER****Waste Disposal Methods:**

DISPOSE OF ACCORDING TO LOCAL, STATE & FEDERAL REGULATIONS. DON'T INCINERATE CLOSED CONTAINERS.

**Section 14 - MSDS Transport Information
7700/633 THINNER****Transport Information:**

N/P

**Section 15 - Regulatory Information
7700/633 THINNER****SARA Title III Information:**

N/P

Federal Regulatory Information:

N/P

State Regulatory Information:

N/P

**Section 16 - Other Information
7700/633 THINNER****Other Information:**

N/P

HAZCOM Label Information**Product Identification:** 7700/633 THINNER**CAGE:** 08882**Assigned Individual:** N**Company Name:** RUST-OLEUM CORP**Company PO Box:****Company Street Address1:** 11 HAWTHORN PARKWAY**Company Street Address2:** VERNON HILLS, IL 60061-1583 US**Health Emergency Telephone:** 312-367-7700/312-864-8200**Label Required Indicator:** Y**Date Label Reviewed:** 09/28/1994**Status Code:** C**Manufacturer's Label Number:** N/R**Date of Label:** 09/28/1994**Year Procured:** N/K**Organization Code:** F**Chronic Hazard Indicator:** Y**Eye Protection Indicator:** YES**Skin Protection Indicator:** YES

Respiratory Protection Indicator: YES

Signal Word: DANGER

Health Hazard: Severe

Contact Hazard: Slight

Fire Hazard: Moderate

Reactivity Hazard: None