

ITW Permatex
10 Columbus Blvd.
Hartford, CT 06106 USA
Telephone: 1-87-Permatex
(877) 376-2839
Emergency: 800-255-3924 (ChemTel)
International Emergency: +01-813-248-0585

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

Product Name: 09102 PRO REARVIEW MIRROR ADHESIVE KIT PART 1
Item No: PTX194319Z
Product Type: Adhesive

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | Weight% | ACGIH; TLV-TWA | OSHA PEL |
|---|---------|----------------|------------------------------|
| POLYURETHANE METHACRYLATE RESIN (MIXTURE) | 30-50 | Not listed | Not listed |
| HYDROXYALKYL METHACRYLATE 27813-02-1 | 20-40 | Not listed | Not listed |
| ALIPHATIC URETHANE METHACRYLATE 3290-92-4 | <10 | Not listed | Not listed |
| ACRYLIC ACID 79-10-7 | <5 | 2 ppm | 10 ppm; 30 mg/m ³ |
| DIMETHYLBENZYL HYDROPEROXIDE 80-15-9 | <3 | Not listed | Not listed |
| 2-HYDROXYETHYL METHACRYLATE 868-77-9 | <3 | Not listed | Not listed |

3. HAZARDS IDENTIFICATION

Toxicity: May cause moderate skin irritation. Causes severe eye irritation.
Primary Routes of Entry: Eye and skin contact, ingestion, inhalation
Signs and Symptoms of Exposure: Repeated skin contact may cause allergic skin reactions. May cause pain, redness or swelling of the eyes and excessive blinking and tear production.

| Component | Weight% | NTP | ACGIH Carcinogens | IARC Carcinogen |
|----------------------|---------|-----|---|--|
| ACRYLIC ACID 79-10-7 | <5 | | A4 - Not Classifiable as a Human Carcinogen | Group 3 Monograph 71, 1999; Supplement 7, 1987; Monograph 19, 1979 |

Aggravated Medical Condition: Acrylic acid: Upper respiratory and lung diseases, dermatitis.

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation: Move to fresh air in case of accidental inhalation of vapours. Oxygen or artificial respiration if needed.
Skin Contact: Wash off with soap and water If skin irritation persists, call a physician
Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point °F(C°): >200°F COC
Recommended Extinguishing Media: Carbon Dioxide, Dry Chemicals, Foam.
Special Fire-Fighting Procedures: Firefighters should wear self-contained breathing apparatus.
Hazardous Products of Combustion: Oxides of carbon
Unusual Fire/Explosion Hazards: Irritating or toxic gases or fumes may be generated by thermal decomposition or combustion.

Product Name: 09102 PRO REARVIEW MIRROR ADHESIVE
KIT PART 1

Item No. PTX194319Z

5. FIRE FIGHTING MEASURES

Lower Explosive Limit: 2.0% Acrylic acid
Upper Explosive Limit: 8.0% Acrylic acid

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

7. HANDLING AND STORAGE

Storage: Store below 100°F.
Handling: Do not inhale vapors. Avoid prolonged skin contact. Keep away from eyes. Wash hands before eating and smoking.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses.
Skin: Neoprene or nitrile gloves recommended.
Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.
Respiratory Protection: An approved organic vapor respirator should be worn when exposures are expected to exceed the applicable limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow liquid
Odor: Irritating
Boiling Point: >300°F @ 760 mmHg
pH: Does not apply
Solubility in Water: Insoluble
Specific Gravity: 1.1 @ 80°F
VOC(Wt.%): 21%
Vapor Pressure: <5 mmHg @ 75°F
Vapor Density (Air=1): Not Determined
Evaporation Rate: Not Determined

10. STABILITY AND REACTIVITY

Chemical Stability: Stable at normal conditions
Hazardous Polymerization: Will not occur
Incompatibilities: Avoid contact with bases and strong oxidizers
Conditions to Avoid: Heat.
Hazardous Products of Combustion: Oxides of carbon

11. TOXICOLOGICAL INFORMATION

See Section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations.
US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

U.S. Department of Transportation - DOT - 49 CFR (Ground)

DOT Shipping Name: Not regulated
Hazard Class: None
UN/ID Number: None

IATA (Air)

Proper Shipping Name: Not regulated
Class or Division: None

Product Name: 09102 PRO REARVIEW MIRROR ADHESIVE
KIT PART 1

Item No. PTX194319Z

14. TRANSPORTATION INFORMATION

UN/ID Number: None

IMDG (Vessel)

Proper Shipping Name: Not regulated

Hazard Class: None

UN Number: None

Marine Pollutant: None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

ACRYLIC ACID, DIMETHYLBENZYL HYDROPEROXIDE

California Proposition 65: No California Prop 65 chemicals are known to be present.

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating: HEALTH 2, FLAMMABILITY 1 , REACTIVITY 0.

Estimated HMIS Classification: HEALTH 2, FLAMMABILITY 1, PHYSICAL HAZARD 0

(NFPA is a registered trademark of the National Fire Protection Association)

HMIS is a registered trademark of the National Paint and Coatings Association

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety

Revision Date: May 17, 2012

Company: ITW Permatex 10 Columbus Blvd. Hartford, CT USA 06106

Revision Number: 7

Telephone No.: 1-87-Permatex (877) 376-2839

ITW Permatex
10 Columbus Blvd.
Hartford, CT 06106 USA
Telephone: 1-87-Permatex
(877) 376-2839
Emergency: 800-255-3924 (ChemTel)
International Emergency: +01-813-248-0585

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

| | |
|---------------|---|
| Product Name: | 09102 PRO REARVIEW MIRROR ADHESIVE KIT PART 2 |
| Item No: | PTX394319Z |
| Product Type: | Activator |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | Weight% | ACGIH; TLV-TWA | OSHA PEL |
|--------------------------------------|---------|----------------|---------------------------------|
| 2-PROPANOL 67-63-0 | 90-100 | 200 ppm | 400 ppm; 980 mg/m ³ |
| MINERAL SPIRITS 8052-41-3 | <2 | 100 ppm | 500 ppm; 2900 mg/m ³ |
| ORGANO-COPPER COMPOUND 85737-14-0 | <1 | Not listed | Not listed |
| ORGANO-COPPER COMPOUND 68084-48-0 | <1 | Not listed | Not listed |
| ORGANO-COPPER COMPOUND 22221-10-9 | <1 | Not listed | Not listed |

3. HAZARDS IDENTIFICATION

| | |
|---------------------------------|--|
| Toxicity: | May cause eye, skin and respiratory irritation. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. Prolonged exposure may cause liver and kidney effects and may affect the central nervous system. |
| Primary Routes of Entry: | Eye and skin contact, ingestion, inhalation |
| Signs and Symptoms of Exposure: | Contact with eyes may cause tearing and redness. Excessive accidental exposure may cause headache, dizziness, nausea and mild respiratory irritation. May cause skin irritation. |

| Component | Weight% | NTP | ACGIH Carcinogens | IARC Carcinogen |
|-----------------------|---------|-----|---|--|
| 2-PROPANOL 67-63-0 | 90-100 | | A4 - Not classifiable as a human carcinogen | Group 3 Monograph 71, 1999; Supp.7, 1987; Monograph 15, 1977 |

| | |
|-------------------------------|---|
| Aggravated Medical Condition: | May aggravate preexisting dermatitis. Since this product contain copper compounds, individuals with Wilson's Disease should avoid exposure to this product. |
|-------------------------------|---|

4. FIRST AID MEASURES

| | |
|---------------|--|
| Ingestion: | Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person. |
| Inhalation: | Move to fresh air in case of accidental inhalation of vapours. Oxygen or artificial respiration if needed. Obtain medical attention. |
| Skin Contact: | Wash off with soap and water. If skin irritation persists, call a physician. |
| Eye Contact: | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists. |

5. FIRE FIGHTING MEASURES

| | |
|-----------------------------------|--|
| Flash Point °F(C°): | >53°F TCC |
| Recommended Extinguishing Media: | Carbon Dioxide, Dry Chemicals, Foam. |
| Special Fire-Fighting Procedures: | Firefighters should wear self-contained breathing apparatus. |
| Hazardous Products of Combustion: | Oxides of carbon |
| Unusual Fire/Explosion Hazards: | Vapors may travel from container toward sources of ignition and flashback. Irritating or toxic gases or fumes may be generated by thermal decomposition or combustion. |

| | |
|------------------------|-----|
| Lower Explosive Limit: | 2.0 |
|------------------------|-----|

Product Name: 09102 PRO REARVIEW MIRROR ADHESIVE
KIT PART 2

Item No. PTX394319Z

5. FIRE FIGHTING MEASURES

Upper Explosive Limit: 12.0

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Eliminate all sources of ignition. Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

7. HANDLING AND STORAGE

Storage: Store away from heat, sparks or open flame. Do not store at temperatures above 100°F (38°C).

Handling: Avoid contact with skin and eyes. Do not inhale vapors. Do not use near heat, sparks or open flame. Wash hands before eating and smoking.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses.

Skin: Neoprene or nitrile gloves recommended.

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.

Respiratory Protection: An approved organic vapor respirator should be worn when exposures are expected to exceed the applicable limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Green liquid

Odor: Alcoholic

Boiling Point: 180°F @ 760 mmHg

pH: Does not apply

Solubility in Water: 95-100%

Specific Gravity: 0.79 @ 77°F

VOC(Wt.%): 97.6%

Vapor Pressure: 32 mm Hg @ 68°F

Vapor Density (Air=1): 2.1 (air = 1)

Evaporation Rate: 7.7

10. STABILITY AND REACTIVITY

Chemical Stability: Stable at normal conditions

Hazardous Polymerization: Will not occur

Incompatibilities: Strong oxidizers

Conditions to Avoid: Keep away from heat, sparks and open flame. - No smoking.

Hazardous Products of Combustion: Oxides of carbon

11. TOXICOLOGICAL INFORMATION

See Section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations.

US EPA Waste Number: D001 as per 40CFR 261.21

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

U.S. Department of Transportation - DOT - 49 CFR (Ground)

DOT Shipping Name: Isopropanol (Isopropyl Alcohol), Limited Quantity

Hazard Class: Class 3, PG II

UN/ID Number: UN 1219

IATA (Air)

Proper Shipping Name: Consumer Commodity

Class or Division: Class 9

UN/ID Number: ID 8000

Product Name: 09102 PRO REARVIEW MIRROR ADHESIVE
KIT PART 2

Item No. PTX394319Z

IMDG (Vessel)

Proper Shipping Name: Isopropanol (Isopropyl Alcohol), Limited Quantity
Hazard Class: Class 3, PG II
UN Number: UN 1219
Marine Pollutant: None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

COPPER COMPOUND

California Proposition 65: No California Prop 65 chemicals are known to be present.

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating: HEALTH 1, FLAMMABILITY 3, REACTIVITY 1.
Estimated HMIS Classification: HEALTH 1, FLAMMABILITY 3, PHYSICAL HAZARD 0
(NFPA is a registered trademark of the National Fire Protection Association)
HMIS is a registered trademark of the National Paint and Coatings Association

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety
Company: ITW Permatex 10 Columbus Blvd. Hartford, CT USA 06106
Telephone No.: 1-87-Permatex (877) 376-2839

Revision Date: January 26, 2012
Revision Number: 11