

Material Safety Data Sheet

MSDS# P600-A

Page 1 of 3

Sanford Corporation
2711 Washington Boulevard
Bellwood, IL 60104

Telephone No:
Date of Last Revision:
Medical Emergency No:

1-800-323-0749
October 15, 2001
1-800-228-5635

SECTION ONE: PRODUCT INFORMATION

PRODUCT NAME: Pre-Tested Oil Colors

PRODUCT SIZES: 37 and 150 ml

PRODUCT CLASS: Artists' Oil Color

SECTION TWO: HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	PEL/TLV	MAX WT.%	NTP	IARC
Barium Sulfate	7727-43-7	10 mg/m ³	36.3	-	-

SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: Not determined

MELTING POINT: Not determined

VAPOR PRESSURE: Not determined

SPECIFIC GRAVITY: Not determined

SPECIFIC VAPOR DENSITY (AIR = 1) Not determined

SOLUBILITY IN WATER: Not determined

REACTIVITY IN WATER: Non-reactive

EVAPORATION RATE (BUTYL ACETATE = 1): Not determined

APPEARANCE AND ODOR: Colored paints; oily odor

This Material Safety Data Sheet is applicable for the consumer use of the following products: P060, P088, P095, P109, P221, P249

Material Safety Data Sheet

MSDS# P600-A

Page 2 of 3

SECTION FOUR: FIRE AND EXPLOSION INFORMATION

FLASH POINT (METHOD): Not available

FLAMMABILITY LIMITS (% BY VOLUME): LOWER: Not explosive UPPER: Not explosive

EXTINGUISHING MEDIA: As appropriate for surrounding area.

FIRE FIGHTING PROCEDURES: No special fire fighting procedures required.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not combustible

SECTION FIVE: REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat

CHEMICAL INCOMPATIBILITY: None known

HAZARDOUS DECOMPOSITION: None known

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION SIX: HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL: See Section Two for component PEL/TLV's.

PRIMARY ROUTES OF ENTRY:

Inhalation: None under normal use conditions.

Skin: None under normal use conditions.

Eye: None under normal use conditions.

Ingestion: None under normal use conditions.

EFFECTS/SYMPOTMS OF ACUTE EXPOSURE: None expected.

EFFECTS/SYMPOTMS OF CHRONIC EXPOSURE: None expected.

CARCINOGEN LISTING: NTP: NO IARC: NO OSHA: NO

See Section Two for components affected.

Material Safety Data Sheet

MSDS# P600-A

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT: Unknown

FIRST AID MEASURES:

Inhalation: Not an inhalation hazard.

Skin: Wash with soap and water.

Eye: Rinse through with water. If irritation persists, seek medical attention.

Ingestion: Seek medical attention. Note to physician: No acute health effects expected.

SECTION SEVEN: SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING: KEEP OUT OF REACH OF CHILDREN.

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED: No special spill procedures required.

WASTE DISPOSAL METHOD: Dispose in accordance with Federal, State, and Local Regulations.

SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: None required.

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None

WORK/HYGIENE PRACTICES: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

HMIS CODE

Health	0
Flammability	0
Reactivity	0
Personal Protection	N/A

WARNING: This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

0=Minimal/4=Extreme Hazard

May be used to comply with OSHA Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

