

1) SS of the ER diagram



2) SS of the relational schema



3) DDL commands

```
-- ==========================================
-- HOTEL FRANCHISE CENTRAL RESERVATION SYSTEM
-- DDL COMMANDS
-- ==========================================

-- 1. HOTEL_FRANCHISE
CREATE TABLE HOTEL_FRANCHISE (
    Franchise_ID INT PRIMARY KEY,
    Franchise_Name VARCHAR(100) NOT NULL,
    Contact_Email VARCHAR(100),
    Contact_Number VARCHAR(15),
    Address VARCHAR(255)
);



-- 2. HOTEL
CREATE TABLE HOTEL (
    Hotel_ID INT PRIMARY KEY,
    Hotel_Name VARCHAR(100) NOT NULL,
    Address VARCHAR(255),
    City VARCHAR(50),
    State VARCHAR(50),
    Country VARCHAR(50),
    Email VARCHAR(100),
    Phone VARCHAR(15),
    Rating INT,
    Franchise_ID INT,

    FOREIGN KEY (Franchise_ID)
        REFERENCES HOTEL_FRANCHISE(Franchise_ID)
```

```
);


-- 3. ROOM_TYPE
CREATE TABLE ROOM_TYPE (
    Room_Type_ID INT PRIMARY KEY,
    Type_Name VARCHAR(50) NOT NULL,
    Description VARCHAR(255),
    Max_Occupancy INT,
    Base_Price DECIMAL(10,2)
);


-- 4. ROOM
CREATE TABLE ROOM (
    Room_ID INT PRIMARY KEY,
    Room_Number VARCHAR(10) NOT NULL,
    Floor_Number INT,
    Status VARCHAR(20),
    Hotel_ID INT,
    Room_Type_ID INT,

    FOREIGN KEY (Hotel_ID)
        REFERENCES HOTEL(Hotel_ID),

    FOREIGN KEY (Room_Type_ID)
        REFERENCES ROOM_TYPE(Room_Type_ID)
);


-- 5. GUEST
```

```
CREATE TABLE GUEST (
    Guest_ID INT PRIMARY KEY,
    First_Name VARCHAR(50) NOT NULL,
    Last_Name VARCHAR(50) NOT NULL,
    Email VARCHAR(100),
    Phone VARCHAR(15),
    Address VARCHAR(255),
    City VARCHAR(50),
    Country VARCHAR(50),
    ID_Proof_Type VARCHAR(50),
    ID_Proof_Number VARCHAR(50)
);


-- 6. RESERVATION
CREATE TABLE RESERVATION (
    Reservation_ID INT PRIMARY KEY,
    Reservation_Date DATE,
    Check_In_Date DATE,
    Check_Out_Date DATE,
    No_Of_Guests INT,
    No_Of_Rooms INT,
    Status VARCHAR(20),
    Special_Requests VARCHAR(255),
    Total_Amt DECIMAL(10,2),

    Guest_ID INT,
    Hotel_ID INT,
    Room_Type_ID INT,

    FOREIGN KEY (Guest_ID)
```

```
    REFERENCES GUEST(Guest_ID),

  FOREIGN KEY (Hotel_ID)
    REFERENCES HOTEL(Hotel_ID),

  FOREIGN KEY (Room_Type_ID)
    REFERENCES ROOM_TYPE(Room_Type_ID)
);



-- 7. PAYMENT
CREATE TABLE PAYMENT (
  Payment_ID INT PRIMARY KEY,
  Payment_Date DATE,
  Amt DECIMAL(10,2),
  Payment_Method VARCHAR(50),
  Payment_Status VARCHAR(20),
  Transaction_Reference VARCHAR(100),

  Reservation_ID INT,

  FOREIGN KEY (Reservation_ID)
    REFERENCES RESERVATION(Reservation_ID)
);



-- 8. OVERBOOKING
CREATE TABLE OVERBOOKING (
  Overbooking_ID INT PRIMARY KEY,
  Overbooking_Date DATE,
  Stay_Date DATE,
```

```
    Total_Rooms INT,
    Reserved_Rooms INT,
    Overbooking_Limit INT,
    Overbooked_Rooms INT,
    Status VARCHAR(20),

    Hotel_ID INT,
    Room_Type_ID INT,

    FOREIGN KEY (Hotel_ID)
        REFERENCES HOTEL(Hotel_ID),

    FOREIGN KEY (Room_Type_ID)
        REFERENCES ROOM_TYPE(Room_Type_ID)
);
```