

**PUBLIC CRIME DETECTION SYSTEM FOR COMMONERS IN INDIA**

**MINOR PROJECT REPORT**

*Submitted by*

**Nishanth.D(RA1911008020042)**

**Sutharsan.V(RA1911008020016)**

**BarathBalaji.S(RA1911008020013)**

*in partial fulfillment for the award of the degree*

*of*

**BACHELOR OF TECHNOLOGY**

*in*

**INFORMATION TECHNOLOGY**

*Of*

**FACULTY OF ENGINEERING AND TECHNOLOGY**



**SRM INSTITUTE OF SCIENCE AND TECHNOLOGY, RAMAPURAM**

**GUIDED BY DR.R.RATHNA, A.P**

## **TABLE OF CONTENTS**

<b>CHAPTER NO. NO.</b>	<b>TITLE</b>	<b>PAGE</b>
	ABSTRACT	3
1.	INTRODUCTION	4
2.	LITERATURE REVIEW	5
3.	SYSTEM REQUIREMENTS	6
4.	SYSTEM ANALYSIS	7
5.	SYSTEM DESIGN	12
6.	IMPLEMENTATION	14
7.	CONCLUSION	16
8.	FUTURE ENHANCEMENT	17
	APPENDIX 1 (Sample Coding)	18
	APPENDIX 2 (Sample Screen Shot)	20
	REFERENCES	26

## **ABSTRACT**

In present world, Crime is not just limited to stealing things physically. CCTV Footage is a crucial evidence against any criminal. It's estimated that India foresee a Crime Index of 44.57 making it the 79<sup>th</sup> country by Crime Index in 2022. Well planned and structured methods can be used in overcoming these crimes. Our assessment mainly focuses in overcoming these barriers and provide efficient solution to the crimes happening around us. We aim to display proficient strategies in assessing the tools and applications needed for each scenario like house robbery, Bike theft, etc. Finding Solutions and implementation of the work is briefly displayed in this paper. The input is given as image data using real time web cam. Methodologies including the use of OpenCV and Computer Vision are used in evaluating and finding the robbery

Keywords – Computer vision, tensor flow, OpenCV, pytsx3, mediapipe, OS, date time.

## **CHAPTER-1**

### **INTRODUCTION**

Many surveillance cameras had been mounted in stations, industrial facilities, and town regions to discourage crime. However, because the wide variety of cameras increases, the extent of video records has additionally emerged as massive. This makes it nearly impossible for the police and protection corporations to visually reveal for suspicious behaviour and crime through checking and studying pixels and motion pictures manually. To deal with this challenge, synthetic intelligence (AI) is getting used within the combat in opposition to crime.

Police offerings round the arena are actively operating to apply AI for video evaluation and crook investigation, with a circulate closer to predictive crime detection and prevention primarily based totally at the idea of proactive, as opposed to reactive, crime fighting. AI learns round one hundred kinds of moves as primary moves in advance: from easy moves which include strolling and stopping, to greater complicated moves and moves which include turning the top to the proper and elevating the left hand.

These primary moves may be identified with a median accuracy of ninety percentage or greater. The proposed Crime Detection System the use of OpenCV and AI includes detecting moves and figuring out the individual's face the use of pc imaginative and prescient. The idea additionally includes fetching the individual's call and different data from the backend database and showing to the consumer for powerful identity with more accuracy. Recognition accuracy of suspicious behaviour may be in addition delicate after the device's introduction. This may be accomplished through specifying extra behavioural conditions, which include turning the top left and proper to appearance round, and through converting evaluation parameters, which include every action's duration. The subutility called Robbery detection device alarms whilst a unknown individual enters the digital digicam imaginative and prescient zone. If it detects an unknown individual the device alarms the occupant of the area.

## CHAPTER 2

### LITERATURE SURVEY

**“Writing Overview on Criminal Recognizable proof in Mumbai utilizing DBSCAN, Akshay Rathod, Rushikesh Sawant, Ashish Choudhary, Neha Singh”**, Crime percentages are expanding consistently in India, with Mumbai being the third among the 19 urban communities for 3 back to back years; protection from wrongdoing should be given expanded need by the public authority as well as people. In this paper, writing overview of wrongdoing examination utilizing DBSCAN grouping on wrongdoing dataset is finished.

**“An Overview on Wrongdoing Event Location and forecast Procedures, Shruti S.Gosavi, Shraddha, S. Kavathekar”**, Discoveries of this overview were that when the dataset occasions have more number of missing qualities pre-handling turns into an essential undertaking and wrongdoing doesn't happen consistently across metropolitan scenes however moves in specific regions. In this way, foreseeing wrongdoing areas of interest is a vital undertaking likewise applying post-handling will help in bringing down the pace of violations.

**“Writing review on video observation wrongdoing action acknowledgment, K Kishore Kumar”**, This paper presents an outline of present and past audits for creating future exploration. The distributed diaries from 2000-2020 were dissected to be aware of the video observation and wrongdoing identification techniques in various areas. A survey of the examined scientists and their strategies are accessible in this paper. This overview is valuable to further develop the wrongdoing location methods utilizing video observation. Besides, it is a helpful device to accumulate data.

**“Investigation for wrongdoing counteraction utilizing ICT, Yulihño Ochante-Huamaccto, Francis Robles-Delgado, Michael Cabanillas-Carbonell”**, Wrongdoing is a social issue that after the repression of Coronavirus has expanded essentially around the world, which is the reason it is vital to understand what mechanical devices can be utilized to forestall criminal demonstrations. In the current work, a fundamental examination was completed to decide the significance of how to forestall wrongdoing utilizing new data innovations. Fifty examination articles were chosen somewhere in the range of 2015 and 2021. The outcomes got tell explicit data on the best way to forestall wrongdoing utilizing new data innovations.

**“Overview on wrongdoing investigation and forecast utilizing information mining methods, H. Benjamin Fredrick David and A. Suruliandi”**, Information Mining is the technique which incorporates assessing and analyzing enormous prior data sets to produce new data which might be vital for the association. The extraction of new data is anticipated utilizing the current datasets.

Many methodologies for examination and expectation in information mining had been performed. Yet, numerous couple of endeavors has made in the criminal science field. Numerous couple of have taken endeavors for looking at the data this multitude of approaches produce. The police headquarters and other comparative law enforcement offices hold numerous huge data sets of data which can be utilized to anticipate or dissect the criminal developments and crime association in the general public. The crooks can likewise be anticipated in view of the wrongdoing information. The fundamental point of this work is to play out a study on the directed learning and unaided learning strategies that has been applied towards criminal ID. This paper presents the review on the Wrongdoing examination and wrongdoing expectation utilizing a few Information Mining procedures.

**“Experimental Examination for Wrongdoing Expectation and Anticipating Utilizing AI, Wajiha safat , Sohail asghar, Saira andleeb gillani,”** Wrongdoing and infringement are the danger to equity and intended to be controlled. Exact wrongdoing expectation and future anticipating patterns can help to computationally upgrade metropolitan wellbeing. The restricted capacity of people to handle complex data from huge information frustrates the early and precise expectation and anticipating of wrongdoing. The exact assessment of the crime percentage, types and problem areas from past examples makes numerous computational difficulties and open doors. In spite of significant examination endeavors, yet there is a need to have a superior prescient calculation, which direct police watches toward crimes. Past investigations are missing to accomplish wrongdoing guaging and forecast exactness in view of learning models. Consequently, this study applied different AI calculations, specifically, the strategic relapse, support vector machine(SVM), Guileless Bayes, k-closest neighbors (KNN), choice tree, multi-facet perceptron (MLP), arbitrary woodland, and Outrageous Slope Helping (XGBoost), and time series investigation by lengthy transient memory (LSTM) and autoregressive incorporated moving normal (ARIMA) model to more readily fit the wrongdoing information. The exhibition of LSTM for time series examination was sensibly sufficient arranged by greatness of root mean square blunder (RMSE) and mean outright mistake (MAE), on the two informational collections.

**“Hypothetical and Observational Examination of Wrongdoing Information, Manisha Mudgal, Deepika Punj and Anuradha Pillai,”** Wrongdoing is one of the greatest and overwhelming issues in this day and age and it isn't simply hurtful to the individual in question yet in addition to the local area and government. Because of heightening in wrongdoing recurrence, there is a requirement for a framework that can identify and foresee violations. This paper portrays the rundown of the various strategies and methods used to recognize, investigate and anticipate forthcoming and present violations. This paper shows, how information mining strategies can be utilized to recognize and anticipate wrongdoing utilizing affiliation mining rule, k-implies grouping, choice tree, fake brain organizations and profound learning techniques are additionally made sense of.

The majority of the explores are as of now dealing with determining the event of future wrongdoing. There is a requirement for approaches that can deal with constant wrongdoing expectation at high velocity and exactness. In this paper, a model has been recommended that can deal with ongoing wrongdoing expectation by perceiving human activities.

**“Wrongdoing expectation and interruption discovery with iot and AI, Anirudh Kumar Tiwari Prof.(Dr.) Bhavana Narain,”** The reason for our work is to plan a model that helps the police in distinguishing wrongdoing areas. We have taken a condition that in the event that any individual is heading off to some place and in the wake of seeing a mishap, when the photograph of that mishap is taken then naturally it will be shipped off closest police headquarters. For this, it is important to have an application planned by us both in the shipper and the recipient. This entire matter will straightforwardly interface the police no sweat the police can arrive at that area. GPS will be utilized for area location. In our work we have gathered dataset with the assistance of computerized camera which is connected with IoT gadget. In initial segment of our paper we have examined the grounds of our work under presentation of wrongdoing, advanced picture handling, GPS and IoT. In second piece of our work we have examined the system of our work here sensor board, GPS setting has been talked about alongside dataset. There is various information assortment advances in the IoT. The most broadly utilized innovation is the Remote sensor organization (WSN) utilizes multi-jumping and self-association to keep up with command over the correspondence hubs.

**“Wrongdoing Identification Procedure Utilizing Information Mining and K-Means, Khushabu A. Bokde, Tiksha P. Kakade, Dnyaneshwari S. Tumsare,”** Wrongdoings will some way or another impact associations and establishments when happened oftentimes in a general public. Consequently, it appears to be important to concentrate on reasons, elements and relations between event of various wrongdoings and tracking down the most fitting ways of controlling and stay away from additional violations. The fundamental target of this paper is to group bunched violations in view of event recurrence during various years. Information mining is utilized widely with regards to examination, examination and disclosure of examples for event of various wrongdoings. We applied a hypothetical model in view of information mining strategies, for example, bunching and grouping to genuine wrongdoing dataset kept by police in Britain and Grains inside 1990 to 2011. The Hereditary Calculation (GA) is utilized for advancing of Anomaly Recognition administrator boundaries utilizing RapidMiner apparatus.

**“Criminal face recognition framework, shiva tamrkar,”** Criminal Face Identification project expectsto construct a robotized Criminal Face Location framework by turning the human capacity to review minute facial subtleties. Distinguishing proof of lawbreakers at the location of a crime can

be accomplished in numerous ways like fingerprinting, DNA coordinating or onlooker accounts. Out of these strategies onlooker accounts are favored in light of the fact that it stands examination in court and it is a savvy technique. Potential observers to a wrongdoing have seen the crook however by and large it may not be imaginable to see the substance of the culprit totally. The Lawbreaker Face Discovery Framework will be worked of a current criminal data set. Information would be given as sketch or a picture and matched against the current data set and results would be given. Criminal record by and large contains individual data about specific individual alongside photo.

### **Inferences from Literature Survey**

Above Writings centers around Information Mining, K-Means,IOT, DBSCAN. The sole focal point of Wrongdoing location framework is by utilizing the extraordinary mix of OpenCV and guzzling Man-made brainpower to carry out a Face identification philosophy with ADABOOST calculation and organizing a layered design.



## **CHAPTER 3**

### **SYSTEM ANALYSIS**

It is evident from the research of the existing systems that there is a need for advanced and most feasible version for the crime detection system. The solutions which are currently available may provide a wide area of knowledge and satisfy the urgent needs of people. It's to be believed that the current technologies have multiple tech solutions enabled which can be challenging . Python has been proven to implement latest technologies with the help of modules such as OpenCV for crime detection. Python's easy to understand code complexity and inbuilt modules makes it a feasible choice for programmers. Imbibing the likes of HTML,CSS & BOOTSTRAP, provides users a platform for accessing our application using website.

#### **3.1 Advantages**

- Enabling the project with Python improves Productivity and increases Versatility
- ADABOOST algorithm reduces the time complexity of the process.
- Highly accurate
- Provides high security with alarms

# **CHAPTER 4**

## **SYSTEM REQUIREMENTS**

### **4.1 Software Requirements**

- Operating system: Windows8,10,11
- Web browser: Google chrome/Firefox/Opera
- Language (UI) – HTML, CSS, JS, Bootstrap
- Text editor: Visual studio

### **4.2 Hardware Requirements**

- Processor: Intel core I7 – 7<sup>th</sup> Gen or higher
- Processor speed: Min 1ghz, recommended 2ghz or more
- Camera – 1.3 MP or higher
- Speaker
- Memory (RAM): Min 8GB, recommended 8GB or above.

## CHAPTER 5

### ARCHITECTURE DIAGRAM




Fig 5.1 Architecture Diagram

Our system's main component is the homepage(website). With reference to Fig. 5.1, The user analyzes the details and can choose a suitable application based on their requirements. Each application has its bifurcations depending upon the domain. Similarities in opening the webcam applies to both Robbery and Criminal Detection system. Criminal Detection system displays the name of the criminal and issues a warning to the user whereas Robbery Detection system voices out a beep sound on detection of robbery. Finally, The application closes when the user clicks "q" in their keyboard.

## CHAPTER 6

### SYSTEM MODULES

#### 1.Flask module:




Fig 6.1 Flask module architecture diagram

Flask is a microframework written in python and it's used for web applications which requires minimal operations and high performance. Flask is easy to use. When the user opens the website, The website will send the data to web server and web server sends response to the WSGI server. WSGI server is an important component as it is used to send requests from web server to python(backend). WSGI server is known as Web server gateway interface. The data is received by python application and the data is analyzed respective to the purpose of the application. The further process will be taken care of GET and POST requests simultaneously. GET request is used to collect the input from the user. It also deletes all representation of the target resource specified in the link. The data is collected through GET and transfers to the view function. We can analyze the mentioned process and features in the above diagram Fig 6.1.

#### 2.ADABOOST module:




Fig 6.2 ADABOOST Architecture diagram

ADABOOST algorithm is known as adaptive boost algorithm. It is used to boost the python applications. This algorithm achieves high accuracy. This algorithm has a preprogrammed trainer inbuilt with weak classifiers. The weak classifiers help to classify the images in the application. It's a supervised learning and it has already pre trained data inserted. OpenCV has a module named HAAR Cascade classifier. ADABOOST is hidden under HAAR cascade classifier. The HAAR cascade is a powerful algorithm which uses edge or line detection to detect the face. The result is stored in xml files and its read by Open CV methods. ADABOOST is a extension to the HAAR cascade to boost the algorithm. The HAAR features needed a lot of mathematical calculation to traverse the face. The features and architecture is mentioned clearly in FIG 6.2.

### 3.Open CV module:




Fig 6.3 Open CV Architecture diagram

Open CV is a python module which is used in applications which uses face comparisons. OpenCV has a front end of G-API OpenCV Module. The front end uses Core classes of GMat and standard kernel library of API definitions. The data is sent to abstract data engine (ADE). The data is then

analyzed using G-API domain graph logic and ADE Backend interface. The data than splitted into Naive scheduler and wrapped OCV. The HAAR Classifiers comes into action, and it classifies the data. In simple words, Open CV is a computer vision library with APIs that let you setup a pipeline for your computer vision project. It also provides implementation for many computer vision algorithms along with image algorithms. The process is shown in Fig 6.3 Open CV architecture diagram.

