This XML file does not appear to have any style information associated with it. The document tree is shown below.

```xml
<!--
  Published by JAX-WS RI (http://jax-ws.java.net). RI's version is Metro/2.3.2-b608 (trunk-7979; 2015-01-21T12:50:19+0000) JAXWS-RI/2.2.11-b150120.1832
-->
<!--
  Generated by JAX-WS RI (http://jax-ws.java.net). RI's version is Metro/2.3.2-b608 (trunk-7979; 2015-01-21T12:50:19+0000) JAXWS-RI/2.2.11-b150120.1832
-->
<definitions xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" xmlns:wsp="http://www.w3.org/ns/ws-policy"
xmlns:wsp1_2="http://schemas.xmlsoap.org/ws/2004/09/policy" xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:tns="http://services/" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.xmlsoap.org/wsdl/" targetNamespace="http://services/" name="EventsService">
  <types>
    <xsd:schema>
      <xsd:import namespace="http://services/" schemaLocation="http://localhost:8080/EventsService/EventsService?xsd=1"/>
    </xsd:schema>
  </types>
  <message name="find">
    <part name="parameters" element="tns:find"/>
  </message>
  <message name="findResponse">
    <part name="parameters" element="tns:findResponse"/>
  </message>
  <message name="create">
    <part name="parameters" element="tns:create"/>
  </message>
  <message name="findAll">
    <part name="parameters" element="tns:findAll"/>
  </message>
  <message name="findAllResponse">
    <part name="parameters" element="tns:findAllResponse"/>
  </message>
  <portType name="EventsService">
    <operation name="find">
      <input wsam:Action="http://services/EventsService/findRequest" message="tns:find"/>
      <output wsam:Action="http://services/EventsService/findResponse" message="tns:findResponse"/>
    </operation>
    <operation name="create">
      <input wsam:Action="http://services/EventsService/create" message="tns:create"/>
    </operation>
    <operation name="findAll">
      <input wsam:Action="http://services/EventsService/findAllRequest" message="tns:findAll"/>
      <output wsam:Action="http://services/EventsService/findAllResponse" message="tns:findAllResponse"/>
    </operation>
  </portType>
  <binding name="EventsServicePortBinding" type="tns:EventsService">
    <soap:binding transport="http://schemas.xmlsoap.org/soap/http" style="document"/>
    <operation name="find">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="create">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
    </operation>
    <operation name="findAll">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
  </binding>
  <service name="EventsService">
    <port name="EventsServicePort" binding="tns:EventsServicePortBinding">
      <soap:address location="http://localhost:8080/EventsService/EventsService"/>
    </port>
  </service>
</definitions>
```