

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<!--
  Published by JAX-WS RI (http://jax-ws.java.net). RI's version is Metro/2.3.2-b608 (trunk-7979; 2015-01-21T12:50:19+0000) JAXWS-RI/2.2.11-b150120.1832
-->
<xs:schema xmlns:tns="http://services/" xmlns:xs="http://www.w3.org/2001/XMLSchema" version="1.0" targetNamespace="http://services/">
  <xs:element name="create" type="tns:create"/>
  <xs:element name="events" type="tns:events"/>
  <xs:element name="find" type="tns:find"/>
  <xs:element name="findAll" type="tns:findAll"/>
  <xs:element name="findAllResponse" type="tns:findAllResponse"/>
  <xs:element name="findResponse" type="tns:findResponse"/>
  <xs:element name="users" type="tns:users"/>
  <xs:complexType name="create">
    <xs:sequence>
      <xs:element name="entity" type="tns:events" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="events">
    <xs:sequence>
      <xs:element name="date" type="xs:dateTime" minOccurs="0"/>
      <xs:element name="deadline" type="xs:dateTime" minOccurs="0"/>
      <xs:element name="description" type="xs:string" minOccurs="0"/>
      <xs:element name="editorId" type="tns:users" minOccurs="0"/>
      <xs:element name="id" type="xs:int" minOccurs="0"/>
      <xs:element name="location" type="xs:string" minOccurs="0"/>
      <xs:element name="name" type="xs:string" minOccurs="0"/>
      <xs:element name="submissionstart" type="xs:dateTime" minOccurs="0"/>
      <xs:element name="website" type="xs:string" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="users">
    <xs:sequence>
      <xs:element name="birthdate" type="xs:dateTime" minOccurs="0"/>
      <xs:element name="email" type="xs:string" minOccurs="0"/>
      <xs:element name="id" type="xs:int" minOccurs="0"/>
      <xs:element name="name" type="xs:string" minOccurs="0"/>
      <xs:element name="password" type="xs:string" minOccurs="0"/>
      <xs:element name="role" type="xs:string" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="findAll">
    <xs:sequence/>
  </xs:complexType>
  <xs:complexType name="findAllResponse">
    <xs:sequence>
      <xs:element name="return" type="tns:events" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="find">
    <xs:sequence>
      <xs:element name="id" type="xs:anyType" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="findResponse">
    <xs:sequence>
      <xs:element name="return" type="tns:events" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:schema>
```