This XML file does not appear to have any style information associated with it. The document tree is shown below.

```xml
<!--
  Published by JAX-WS RI (http://jax-ws.java.net). RI's version is Metro/2.3.2-b608 (trunk-7979; 2015-01-21T12:50:19+0000) JAXWS-RI/2.2.11-b150120.1832
-->
<!--
  Generated by JAX-WS RI (http://jax-ws.java.net). RI's version is Metro/2.3.2-b608 (trunk-7979; 2015-01-21T12:50:19+0000) JAXWS-RI/2.2.11-b150120.1832
-->
<definitions xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" xmlns:wsp="http://www.w3.org/ns/ws-policy"
xmlns:wsp1_2="http://schemas.xmlsoap.org/ws/2004/09/policy" xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:tns="http://services/" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.xmlsoap.org/wsdl/" targetNamespace="http://services/" name="ArticlesService">
  <types>
    <xsd:schema>
      <xsd:import namespace="http://services/" schemaLocation="http://localhost:8080/ArticlesService/ArticlesService?xsd=1"/>
    </xsd:schema>
  </types>
  <message name="remove">
    <part name="parameters" element="tns:remove"/>
  </message>
  <message name="count">
    <part name="parameters" element="tns:count"/>
  </message>
  <message name="countResponse">
    <part name="parameters" element="tns:countResponse"/>
  </message>
  <message name="find">
    <part name="parameters" element="tns:find"/>
  </message>
  <message name="findResponse">
    <part name="parameters" element="tns:findResponse"/>
  </message>
  <message name="create">
    <part name="parameters" element="tns:create"/>
  </message>
  <message name="create_1">
    <part name="parameters" element="tns:create_1"/>
  </message>
  <message name="create_1Response">
    <part name="parameters" element="tns:create_1Response"/>
  </message>
  <message name="search">
    <part name="parameters" element="tns:search"/>
  </message>
  <message name="searchResponse">
    <part name="parameters" element="tns:searchResponse"/>
  </message>
  <message name="findAll">
    <part name="parameters" element="tns:findAll"/>
  </message>
  <message name="findAllResponse">
    <part name="parameters" element="tns:findAllResponse"/>
  </message>
  <message name="calculateAverage">
    <part name="parameters" element="tns:calculateAverage"/>
  </message>
  <message name="calculateAverageResponse">
    <part name="parameters" element="tns:calculateAverageResponse"/>
  </message>
  <message name="edit">
    <part name="parameters" element="tns:edit"/>
  </message>
  <message name="findRange">
    <part name="parameters" element="tns:findRange"/>
  </message>
  <message name="findRangeResponse">
    <part name="parameters" element="tns:findRangeResponse"/>
  </message>
  <portType name="ArticlesService">
    <operation name="remove">
      <input wsam:Action="http://services/ArticlesService/remove" message="tns:remove"/>
    </operation>
    <operation name="count">
      <input wsam:Action="http://services/ArticlesService/countRequest" message="tns:count"/>
      <output wsam:Action="http://services/ArticlesService/countResponse" message="tns:countResponse"/>
    </operation>
    <operation name="find">
      <input wsam:Action="http://services/ArticlesService/findRequest" message="tns:find"/>
      <output wsam:Action="http://services/ArticlesService/findResponse" message="tns:findResponse"/>
    </operation>
    <operation name="create">
      <input wsam:Action="http://services/ArticlesService/create" message="tns:create"/>
    </operation>
    <operation name="create_1">
      <input wsam:Action="http://services/ArticlesService/create_1Request" message="tns:create_1"/>
      <output wsam:Action="http://services/ArticlesService/create_1Response" message="tns:create_1Response"/>
    </operation>
    <operation name="search">
      <input wsam:Action="http://services/ArticlesService/searchRequest" message="tns:search"/>
      <output wsam:Action="http://services/ArticlesService/searchResponse" message="tns:searchResponse"/>
    </operation>
    <operation name="findAll">
      <input wsam:Action="http://services/ArticlesService/findAllRequest" message="tns:findAll"/>
      <output wsam:Action="http://services/ArticlesService/findAllResponse" message="tns:findAllResponse"/>
    </operation>
    <operation name="calculateAverage">
```

```xml
      <input wsam:Action="http://services/ArticlesService/calculateAverageRequest" message="tns:calculateAverage"/>
      <output wsam:Action="http://services/ArticlesService/calculateAverageResponse" message="tns:calculateAverageResponse"/>
    </operation>
    <operation name="edit">
      <input wsam:Action="http://services/ArticlesService/edit" message="tns:edit"/>
    </operation>
    <operation name="findRange">
      <input wsam:Action="http://services/ArticlesService/findRangeRequest" message="tns:findRange"/>
      <output wsam:Action="http://services/ArticlesService/findRangeResponse" message="tns:findRangeResponse"/>
    </operation>
  </portType>
  <binding name="ArticlesServicePortBinding" type="tns:ArticlesService">
    <soap:binding transport="http://schemas.xmlsoap.org/soap/http" style="document"/>
    <operation name="remove">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
    </operation>
    <operation name="count">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="find">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="create">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
    </operation>
    <operation name="create_1">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="search">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="findAll">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="calculateAverage">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="edit">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
    </operation>
    <operation name="findRange">
      <soap:operation soapAction=""/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
  </binding>
  <service name="ArticlesService">
    <port name="ArticlesServicePort" binding="tns:ArticlesServicePortBinding">
      <soap:address location="http://localhost:8080/ArticlesService/ArticlesService"/>
```

```
        </port>
      </service>
    </definitions>
```