```
    raise ValueError("Invalid months list")
ValueError: Invalid months list
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7> python self_storage.py
==== Running parse_rental ====
Enter unit:months (e.g. medium:6): medium:6
Unit and Months: ('Medium', 6.0)

==== Running duration_average ====
Enter rental months as CSV (e.g. 3,6,12): 3,6,12
Average Duration: 7

==== Running payable_rent ====
Enter rent|discount (e.g. 2400|200): 2400|200
Payable Rent: 2632.0
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7>
```

```
==== Running payable_rent ====
Enter rent|discount (e.g. 2400|200): 2400|200
Payable Rent: 2632.0
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7> python -m pytest test_self_storage.py
============================= test session starts ==============================
platform win32 -- Python 3.12.6, pytest-9.2.0, pluggy-1.7.0
rootdir: C:\Users\punit\L6_L7_51_self_storage\Lab 7
plugins: anyio-4.6.0, hypothesis-6.170.15, langsmith-0.3.45
collected 3 items

test_self_storage.py ...                                                 [100%]

============================== 3 passed in 0.75s ===============================
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7>
```

```
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7> 3,6,12
3
6
12
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7> python self_storage.py
==== Running parse_rental ====
Enter unit:months (e.g. medium:6): medium:6
Unit and Months: ('Medium', 6.0)

==== Running duration_average ====
Enter rental months as CSV (e.g. 3,6,12): 3,6,12
Average Duration: 7

==== Running payable_rent ====
Enter rent|discount (e.g. 2400|200): 2400|200
Payable Rent: 2632.0
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7>
```

```
PS C:\Users\punit\L6_L7_51_self_storage\Lab 7> python -m pytest test_self_storage.py
    | Traceback (most recent call last):
    |   File "C:\Users\punit\L6_L7_51_self_storage\Lab 7\test_self_storage.py", line 18, in test_payable_rent_no_crash
    |     payable_rent(s)
    |   File "C:\Users\punit\L6_L7_51_self_storage\Lab 7\self_storage.py", line 11, in payable_rent
    |     total = float(rent) * 1.18 - float(discount)
    |             ^^^^^^^^^^^
    | ValueError: could not convert string to float: ''
    | Failing test case: test_payable_rent_no_crash(
    |     s='|',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\punit\L6_L7_51_self_storage\Lab 7\test_self_storage.py", line 18, in test_payable_rent_no_crash
    |     payable_rent(s)
    |   File "C:\Users\punit\L6_L7_51_self_storage\Lab 7\self_storage.py", line 10, in payable_rent
    |     rent, discount = text.split('|')
    |     ^^^^^^^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    | Failing test case: test_payable_rent_no_crash(
    |     s='',  # or any other generated value
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\punit\L6_L7_51_self_storage\Lab 7\test_self_storage.py", line 18, in test_payable_rent_no_crash
    |     payable_rent(s)
    |   File "C:\Users\punit\L6_L7_51_self_storage\Lab 7\self_storage.py", line 10, in payable_rent
    |     rent, discount = text.split('|')
    |                      ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    | Failing test case: test_payable_rent_no_crash(
    |     s=None,  # or any other generated value
    | )
    +------------------------------------
=========================== short test summary info ============================
FAILED test_self_storage.py::test_parse_rental_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_self_storage.py::test_duration_average_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_self_storage.py::test_payable_rent_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
============================== 3 failed in 3.64s ===============================
```