


```
File Edit Selection View Go Run Terminal Help mainbmi.dart - pp5 - Visual Studio Code


mainbmi.dart x appcreators.dart


lib > FINAL PROJECT > mainbmi.dart > main

3 import 'package:flutter_3d_choice_chip/flutter_3d_choice_chip.dart';
4 import 'package:page_transition/page_transition.dart';
5 import 'package:pretty_gauge/pretty_gauge.dart';
6 import 'package:share_plus/share_plus.dart';
7 import 'package:swipeable_button_view/swipeable_button_view.dart';
8 import 'aboutapp.dart';
9 import 'appcreators.dart';
10
Run | Debug | Profile
11 void main() {
12   runApp(MaterialApp(
13     debugShowCheckedModeBanner: false,
14     home: screen1(),
15   )); // MaterialApp
16 }
17
18 class screen1 extends StatelessWidget {
19   screen1({Key? key}) : super(key: key);
20   Widget build(BuildContext context) {
21     return (MaterialApp(
22       debugShowCheckedModeBanner: false,
23       home: Scaffold(
24         backgroundColor: Colors.orangeAccent,
25         appBar: AppBar(
26           centerTitle: true,
27           actions: <Widget>[
28             PopupMenuButton(
29               icon: Icon(Icons.more_vert),
30               itemBuilder: (context) => [
31                 PopupMenuItem(value: 1, child: Text("App Creators")),
32                 PopupMenuItem(value: 2, child: Text("About App")),
33               ],


```












```
File Edit Selection View Go Run Terminal Help mainbmi.dart - pp5 - Visual Studio Code

mainbmi.dart x appcreators.dart

lib > FINAL PROJECT > mainbmi.dart > main

3 import 'package:flutter_3d_choice_chip/flutter_3d_choice_chip.dart';
4 import 'package:page_transition/page_transition.dart';
5 import 'package:pretty_gauge/pretty_gauge.dart';
6 import 'package:share_plus/share_plus.dart';
7 import 'package:swipeable_button_view/swipeable_button_view.dart';
8 import 'aboutapp.dart';
9 import 'appcreators.dart';
10
11 Run | Debug | Profile
12 void main() {
13   runApp(MaterialApp(
14     debugShowCheckedModeBanner: false,
15     home: screen1(),
16   )); // MaterialApp
17 }
18
19 class screen1 extends StatelessWidget {
20   screen1({Key? key}) : super(key: key);
21   Widget build(BuildContext context) {
22     return (MaterialApp(
23       debugShowCheckedModeBanner: false,
24       home: Scaffold(
25         backgroundColor: Colors.orangeAccent,
26         appBar: AppBar(
27           centerTitle: true,
28           actions: <Widget>[
29             PopupMenuButton(
30               icon: Icon(Icons.more_vert),
31               itemBuilder: (context) => [
32                 PopupMenuItem(value: 1, child: Text("App Creators")),
33                 PopupMenuItem(value: 2, child: Text("About App"))
34               ],
35             ),
36           ],
37         ),
38       ),
39     ));
40   }
41 }
```




```
File Edit Selection View Go Run Terminal Help mainbmi.dart - pp5 - Visual Studio Code


mainbmi.dart x appcreators.dart


lib > FINAL PROJECT > mainbmi.dart > main

3 import 'package:flutter_3d_choice_chip/flutter_3d_choice_chip.dart';
4 import 'package:page_transition/page_transition.dart';
5 import 'package:pretty_gauge/pretty_gauge.dart';
6 import 'package:share_plus/share_plus.dart';
7 import 'package:swipeable_button_view/swipeable_button_view.dart';
8 import 'aboutapp.dart';
9 import 'appcreators.dart';
10
11 Run | Debug | Profile
12 void main() {
13   runApp(MaterialApp(
14     debugShowCheckedModeBanner: false,
15     home: screen1(),
16   )); // MaterialApp
17 }
18
19 class screen1 extends StatelessWidget {
20   screen1({Key? key}) : super(key: key);
21   Widget build(BuildContext context) {
22     return (MaterialApp(
23       debugShowCheckedModeBanner: false,
24       home: Scaffold(
25         backgroundColor: Colors.orangeAccent,
26         appBar: AppBar(
27           centerTitle: true,
28           actions: <Widget>[
29             PopupMenuButton(
30               icon: Icon(Icons.more_vert),
31               itemBuilder: (context) => [
32                 PopupMenuItem(value: 1, child: Text("App Creators")),
33                 PopupMenuItem(value: 2, child: Text("About App"))
34               ],
35             ),
36           ],
37         ),
38       ),
39     ));
40   }
41 }
```











```
File Edit Selection View Go Run Terminal Help mainbmi.dart - pp5 - Visual Studio Code

mainbmi.dart x appcreators.dart

lib > FINAL PROJECT > mainbmi.dart > main
3 import 'package:flutter_3d_choice_chip/flutter_3d_choice_chip.dart';
4 import 'package:page_transition/page_transition.dart';
5 import 'package:pretty_gauge/pretty_gauge.dart';
6 import 'package:share_plus/share_plus.dart';
7 import 'package:swipeable_button_view/swipeable_button_view.dart';
8 import 'aboutapp.dart';
9 import 'appcreators.dart';
10
Run | Debug | Profile
11 void main() {
12   runApp(MaterialApp(
13     debugShowCheckedModeBanner: false,
14     home: screen1(),
15   )); // MaterialApp
16 }
17
18 class screen1 extends StatelessWidget {
19   screen1({Key? key}) : super(key: key);
20   Widget build(BuildContext context) {
21     return MaterialApp(
22       debugShowCheckedModeBanner: false,
23       home: Scaffold(
24         backgroundColor: Colors.orangeAccent,
25         appBar: AppBar(
26           centerTitle: true,
27           actions: <Widget>[
28             PopupMenuButton(
29               icon: Icon(Icons.more_vert),
30               itemBuilder: (context) => [
31                 PopupMenuItem(value: 1, child: Text("App Creators")),
32                 PopupMenuItem(value: 2, child: Text("About App")),
33               ],
34             ),
35           ],
36         ),
37       ),
38     );
39   }
40 }
```

