

Develop a GUI which accepts the information regarding the marks for all the subjects of a student in the examination. Display the result for a student in a separate window.

StudentResult.java

```
import javax.swing.*;
```

```
import java.awt.*;
```

```
import java.awt.event.*;
```

```
public class StudentResult implements ActionListener {
```

```
    JFrame f;
```

```
    JTextField t1, t2, t3;
```

```
    JButton b;
```

```
    StudentResult() {
```

```
        f = new JFrame("Student Result");
```

```
        f.setSize(300, 250);
```

```
        f.setLayout(new FlowLayout());
```

```
        f.add(new JLabel("Subject 1 Marks"));
```

```
        t1 = new JTextField(10);
```

```
        f.add(t1);
```

```
        f.add(new JLabel("Subject 2 Marks"));
```

```
        t2 = new JTextField(10);
```

```
        f.add(t2);
```

```
        f.add(new JLabel("Subject 3 Marks"));
```

```
        t3 = new JTextField(10);
```

```
        f.add(t3);
```

```

        b = new JButton("Show Result");
        b.addActionListener(this);
        f.add(b);

        f.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        f.setVisible(true);
    }

    public void actionPerformed(ActionEvent e) {

        int m1 = Integer.parseInt(t1.getText());
        int m2 = Integer.parseInt(t2.getText());
        int m3 = Integer.parseInt(t3.getText());

        int total = m1 + m2 + m3;
        double per = total / 3.0;

        JOptionPane.showMessageDialog(f,
            "Total = " + total +
            "\nPercentage = " + per);
    }

    public static void main(String[] args) {

        new StudentResult();
    }
}

```

Step 2: Compile Program

Type:

```
javac StudentResult.java
```

Press Enter.

If no errors come, compilation successful.

Step 3: Run Program

Type:

java StudentResult

