

Write a program to insert and retrieve the data from the database using JDBC

Write a database application that uses any JDBC driver

C:\Users\ashis\Desktop\AJP_Practicals

JDBCExample.java

```
import java.sql.*;
```

```
public class JDBCExample {
```

```
    public static void main(String[] args) {
```

```
        String url = "jdbc:mysql://localhost:3306/testdb";
```

```
        String username = "root";
```

```
        String password = "root";
```

```
        try {
```

```
            // Load Driver
```

```
            Class.forName("com.mysql.cj.jdbc.Driver");
```

```
            System.out.println("Driver Loaded Successfully");
```

```
            // Create Connection
```

```
            Connection con =
```

```
                DriverManager.getConnection(
```

```
                    url, username, password);
```

```
            System.out.println("Connection Established");
```

```
            // Create Statement
```

```
            Statement stmt = con.createStatement();
```

```
// Insert Records

stmt.executeUpdate(
    "insert into student values(1,'Prathamesh',85)");

stmt.executeUpdate(
    "insert into student values(2,'Rahul',78)");

stmt.executeUpdate(
    "insert into student values(3,'Sneha',92)");

System.out.println("Data Inserted Successfully");

// Retrieve Data
ResultSet rs =
    stmt.executeQuery("select * from student");

System.out.println("\nStudent Records");

while(rs.next()) {

    int id = rs.getInt("id");
    String name = rs.getString("name");
    int marks = rs.getInt("marks");

    System.out.println("-----");
    System.out.println("ID : " + id);
    System.out.println("Name : " + name);
    System.out.println("Marks : " + marks);
}
```

```

        // Close Connection
        con.close();

    } catch(Exception e) {

        System.out.println(e);
    }
}
}
}

```

```
drop table student;
```

```

create table student(
id int,
name varchar(20),
marks int
);

```

Then run program again:

```
javac -cp ".;mysql-connector-j-9.7.0.jar" JDBCExample.java
```

```
java -cp ".;mysql-connector-j-9.7.0.jar" JDBCExample
```

OUTPUT:

```
PS C:\Users\ashis\Desktop\AJP_Practicals> javac -cp ".;mysql-connector-j-9.7.0.jar"
JDBCExample.java
```

```
PS C:\Users\ashis\Desktop\AJP_Practicals> java -cp ".;mysql-connector-j-9.7.0.jar" JDBCExample
```

Driver Loaded Successfully

Connection Established

Data Inserted Successfully

Student Records

ID : 1

Name : Prathamesh

Marks : 85

ID : 2

Name : Rahul

Marks : 78

ID : 3

Name : Sneha

Marks : 92