

[1]:

import pandas as pd

[2]:

registrations = pd.DataFrame({'reg_id':[1,2,3,4], 'name':['Andrew', 'Bobo', 'Claire', 'David']})
logins = pd.DataFrame({'log_id':[1,2,3,4], 'name':['Xavier', 'Andrew', 'Yolanda', 'Bobo']})

[3]:

registrations

[3]:

	reg_id	name
0	1	Andrew
1	2	Bobo
2	3	Claire
3	4	David

[4]:

logins

[4]:

	log_id	name
0	1	Xavier
1	2	Andrew
2	3	Yolanda
3	4	Bobo

Left Merge:

[5]:

pd.merge(left = registrations, right = logins, how = 'left', on = 'name')

[5]:

	reg_id	name	log_id
0	1	Andrew	2.0
1	2	Bobo	4.0
2	3	Claire	NaN
3	4	David	NaN

Right Merge:

[6]:

pd.merge(left = registrations, right = logins, how = 'right', on = 'name')

[6]:

	reg_id	name	log_id
0	NaN	Xavier	1
1	1.0	Andrew	2
2	NaN	Yolanda	3
3	2.0	Bobo	4

Pandas is smart enough to understand what to choose as 'on' so, it's not compulsory to give 'on'.

[7]:

pd.merge(left = registrations, right = logins, how = 'right')

[7]:

	reg_id	name	log_id
0	NaN	Xavier	1
1	1.0	Andrew	2
2	NaN	Yolanda	3
3	2.0	Bobo	4