AI8HT

ONE PLATFORM · BUILD-STATE ASSESSMENT

Role Capability & Build-State Report

What every role actually has today, and what is still a shell

A page-by-page audit of all eleven role portals in the ONE application, read directly from the deployed source rather than from planning documents. Every screen is classified by what stands behind it: a live API and database workflow, a read-only view, a pilot-exact placeholder, or nothing yet. Revision 2 adds a recommendation for every finding and corrects the readiness assessment against the live database.

Report date	Application	Release audited
5 September 2026 · Rev 2	**one.ai8ht.pro**	**e928d12**
Hosting	Screens classified	Method
VPS (Plesk host), nginx + systemd	**142 across 11 roles**	**Source and live database read**

SECTION 01

How to read this report

Every role portal in ONE is built from a navigation list defined in source. This report walks each of those lists item by item and asks one question of each screen: *when a signed-in user of this role opens it, what is behind it?* The answer is one of six states.

LIVE	A real workflow. The screen calls a protected API, reads and writes real database rows, and the role can change data through it.
LIVE LIMITED	Real and working, but a named part of the workflow is missing — the screen says so rather than hiding it.
READ ONLY	Real, authorized data is shown, but no mutation exists for this role yet. The screen states the boundary explicitly.
PLACEHOLDER	A pilot-exact shell. The full pilot composition is rendered — rings, tabs, cards, tiles — with an explicit **NA** or **0** in every slot whose engine does not exist. Any real fragment available is used; nothing is invented.
NOT BUILT	The screen renders a plain, honest empty state: *"on the roadmap but has no live workflow behind it yet."* No composition, no data.
NO ACCESS	The role is designed and its portal is coded, but no one can sign into it — the backend membership guard rejects the role, so the screens are unreachable in the real application.

> **Placeholder is not the same as Not built.**
> A placeholder is a finished screen missing its engine: the layout, navigation, tabs and every widget slot are complete and match the pilot exactly, so shipping the data source turns it live without redesign. A not-built screen has none of that — it is an empty state and a route reservation. The two carry very different remaining costs, which is why they are counted separately throughout.

What was read

The navigation definitions, the authenticated route dispatchers, every page component, the API client, and all twenty-five API controllers of release **e928d12** — the release currently serving the live application. Where an older planning document contradicts the code, the code was taken as authoritative and the discrepancy is flagged in Section 08.

An important distinction: demo versus real

The application contains two parallel experiences. The **demo preview** under `/demo` renders fictional people and records for sales and design review. The **real application** renders only authorized data for a signed-in identity. This report describes the real application exclusively. The demo portal is switched off in the production build, so nothing in it is reachable by a live user.

SECTION 02

Executive summary

Eleven role portals are defined in the application, totalling 142 screens. Seven of those roles can actually be signed into today; four cannot, because the backend membership guard does not accept them. Of the 97 screens belonging to roles that can sign in, 39 carry a real workflow.

142
SCREENS DEFINED
Across 11 role portals

97
REACHABLE TODAY
Belonging to the 7 roles that can sign in

39
LIVE WORKFLOWS
Real API, real database, real mutations

45
UNREACHABLE
4 roles blocked at the membership guard

The 97 reachable screens by build state

37
LIVE
Full workflow, role can create and change data

2
LIVE, LIMITED
Working, with one named gap each

31
READ ONLY
Real data visible, no mutation for this role

8
PLACEHOLDER
Pilot-exact shell, NA in every empty slot

19
NOT BUILT
Honest empty state only

27
SCREENS STILL TO BUILD
Placeholder + not built, for signed-in roles

Where each role stands

ROLE	PORTAL	SCREENS	LIVE	READ ONLY	PLACEHOLDER	NOT BUILT	HEADLINE
Student	Student	20	12	0	5	3	The most complete role in the product
Institution Administrator	Institution	12	7	3	1	1	Roster, structure, staff and assessments all real
Recruiter	Employer	15	7	0	0	8	Full hiring pipeline works, concentrated in two screens
Operations Administrator	Operations	18	4	7	0	7	Organization lifecycle real; governance is read-only
Placement Officer	Institution	3	3	0	0	0	Everything present is live — but only three screens exist
Department Head	Institution	14	3	10	1	0	Can see the department, cannot act on it
Lecturer / Faculty	Institution	15	3	11	1	0	Can author assessments; everything else is viewing
Career Counselor	Institution	13	CANNOT SIGN IN				13 screens coded, unreachable
Institution Analyst	Institution	11	CANNOT SIGN IN				11 screens coded, unreachable
Hiring Manager	Employer	12	CANNOT SIGN IN				12 screens coded, unreachable

ROLE	PORTAL	SCREENS	LIVE	READ ONLY	PLACEHOLDER	NOT BUILT	HEADLINE
Interviewer	Employer	9			CANNOT SIGN IN		9 screens coded, unreachable

The five findings that matter most

- **Four roles are complete on screen and impossible to reach.** Career Counselor, Institution Analyst, Hiring Manager and Interviewer have 45 designed screens between them. The database role trigger and the membership guard reject these roles, so no one can sign in as them. This is the single largest block of built-but-unusable work in the product.
- **Employer hiring is far more complete in the API than on screen.** The backend runs the entire pipeline — opportunity, audience, publish, application, stage transition, interview, offer, withdrawal. The recruiter UI exposes it through two screens; the Interviews and Offers screens in the sidebar still say “not built” even though both actions already work from the applicant row.
- **Institution staff roles can see but not act.** Faculty and Department Head have 25 screens between them and 21 are read-only. The assessment engine is the one place either role can create something.
- **Placement Officer has a three-screen real portal and a seventeen-screen demo portal.** The rich placement experience — pipeline, offers, employers, events, communications — exists only in the demo build. A signed-in Placement Officer sees a dashboard, assessments, and help.
- **Student placeholders are close to done.** Five student screens are pilot-exact shells waiting on an engine, not on design. Practice, Company Prep, Career Tools, Scholarships and Resume Builder each need a content or generation source; the layout, tabs and widget slots are already finished and already use whatever real data exists.
- **The readiness engine is not missing — it has already run.** The live database holds an active readiness model version, seven readiness snapshots, fourteen readiness factors, fourteen mastery projections and seventy-one evidence records, and the learner endpoint already returns the advisory band. What is absent is a *number*: the domain deliberately emits a four-value band, not a score. The NA/100 rings are a design mismatch, not a build gap. *See Section 10.*

SECTION 03

Student

The Student portal is the deepest role in the product and the only one where a user can complete an end-to-end journey today: build a profile, follow a career roadmap, complete lessons, sit an assessment, upload a document, apply to an opportunity and respond to an offer.

Student

STUDENT · backend enforced · /student

SIGN-IN	AUTHORIZATION	SCREENS	LIVE
Available	Institution relationship, no org membership	20	12 of 20

12 live · **5** placeholder · **3** not built

SCREEN	STATE	WHAT STANDS BEHIND IT
Home	LIVE	Pilot-exact dashboard fed by the student profile, career-readiness state, assigned assessments and the activity streak. The overall readiness score and a few trend slots render **NA/100** because no scoring engine exists yet — the widget is present, the number is honestly absent.
My Career	LIVE	Career roadmap from the career-readiness catalogue and the learner's own state. Target career comes from the editable profile.
AI Career Coach	NOT BUILT	The dedicated page has no workflow. **However** the AI assistant itself is live as a floating widget on every student screen, backed by a streaming chat endpoint with feedback capture. The capability exists; only this page does not.
Career Tools	PLACEHOLDER	Full pilot composition with every tool tile rendered and marked NA. Needs a tools/content engine.
Readiness	LIVE	Career-readiness state for the signed-in learner, read from the protected learner endpoint.
Skills	LIVE	Skill state from the same career-readiness domain.
Assessments	LIVE	The full exam engine: assigned assessments, start an attempt, save answers, report focus events for integrity, and submit. Career-readiness assessments run alongside it.
Learning	LIVE	Lesson catalogue with real completion writes back to the learner record.
Practice	PLACEHOLDER	Five pilot tabs — Overview, Coding, Aptitude, Projects, Contests — fully laid out. The current practice streak is real; every other figure is NA. Needs a practice/problem engine.
Company Prep	PLACEHOLDER	Pilot shell complete, all slots NA. Needs a company content library.
Experience	NOT BUILT	Empty state only. No projects, internships or portfolio persistence exists.
Opportunities	LIVE	Published opportunities the student is eligible to see, with detail view and save/unsave against a real saved-opportunity table.
Applications	LIVE	Apply, withdraw, and track stage. The offers panel is embedded here — the student can accept or decline a real offer from this screen.
Interviews	NOT BUILT	Empty state. Interviews exist in the database and employers can schedule them, but the student has no screen to see them. *See Section 07 — this is a short gap.*
Scholarships	PLACEHOLDER	Pilot shell complete, all slots NA. Needs a scholarship data source.
Resume Builder	PLACEHOLDER	Pilot shell complete. The student's real uploaded documents are listed; the builder, templates and scoring are NA. Needs a generation engine.

SCREEN	STATE	WHAT STANDS BEHIND IT
Documents	LIVE	Metadata create, update and archive, plus real binary upload and download. Files are virus-scanned on the way in and encrypted at rest.
Profile	LIVE	View and edit the student-owned profile: target career, visibility and profile fields. Every change is audited.
Settings	LIVE	Notification preferences plus the full privacy panel: request a data export, download it, request account deletion, cancel a pending request.
Help & FAQ	LIVE	Help articles served from the API for the student persona.

> **Student verdict.**
> Twelve of twenty screens carry real workflows, and the three genuinely missing ones (Coach page, Experience, Interviews) are small. The five placeholders are all content-engine problems, not design problems — each one is a finished pilot-exact screen waiting for a data source to plug in. This is the closest role in the product to being shippable end to end.

SECTION 04

Institution roles

Four institution roles can sign in: Administrator, Placement Officer, Lecturer / Faculty and Department Head. They share one dashboard and one assessment engine; beyond those, only the Administrator can change anything.

Institution Administrator

INSTITUTION_ADMIN · backend enforced · /institution/admin

SIGN-IN	SCOPE	SCREENS	LIVE
Available	Own institution only	12	7 of 12

6 live · **1** live limited · **3** read only · **1** placeholder · **1** not built

SCREEN	STATE	WHAT STANDS BEHIND IT
Dashboard	LIVE	Pilot-exact institution dashboard fed by the real roster, academic units, published assessments and results. Slots without an engine show NA rather than being removed.
Students	LIVE	The full roster: list, add, edit, and end / graduate / transfer a relationship. CSV roster import runs here too — preview first, then commit, with academic-unit resolution. All institution-scoped and audited.
Student Detail	LIVE	Served by the same real Students screen.
Academic Structure	LIVE	Departments, programmes, batches and sections — list, create and edit against real institution-unit tables.
Assessments	LIVE	The governed exam engine: subjects, a reviewed question bank with state transitions, assessment creation, publish, assignment to cohorts, reopen, and results. The Administrator holds approval rights.
Interventions	PLACEHOLDER	Pilot composition complete. One part is real — the queue of students who have not attempted an assigned assessment is derived from live results. Everything requiring an intervention record is NA; no intervention table exists.
Staff	LIVE LIMITED	Invite institution staff through the verified-recipient invitation lifecycle, and see invitations and memberships with delivery state. The screen states its own gap plainly: **revoke, resend and end-membership are not yet available.**
Career Readiness	READ ONLY	Authorized view; no institution-side mutation exists.
Placement	READ ONLY	Authorized view only. No placement workflow persistence exists.
Reports	READ ONLY	View only — although an institution report-generation endpoint does exist in the API and is not yet wired to this screen. *See Section 07.*
Settings	NOT BUILT	Institution settings mutation does not exist.
Help & FAQ	LIVE	Help articles for the institution persona.

Placement Officer

PLACEMENT_ADMIN · partially enforced · /institution/placement-officer

SIGN-IN	SCOPE	SCREENS	LIVE
Available	Own institution	3	3 of 3

3 live — and only three screens exist for this role

SCREEN	STATE	WHAT STANDS BEHIND IT
Dashboard	LIVE	The shared institution dashboard, scoped to the officer's institution.

SCREEN	STATE	WHAT STANDS BEHIND IT
Assessments	LIVE	Full exam engine with approval rights.
Help & FAQ	LIVE	Help articles.

The Placement Officer gap is the widest in the product.
A seventeen-screen placement experience exists in the codebase — Students, Departments, Batches, Student Search, Readiness, Assessments, Interventions, Opportunities, Applications, Interviews, Offers, Employers, Communications, Events, Reports and Dashboards. It runs only in the demo preview, on fictional records, and the demo is switched off in production. A signed-in Placement Officer is routed instead to the three-screen role portal above. The design work for this role is done; the persistence and the wiring are not.

Lecturer / Faculty

FACULTY_LECTURER · partially enforced · /institution/faculty

SIGN-IN	SCOPE	SCREENS	LIVE
Available	Institution staff context	15	3 of 15

3 live · **11** read only · **1** placeholder

SCREEN	STATE	WHAT STANDS BEHIND IT
Dashboard	LIVE	The shared institution dashboard, real institution data.
Assessments	LIVE	The exam engine — faculty can author subjects, questions and assessments, but **not** approve them. Approval is reserved for Administrator, Placement Officer and Department Head.
Interventions	PLACEHOLDER	Pilot shell with the real not-attempted queue; intervention records are NA.
Help & FAQ	LIVE	Help articles.
My Students	READ ONLY	All eleven of these screens render the same honest read-only state: the role is authorized to view its context, but assessment-detail, task, resource, verification, workload, note, calendar, message, reporting and settings mutations do not exist yet. No faculty-specific persistence has been built.
Student Detail	READ ONLY	
Academic Verification	READ ONLY	
Assessment Detail	READ ONLY	
Assigned Tasks	READ ONLY	
Learning Resources	READ ONLY	
Reports	READ ONLY	
Calendar	READ ONLY	
Messages	READ ONLY	
Profile	READ ONLY	
Settings	READ ONLY	

Department Head

DEPARTMENT_HEAD · partially enforced · /institution/department-head

SIGN-IN	SCOPE	SCREENS	LIVE
Available	Institution staff context	14	3 of 14

3 live · **10** read only · **1** placeholder

SCREEN	STATE	WHAT STANDS BEHIND IT
Dashboard	LIVE	The shared institution dashboard.
Assessments	LIVE	Full exam engine, **with** approval rights.
Interventions	PLACEHOLDER	Pilot shell with the real not-attempted queue.
Help & FAQ	LIVE	Help articles.

SCREEN	STATE	WHAT STANDS BEHIND IT
Department Overview	READ ONLY	Ten read-only screens. Department-scoped persistence does not exist, so departmental readiness, faculty workload, placement pipeline, batch, meeting, opportunity/offer and analytics screens can display authorized context but cannot record anything.
Students	READ ONLY	
Readiness	READ ONLY	
Faculty and Staff	READ ONLY	
Placement Pipeline	READ ONLY	
Opportunities and Offers	READ ONLY	
Batches	READ ONLY	
Meetings	READ ONLY	
Reports and Analytics	READ ONLY	
Settings	READ ONLY	

> **Institution staff verdict.**
> Between them, Faculty and Department Head own 29 screens; 6 are live and 21 are read-only. The single working authoring surface for both is the assessment engine. Everything else these roles were designed to do — verify academic evidence, assign tasks, publish resources, run interventions, hold meetings, manage workload — has a screen and no table behind it.

SECTION 05

Employer roles

Three employer roles are defined. Only the Recruiter can sign in — and behind that one role sits the most complete backend workflow in the entire product.

Recruiter

RECRUITER · backend enforced · /employer/recruiter

SIGN-IN	SCOPE	SCREENS	LIVE
Available	Own employer organization	15	7 of 15

6 live · **1** live limited · **8** not built

SCREEN	STATE	WHAT STANDS BEHIND IT
Dashboard	LIVE	Pilot-exact employer dashboard built from the organization's real opportunities and applicants.
Opportunities	LIVE	Create an opportunity, set its audience, and publish it. Real records, real lifecycle states, fully audited.
Opportunity Detail	LIVE	Served by the same real Opportunities screen.
Applicants	LIVE	The working pipeline. Move a candidate between stages, schedule an interview, and send an offer — all real writes. Consent is respected: a withdrawn candidate's details stop being shared.
Candidate Detail	LIVE	Served by the same real Applicants screen.
Talent Pool	LIVE LIMITED	Routed to the Applicants screen. Real data, but it shows applicants to a chosen opportunity — there is no separate saved talent pool.
Help & FAQ	LIVE	Help articles for the employer persona.
Interviews	NOT BUILT	Says “not built yet” — but interviews **are** real: they are scheduled from the applicant row, and the API can also change interview state and record an outcome. This screen is a missing view over a working feature.
Offers	NOT BUILT	Same shape of gap. Offers are real, sent from the applicant row, and the API supports withdrawal. There is simply no offers screen.
Assessments	NOT BUILT	Employer-side assessments do not exist. The assessment engine is institution-scoped.
Reports	NOT BUILT	Five employer-organization screens with no workflow behind them: reporting, team management, messaging, the company profile and settings. Each renders an honest empty state.
Team	NOT BUILT	
Messages	NOT BUILT	
Company Profile	NOT BUILT	
Settings	NOT BUILT	

The employer backend is ahead of the employer UI.
Eleven hiring endpoints are implemented and enforced: create opportunity, add audience, publish, list applications, transition application state, schedule interview, change interview state, record interview outcome, extend offer, withdraw offer, and the student's own apply / withdraw / respond-to-offer path. The recruiter interface reaches this through two screens. Interview state changes, interview outcomes and offer withdrawal have
no user interface at all
despite being complete and callable.

Hiring Manager

HIRING_MANAGER · domain model only · /employer/hiring-manager

SIGN-IN	WHY	SCREENS DESIGNED	REACHABLE
NOT POSSIBLE	Membership guard rejects the role	12	0

Designed screens: Dashboard, Requisitions, Requisition Detail, Candidates, Candidate Review, Interviews, Evaluations, Offers, Hiring Reports, Team, Messages, Settings.

Interviewer

INTERVIEWER · domain model only · /employer/interviewer

SIGN-IN	WHY	SCREENS DESIGNED	REACHABLE
NOT POSSIBLE	Membership guard rejects the role	9	0

Designed screens: Dashboard, My Interviews, Schedule, Candidate Brief, Scorecards, Feedback, Interview Guidelines, Reports, Settings.

SECTION 06

Operations and unreachable roles

Operations owns the platform's own governance. Its organization lifecycle is real; the rest of the portal is deliberately read-only or unbuilt, with mutations kept out of the UI on purpose.

Operations Administrator

OPERATIONS_ADMIN · backend enforced · /operations/admin

SIGN-IN	SCOPE	SCREENS	LIVE
Available	Platform-wide	18	4 of 18

4 live · **7** read only · **7** not built

SCREEN	STATE	WHAT STANDS BEHIND IT
Overview	LIVE	Operations dashboard over real organization and governance data.
Organizations	LIVE	Create, edit and filter organizations; move verification state; invite the initial organization administrator; track onboarding status. Fully audited.
Organization Detail	LIVE	Served by the same real Organizations screen.
Verification	LIVE	Verification transitions, served by the same screen.
Users	READ ONLY	Real governance data: search users, identity-link status, memberships, student relationship counts, and the full invitation inventory with delivery state. No tokens or password data are ever exposed, and no platform-role mutation is offered.
User Detail	READ ONLY	Served by the same screen.
Content Management	READ ONLY	Career-readiness governance and import status. Authoring, review submission and publication are intentionally absent.
AI Operations	READ ONLY	Four technical screens showing safe operational status only — outbox, workflow and automation state from the operations status endpoint. Kill-switch, workflow activation and credential operations are deliberately not exposed as buttons, and no secrets are displayed.
System Health	READ ONLY	
Audit Logs	READ ONLY	
Security	READ ONLY	
Trust and Safety	NOT BUILT	Seven platform screens with no persistent workflow: trust-and-safety casework, subscriptions, billing, analytics, feature flags, support and settings. Each renders an honest empty state.
Subscriptions	NOT BUILT	
Billing	NOT BUILT	
Analytics	NOT BUILT	
Feature Flags	NOT BUILT	
Support	NOT BUILT	
Settings	NOT BUILT	

Two further operations roles

Platform Super Admin can sign in and is accepted by the same authorization family as Operations Administrator, but has no distinct portal, screens or elevated controls of its own — it is currently Operations Administrator by another name. **Security Admin** is accepted at the persistence layer but has no provisioned identity, no API capability and no portal differentiation. Both need an explicit policy decision before they mean anything to a user.

SECTION 06B

The four roles nobody can sign into

These roles have complete navigation, complete page components and a defined backend role name — but the database role trigger and the membership guard reject them, so no identity can be provisioned and no one can reach the screens.

ROLE	SCREENS	DESIGNED NAVIGATION
Career Counselor CAREER_COUNSELOR	13	Dashboard, Counselor Sessions, Student Cases, Counseling Notes, Interventions, Career Guidance, Assessments, Resources, Reports, Calendar, Messages, Profile, Settings
Institution Analyst INSTITUTION_ANALYST	11	Dashboard, Analysis Overview, Placement Analysis, Readiness Analysis, Skill Gap Analysis, Cohort Comparison, Reports, Data Exports, Visualizations, Saved Views, Settings
Hiring Manager HIRING_MANAGER	12	Dashboard, Requisitions, Requisition Detail, Candidates, Candidate Review, Interviews, Evaluations, Offers, Hiring Reports, Team, Messages, Settings
Interviewer INTERVIEWER	9	Dashboard, My Interviews, Schedule, Candidate Brief, Scorecards, Feedback, Interview Guidelines, Reports, Settings

45 screens, none reachable.

That is roughly a third of the product's designed surface sitting behind a role guard. Before any of this navigation can be built out, a decision is needed on each role: enable it at the persistence and membership layer, fold it into an existing role, or drop it. Building pages for a role that cannot authenticate adds no usable capability.

SECTION 07

Shared services behind every role

Some capabilities are not a screen in any one portal — they run across all of them. All of the following are live.

SERVICE	STATE	WHAT IT DOES
Authentication	LIVE	Cognito-backed sign-in with session persistence and sign-out. Every protected screen mounts only after the security-context endpoint confirms the role and organization scope.
Workspace chooser	LIVE	An identity holding more than one membership — for example Institution Admin and Recruiter — is offered a server-authorized choice of workspaces.
Career readiness engine	LIVE	Evidence records feed mastery projections, which feed an advisory readiness band with per-factor explanations and roadmap actions. Running in production today.
AI assistant	LIVE	A streaming chat widget available on student screens, with feedback capture. This is the working AI capability; the dedicated "AI Career Coach" page is not built.
Notifications	LIVE	Notification bell and messages flyout reading real notifications, with mark-as-read.
Consent gate	LIVE	Privacy-notice consent is requested and recorded before the student experience is shown.
Privacy rights	LIVE	Data export request, export download, account deletion request and cancellation. A scheduled sweep carries out deletions after the grace period, including stored document bytes.
Document security	LIVE	Uploads are virus-scanned before acceptance and encrypted at rest with a per-file key fingerprint. Uploads are refused outright if the scanner is unavailable.
Invitation acceptance	LIVE	A dedicated acceptance route. Membership is created only after the verified recipient authenticates with a matching email.
Help articles	LIVE	Persona-aware help content served from the API for student, institution and employer.
Mobile device registry	LIVE LIMITED	Device registration and revocation endpoints exist for push notifications. They are consumed by the Android app, not by the web application.

SECTION 08

Built already, not visible yet

Work that is further along than the interface suggests. These are the cheapest wins available — but they are not all the same size, and Revision 2 separates them honestly.

Genuinely just a screen

CAPABILITY	BACKEND	WHAT IS MISSING
Institution reports	Complete	An institution career-readiness report endpoint is implemented and callable. The Institution Reports screen is a read-only placeholder that never calls it. Pure wiring.
Interviews / Offers sidebar	Complete	Both actions already work from the applicant row. The two sidebar items claim "not built" about working features. Re-pointing them at a filtered Applicants view — the pattern Talent Pool already uses — removes two false statements with no backend work.

A screen plus a read path

Correcting Revision 1, which described these as pure interface work. The mutations exist; the queries that list what they produced do not.

CAPABILITY	BACKEND	WHAT IS MISSING
Employer Interviews view	Writes only	Interview create, state change and outcome are all implemented. There is **no** endpoint that lists interviews, and the applicant record carries only a count. Needs a list endpoint plus the screen — and it would surface interview state and outcome, which today have no interface at all.
Employer Offers view	Writes only	Offer extend and withdraw are implemented; no endpoint lists offers, and the applicant record carries only a state string. Same shape of work.
Student Interviews view	Writes only	Employers schedule real interviews against a student application, but the student application record carries no interview fields. Needs a read path before a screen can exist.
Staff lifecycle completion	Partial	Staff invitation works end to end. Revoke, resend and end-membership need an endpoint and a control — the screen already names the gap.

Further along than any screen shows: career readiness

The readiness domain is the clearest case of the interface understating the product. Every stage of the pipeline is built and has already run in production:

71	14	7	14
EVIDENCE RECORDS	MASTERY PROJECTIONS	READINESS SNAPSHOTS	READINESS FACTORS

An active readiness model version is published, and the learner endpoint already returns the advisory band, the per-topic mastery projections, the factor explanations and the roadmap actions. The student dashboard already renders the band. **The engine is not missing.**

What the screens show as **NA/100** is a number the domain deliberately refuses to produce. Readiness is modelled as a four-value advisory band — *Not enough evidence, Developing, Progressing, Ready for next step* — and the schema enforces that choice with CHECK constraints pinning `advisory` to true and `employer_visible` to false. Someone designed this to avoid a score that would have to be defended to a student or an employer. The recommendation follows in Section 10.

A note on the older planning documents

The functional reality matrix (V2) held in the repository predates the current release and understates what now exists. It records student binary upload, employer hiring mutations and student application workflows as unavailable. All three are implemented and enforced in the release audited here. This report was built from source and the live database for that reason, and the matrix should be refreshed to match.

SECTION 09

What remains to be built

Everything outstanding, grouped by what is actually missing rather than by which screen it appears on. The groups are ordered by how much usable capability each unlocks per unit of work.

Group A — Interface only

No new tables, no new endpoints, no new authorization. Pure interface work over workflows that already run.

WORK	ROLES SERVED	NOTES
Institution Reports wiring	Institution Admin	Call the report endpoint that already exists from the screen that already exists
Interviews / Offers re-point	Recruiter	Filtered Applicants views, ending two false “not built” claims
Readiness band presentation	Student, all institution staff	Render the band the API already returns instead of an NA/100 ring. Six dashboards at once — see Section 10.

Group B — A read path, then a screen

The writes are built and audited; the queries that list their results are not.

WORK	ROLES SERVED	NOTES
Employer Interviews	Recruiter, Interviewer	List endpoint plus a view; surfaces interview state and outcome, which have no UI at all today
Employer Offers	Recruiter	List endpoint plus a view; surfaces offer withdrawal
Student Interviews	Student	Interview fields on the student application record, then a view
Staff lifecycle completion	Institution Admin	Revoke, resend and end-membership endpoints and controls

Group C — A content or generation engine behind a finished screen

Five student screens are pilot-exact and complete. Each needs a source of truth, not a redesign.

WORK	ROLES SERVED	NOTES
Practice engine	Student	Coding, aptitude, projects and contests. The streak is already real.
Company preparation library	Student	Company-specific preparation content
Career tools	Student	The tool set behind the tiles
Scholarships source	Student	Scholarship records and eligibility
Resume generation	Student	Templates and scoring; documents already list correctly

Group D — New persistence and new workflow

These need domain modelling, tables, endpoints, authorization and screens. They are the substantial remaining build.

WORK	ROLES SERVED	NOTES
Staff action record	4 institution roles	One record type serving interventions, tasks, notes, verification and meetings. The highest-leverage single table in the backlog — see Section 10.
Placement operations	Placement Officer, Dept Head	Pipeline, applications, employer engagement, events, communications and reporting. A seventeen-screen design already exists; the blocker is a disclosure decision, not a schema.
Student experience records	Student	Projects, internships and portfolio
Employer organization surfaces	Recruiter	Reports, team, messaging, company profile, settings

WORK	ROLES SERVED	NOTES
Platform governance	Operations	Trust and safety casework, subscriptions, billing, analytics, feature flags, support, settings
Institution settings	Institution Admin	Institution-level configuration
Talent pool	Recruiter	A saved candidate pool distinct from per-opportunity applicants
AI Career Coach page	Student	A full page over the assistant, which already works as a widget

Group E — Decisions before development

Not engineering tasks yet. Each needs a product decision first, and no amount of screen work makes them usable until then. Recommendations for all five follow in Section 10.

DECISION	WHAT HANGS ON IT
Four blocked roles	Career Counselor, Institution Analyst, Hiring Manager and Interviewer — 45 designed screens. Enable, fold into an existing role, or drop.
Readiness presentation	Whether a 0–100 score should exist at all, given a domain that deliberately produces a band.
Institution disclosure rule	What a college may see about its student's application to an employer. Blocks the whole placement domain.
Platform Super Admin	Currently identical in effect to Operations Administrator. Give it a distinct remit or retire it.
Security Admin	Accepted at the persistence layer only. No identity, no capability, no portal.

SECTION 10

Recommendations

A recommendation for each of the five headline findings, with the evidence that sets its cost and a concrete first step. Where a recommendation runs against an existing standing rule, that is said plainly rather than glossed over.

R1 · The four blocked roles: enable one, fold two, drop one

Do not treat these as one decision. Unblocking is deceptively cheap and would be misleading on its own. The block is a single `ELSE RAISE EXCEPTION` branch in a Postgres trigger, and the membership role is a plain text column — so admitting a role costs one line in one array. But each role then needs a workspace mapping that currently returns nothing, and beyond that its nine to thirteen screens need backends that do not exist. Enabling all four would produce four portals of empty states.

ROLE	RECOMMENDATION	REASONING
Interviewer	**Enable**, scoped to 3 screens	The cheapest real capability of the four. The interviews table exists and its participant-role constraint already permits `INTERVIEWER`; scheduling already works. Ship My Interviews, Candidate Brief and Scorecards — not the designed nine.
Hiring Manager	**Fold** into Recruiter	Its twelve screens are the Recruiter pipeline with renamed labels: Requisitions is Opportunities, Candidates is Applicants. Two roles over one backend buys nothing until a customer needs approval separated from sourcing.
Career Counselor	**Fold** into institution staff	It is institution staff with counseling vocabulary. Its distinctive screens — Sessions, Student Cases, Counseling Notes — are exactly the missing record type Faculty and Department Head also lack. Build it once (R4) and three roles benefit. The front end already anticipates this role in its institution-staff set.
Institution Analyst	**Drop** the role, keep the capability	All eleven screens are read and export over data other roles already hold. Make analytics-and-export a permission grantable to Institution Admin and Department Head. This removes an entire portal from the backlog rather than scheduling it.

Net effect: 45 unreachable screens become roughly three to build, one permission flag, and two deferrals.

R2 · Employer Interviews and Offers: stop the false claim first, build the views second

Split this deliberately, because the two halves are days apart in cost.

Now. Re-point the Interviews and Offers sidebar items at the Applicants screen with a pre-applied state filter, exactly as Talent Pool already does. Two screens stop claiming “not built” about features that work. No backend involved.

Next. Add the two list endpoints, then the two views, and surface the three mutations that today have no interface anywhere: interview state change, interview outcome, and offer withdrawal.

> **Fix two placeholders hiding inside a live workflow while you are there.**
> The recruiter's interview scheduler hardcodes a one-hour video slot at 10:00 one week out, and the offer action collects compensation through a browser prompt dialog. Both sit inside a real, audited, production workflow. Production currently holds zero interviews and zero offers, so there is nothing to regress — this is the moment to replace them.

R3 · Placement Officer: promote five screens now, treat the rest as a domain question

Do not rebuild the seventeen-screen design; it already exists in the codebase. But only five of those seventeen map onto tables that exist today — **Students, Departments, Batches, Student Search and Readiness** — all servable from the institution endpoints the Administrator already uses.

Phase 1. Promote those five from demo to real. The role's usable portal goes from three screens to eight with no new tables.

Phase 2 is not yet a build task. Pipeline, Applications, Interviews, Offers and Employers all require the institution to read employer-side application data, and no controller offers such a path. That is a consent and authorization decision before it is a

schema: *what may a college see about its own student's application to a company, and on whose consent?* The product already answers questions of this kind carefully elsewhere — a withdrawn candidate's details stop being shared with the employer, and readiness snapshots are pinned to never be employer-visible by database constraint. Settle the disclosure rule and the tables follow quickly.

R4 · Faculty and Department Head: one table, not five features

Twenty-one read-only screens are one missing concept wearing five costumes. Interventions, Assigned Tasks, Faculty Notes, Academic Verification and Meetings are the same record: *actor, subject student, type, state, note, due date, audit trail.*

Build one staff-action record with a type discriminator. That single table lights up Interventions — already a pilot-exact placeholder shared by four roles — plus Tasks, Notes, Verification and Meetings, and it is the same table Career Counselor needs under R1. Five feature-specific tables would cost several times as much and fragment the audit story.

> **A second option, offered rather than recommended, because it conflicts with a standing rule.**
> Faculty currently shows fifteen navigation items, of which eleven render an identical "view-only for your role" message; Department Head shows fourteen with ten the same. Eleven identical dead ends read as a broken product where six honest items would read as a focused one. Trimming the navigation would fix that immediately — but the standing rule for this codebase is that sidebars keep exactly their items and grouping and are never reorganized to match simpler navigation. That rule was written about reskins and this is a scope change, so the two do not strictly collide; the effect on the user is the same, and the call belongs to the product owner. If the navigation stays, the alternative is to rank the staff-action record high enough that those screens stop being dead ends soon.

R5 · Readiness: render the band, do not invent a score

This finding changed on inspection of the live database, and the recommendation changed with it. The readiness engine is built, has run, and already ships its result — an active model version, seven snapshots, fourteen factors, fourteen mastery projections over seventy-one evidence records, all returned by the learner endpoint, with the band already rendered on the student dashboard.

The only thing absent is a **number**, and the domain refuses to produce one on purpose: readiness is a four-value advisory band whose `advisory` and `employer_visible` properties are pinned by database constraints so that no numeric judgement can leak to an employer.

Recommendation: replace the numeric ring with a band ring. Four segments with the current band highlighted, the existing readiness factors as the legend, and the four category rings driven by the per-topic mastery projections that also already exist. Days of front-end work, no new domain, no new tables — and it lands on the student dashboard, the readiness page and all four institution staff dashboards at once.

The alternative — projecting a 0–100 score over the band — means arguing with a constraint that someone put there deliberately, and creating a number the product would have to defend to a student and withhold from an employer. Not recommended.

Suggested order of work

#	WORK	WHY HERE
1	Interviews / Offers re-point; Institution Reports wiring	Days, no backend. Ends two false statements and switches on a finished endpoint.
2	Readiness band presentation (R5)	One design decision unblocks six dashboards simultaneously.
3	Staff action record (R4)	One table serves Faculty, Department Head and Career Counselor together.
4	Placement Phase 1 (R3)	Triples a role's usable portal with no new persistence.
5	Role decisions (R1)	Run in parallel from day one; determines whether 45 screens are assets or dead code.
6	Employer and student interview / offer views (R2)	Read paths plus screens; also retires the two hardcoded placeholders.
7	Placement Phase 2 (R3)	Starts once the institution disclosure rule is agreed, not before.

APPENDIX A

API surface actually implemented

Twenty-five controllers, all role-guarded and audited. This is the evidence base for every “live” classification in this report.

DOMAIN	IMPLEMENTED ENDPOINTS
Identity & security	Security context; current student; invitation acceptance; institution student-activity access check; employer applicant-access check
Student core	Get and update own profile; document metadata list, create, read, update, archive; saved opportunities list, save, remove
Student documents	Upload a document file; download a document file — scanned and encrypted
Student hiring	List opportunities; opportunity detail; list own applications; apply; withdraw; list own offers; respond to an offer
Student assessments	List assigned assessments; start attempt; get attempt; save answer; report focus event; submit attempt
Student activity	Activity and streak
Student privacy	List privacy requests; request export; download export; request deletion; cancel request
Consents	Get privacy-notice consent; grant consent
Career readiness	Catalogue; learner state; complete lesson; start assessment attempt; submit attempt; operations import list and records; operations status; institution report generation
Institution assessments	Subjects list and create; questions list, create and state transition; assessments list, create, publish, assign, reopen; results
Institution administration	Units list, create, update; students list, create, read, update, relationship transition; staff role assignments list and invite; roster import preview and commit
Employer hiring	Opportunity create and list; audience add; publish; applications list; application transition; interview create, state change and outcome; offer extend and withdraw
Operations	Organizations list, create, read, update; verification transition; initial-admin invitation; onboarding status; users and access; invitation inventory
Notifications	List; mark one read; mark all read; register device; revoke device
Assistant	Streaming chat; feedback
Help	Persona help articles
Automation	Internal automation callback

APPENDIX B

Scope and limits of this report

What was examined

The deployed source of release **e928d12**: role navigation definitions, authenticated route dispatchers, all page components, the browser API client, all API controllers, the persistence schema and the migration history. Revision 2 additionally queried the live production database read-only, to confirm which engines have actually run rather than merely existing in code. Classifications were derived from which component each role and route actually resolves to, what that component calls, and what the database holds.

What changed in Revision 2

Three corrections, all in the same direction — the product is further along than Revision 1 credited. The career-readiness engine was described as missing; it is built and has produced snapshots in production, and the NA/100 rings are a presentation mismatch rather than a build gap. Employer and student interview and offer views were described as pure interface work; the write endpoints exist but no read endpoint lists their results, so each needs a read path first. Section 10 was added, carrying a recommendation for every headline finding.

What was not examined

No screen was opened in a browser and no role was signed into as part of this report; it is a source-and-database reading, not a manual test pass. Data volume was not assessed — a screen classified live is live regardless of how many rows currently sit behind it. The Android application shares this backend but has its own screen set and was not classified here. No file was modified on any machine.

How the counts were derived

Every navigation item in every role portal is counted as one screen, including detail screens that reuse a parent screen's component — those are marked live because that is what the user encounters. A role's screens are counted as reachable only if the role can authenticate; the four blocked roles contribute 45 designed screens that no user can open.

> **One number worth remembering.**
> Of the 142 screens designed across eleven roles, 39 carry a real workflow today, 31 show real data without letting the role act, 27 are shells or empty states awaiting a build, and 45 belong to roles that cannot be signed into at all. The product's remaining work is less about drawing screens — most already exist and match the pilot — and more about persistence, role decisions, and in at least one case simply showing what an engine has already produced.