Breach Guide

A little clarity. One step at a time.

Your free visual guide to opening Breach Guide, answering six questions and saving your work.

01 **OPEN**
Start the app on your computer.

02 **ANSWER**
Tell it only what you know.

03 **SAVE**
Keep a file you can reopen.

No technical or legal knowledge needed
Use made-up information while learning. Ask an IT helper to handle installation if you are unsure.

Try it in your browser.

Public demo: pending the first reviewed deployment. No installation is needed once it is live.

https://pvud14.github.io/dpdp-breach-kit/

Use the browser demo

Open the address above, then follow the fictional example from page 6.

06 →

Demo unavailable, or prefer local use?

Get a copy of the project and run it on your own computer.

03 →

Returning with a saved file?

Reopen your JSON backup and continue.

11 →

Three words, made simple

Localhost = this computer.
Incident = something happened.
JSON = the file that lets you resume.

A practice aid, not an official service

Use fictional data. The host receives normal page-request metadata; the app does not transmit your answers.

Get the computer ready.

Local setup is optional. Windows steps are shown; any chosen project folder is fine.

1 Download the project

At **github.com/PVUD14/dpdp-breach-kit**, choose **Code > Download ZIP**. Extract the ZIP to a folder you can find.

2 Open the project folder

Open the extracted folder containing **package.json**. In File Explorer's address bar, type **powershell** and press Enter. The terminal opens in that folder.

Check the helper programs

Copy each command. Press Enter after each.

```
node --version
```

```
npm.cmd --version
```

You should see: two version numbers.
Project requirement: Node.js 22.12 or later. Ask IT for a compatible installation.

Missing folder or command not recognised?

Ask the project owner or IT helper. Do not disable security settings. Reopen PowerShell after installation.

Turn the application on.

Run one command at a time. Wait for each of the first three commands to finish.

1 Check the folder

The terminal must be in the extracted project folder. You should see package.json.

```
Get-Item package.json
```

2 Install its tools

First setup: internet is needed. This refreshes the dependency folder.

```
npm.cmd ci
```

3 Prepare the app

Wait for a successful build before continuing.

```
npm.cmd run build
```

4 Keep the app running

Leave this window open. The running command is expected.

```
npm.cmd run preview -- --host 127.0.0.1 --port 4173 --strictPort
```

Success: PowerShell displays **http://127.0.0.1:4173/**. Keep the server window open.

Open your local address.

Use Chrome on the same computer where you started the server.

1 Go to the address bar

Open Chrome. Press **Ctrl + L**, type the address below, then press Enter.


```
http://127.0.0.1:4173/
```

2 Start your first record

Click **Start a new incident**. The first question should appear.

This is not a public website

Localhost means "this computer". The same address on your phone will not open the app on your PC.



LOOK FOR THIS BUTTON

Start a new incident

Tell it what happened.

Use this fictional story: a pretend work laptop is missing. It may hold 20 pretend customer records.

1 Choose the closest description


First click **Start a new incident**. Then choose **A device or file is missing**. No technical diagnosis is needed.

2 Continue

Scroll down and click **Continue**. The next question asks when someone first noticed.

Unknown is an honest answer

If you do not know, use "I don't know yet". Never invent facts to finish the form.




Unknown is okay. Categories are enough.

For this example, leave the time unknown and choose the kind of information that may be involved.

QUESTION 2

When did you find out?


Click **I don't know yet**.
For real records, use confirmed times in IST.



QUESTION 3

What data may be involved?

Tick **Names or contact details**.
Click **Continue**. Do not enter actual names.



Finish with what you know.

Use these sample answers only for this fictional walkthrough.

04

How many people?

20

Type digits only in **About how many people are affected?** Then click **Continue**.

05

Still active?

Not sure yet

Leave this selection unchanged. Click **Continue**. Do not claim the problem has stopped unless confirmed.

06

What have you done?

Steps already taken

Type: **TRAINING ONLY - I told my manager. IT is checking the missing device.** Do not tick "None".

Your final click: See my response plan

You should reach "You have a place to start." Use Back to correct an answer; do not reload the page.

Read. Check. Hand it over.

The app helps you organise the next conversation. It does not send anything for you.

1 Read the three action cards


See who can help: your manager, IT support, privacy lead or legal adviser.

2 Check your summary

Look for the missing device, information category and count of **20**. Choose **Review my answers** to correct them.

3 Save a readable handoff

Click **Save summary for review**. This creates a text file for a person to read.



CHECK THESE SAMPLE ANSWERS

What happened: a device or file is missing.
Information: names or contact details.
People: 20.

Save the JSON backup too - see the next page.

Two files. Two different jobs.

Your answers are not automatically saved. Keep a JSON backup before closing or refreshing.

.JSON

Continue later

Click **Save to file**.
During the questions, use **Save and continue later**.

Reopen this file in the app.

.TXT

Share for review

Click **Save summary for review**.
This creates a readable summary.

This file cannot restore your answers.

Check the download really finished

Press **Ctrl + J** in Chrome. Find the completed file and choose **Show in folder** if available.
If you did not choose a folder, check **Downloads**. Save a new JSON copy after changes.

Keep it private: downloads are not automatically encrypted by this app. Use your organisation's approved storage.

Pick up where you left off.

Hosted demo: reopen its web address. Local app: open PowerShell in the project folder, as on page 3.

Local use only: confirm the folder, then start preview if it is not already running.

```
npm.cmd run preview -- --host 127.0.0.1 --port 4173 --strictPort
```

Reopen your answers

1. Open the hosted demo or your local URL.
2. Click **Import an existing incident** on the start screen, or **Open a saved file...** in a session.
3. Choose your **.json** backup.
4. Check it, edit it and save a new copy.

Stop without losing work

1. Save the JSON and check the download.
2. Close the browser tab.
3. Local use only: in the server's PowerShell window, press **Ctrl + C**.
4. If asked to terminate, type **Y** and press Enter.

Code changed? Rebuild before preview. Ask IT whether the dependencies also need updating.

Explore without guessing.

Beginners can stop after saving their summary and backup. These options go further.

LEARN SAFELY

Try a built-in exercise

Save your work, then select **Start over**.

Open **Just exploring? Try a fictional example.** Choose a scenario and click **Start practice**.

Use **Reveal next update** to advance. Add the new facts to your answers yourself.

HAND OFF THE DECISIONS

For your reviewer

Choose **For your reviewer** to see detailed facts, timing assumptions, draft notices and actions.

Use **Download response pack** for the full readable bundle. Save JSON separately.

Let a qualified reviewer check what applies.

Practice is not a live incident

The exercise clock advances with updates. Practice drafts are marked FICTIONAL PRACTICE - DO NOT SEND.

Stuck? Start here.

Try the matching fix. Do not disable security settings or stop an unfamiliar process.

Page cannot be reached	Keep preview running. Use http, not https. Open the exact address on the same PC.
node or npm not recognised	Ask IT to check installation. Close and reopen PowerShell, then retry the version commands.
Scripts are disabled	Use npm.cmd exactly as shown. Do not change your computer's execution policy.
Port 4173 already in use	Try the page first: the app may be running. Stop only a preview window you recognise.
Build fails or the page looks old	Give IT the error, without secrets. After a successful rebuild, save JSON before Ctrl + F5.
File rejected or answers lost	Import JSON, not TXT or PDF. Without a downloaded backup, there is no saved copy to restore.

Alternative port: replace **4173** with **4174** in both the preview command and browser address.

Keep rejected files unchanged. Ask your project owner for help rather than editing the backup by hand.

Open. Answer. Save.

A successful first run ends with a backup you can reopen.

- [ ] The server is running and the local page opens.
- [ ] I answered six questions without guessing.
- [ ] I checked the summary and know who can help.
- [ ] I saved JSON and confirmed the download.
- [ ] I reopened the JSON and recognised my answers.

Keep personal details out.

No real names, email addresses, phone numbers, passwords or account numbers.

Use counts and general descriptions.

A guide, not a guarantee

This application prepares drafts; it is not legal advice. Independent legal review, novice-user testing and desktop/mobile screen-reader testing remain open. A timer or review entry is not certified approval.

App 0.2.0 | Windows local-use guide | Sources: package.json, README.md, src/ui/app.ts, src/ui/workspace.ts and docs/RESPONSE-WORKSPACE.md. Screenshots show a fictional sample in the local application.