

```
<%@ webService language="C" Class="myAPI" %>
```

Using System

Using System.Web.Services

[WebService (Namespace="http://www.abcd.com/myWebService/")]

```
public class myAPI : WebServices  
{  
    <webmethod()> public int add(int a , int b)  
    {  
        return a+b;  
    }  
}
```

# HTML

```
<HTML> <body>  
<h2>books </h2>  
<hr>  
<em>first name</em><b> Ahmed </b> <br>  
<em>last name</em><b> khaled </b> <br>  
<em>Publisher </em><b> NSU </b> <br>  
<em>Year </em><b> 2000 </b> <br>
```

---

# XML

```
<book>  
<firstName> Ahmed </firstName>  
<lastName> khaled </lastName>  
<Publisher> NSU </Publisher>  
<Year> 2000 </Year>  
</book>
```

HTML file

```
<HTML><body>  
<form action="http://localhost/nameandcolor" method="POST">  
Name:  
<input type="text" name="name"><br>  
Color  
<input type="radio" name="Color" value="red" checked="yes">red  
<input type="radio" name="Color" value="green">green  
<input type="radio" name="Color" value="blue">blue  
<input type="submit" value="OK">  
</form></body></HTML>
```

ASP file

```
<HTML><body>  
<% TheName = request.form("name") %>  
<% TheColor = request.form("Color") %>  
Your name is : <% TheName %>  
Your color is :  
<% if TheColor = "red" then %> red <% end if %>  
<% if TheColor = "green" then %> green <% end if %>  
<% if TheColor = "blue" then %> blue <% end if %>  
</body></HTML>
```

HTML file

```
<HTML><body>  
<form action="http://localhost/Redirect.aspx">  
<Select name="wheretogo">  
<option selected value="hello">hello message </option>  
<option selected value="Yahoo">Yahoo </option>  
<option selected value="Google">Google </option>  
</Select>  
<input type=submit value="Go">  
</form></body></HTML>
```

ASP file

```
<%  
where = Request.QueryString("wheretogo")  
Select Case where  
Case "hello"  
    Response.Redirect "http://localhost/helloworldfile"  
Case "Yahoo"  
    Response.Redirect "http://Yahoo.com"  
Case "Google"  
    Response.Redirect "Google.com"  
End Select %></body></HTML>
```