







NUTS posterior (box = IQR, whiskers = 5–95th pct; box colour = per-bin CV / identifiability)





NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)





NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)



NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)



NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)



NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)

CV < 0.4

0.6-0.8

— median


X MAP ($\lambda = 10^{-3}$)

0.4-0.6


CV > 0.8

- - - mean


new33 · PZ normal




new63 · PZ normal




new61 · PZ normal




new45 · PZ normal




new59 · PZ normal




new02 · PZ normal



new05 · PZ normal



new20 · PZ normal

Spectral fraction R_j Diffusivity D ($\mu\text{m}^2/\text{ms}$)

NUTS posterior (box = IQR, whiskers = 5–95th pct; box colour = per-bin CV / identifiability)

CV < 0.4

0.6–0.8

median


X MAP ($\lambda = 10^{-3}$)

0.4–0.6


CV > 0.8

mean


new60 · PZ normal




new38 · PZ normal




new49 · PZ normal




new56 · PZ normal




new54 · PZ normal




new17 · PZ normal

Spectral fraction R_j Diffusivity D ($\mu\text{m}^2/\text{ms}$)


NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)




new62 · PZ tumor · 3+3 (GGG 1)




new52 · PZ tumor · ungraded




new12 · PZ tumor · ungraded




new07 · PZ tumor · 3+3 (GGG 1)




new34 · PZ tumor · 3+4 (GGG 2)




new38 · PZ tumor · 3+4 (GGG 2)



new61 · PZ tumor · 3+3 (GGG 1)



new22 · PZ tumor · ungraded

Diffusivity D ($\mu\text{m}^2/\text{ms}$)Spectral fraction R_j

NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)

CV < 0.4

0.6-0.8

— median

X MAP ($\lambda = 10^{-3}$)

0.4-0.6

CV > 0.8

- - - mean

new39 · PZ tumor · 2+3 (GGG 1)

new23 · PZ tumor · ungraded

Spectral fraction R_j

new24 · PZ tumor · ungraded

new26 · PZ tumor · ungraded

new16 · PZ tumor · 3+4 (GGG 2)

new54 · PZ tumor · 3+3 (GGG 1)

new18 · PZ tumor · 4+3 (GGG 3)

new30 · PZ tumor · 3+4 (GGG 2)

0.25 0.5 0.75 1.0 1.5 2.0 3.0 20

0.25 0.5 0.75 1.0 1.5 2.0 3.0 20

Diffusivity D ($\mu\text{m}^2/\text{ms}$)

NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)

CV < 0.4

0.6-0.8

median

X MAP ($\lambda = 10^{-3}$)

0.4-0.6

CV > 0.8

mean

new59 · PZ tumor · 3+4 (GGG 2)

new63 · PZ tumor · 3+4 (GGG 2)

new51 · PZ tumor · 3+3 (GGG 1)









new49 · PZ tumor · 3+4 (GGG 2)


new02 · PZ tumor · 4+3 (GGG 3)

new04 · PZ tumor · 3+4 (GGG 2)


new21 · PZ tumor · 3+4 (GGG 2)

new50 · PZ tumor · 3+4 (GGG 2)


Spectral fraction R_j Diffusivity D ($\mu\text{m}^2/\text{ms}$)




new03 · PZ tumor · 4+3+5 (GGG 5)



new33 · PZ tumor · 3+3 (GGG 1)





new55 · PZ tumor · 4+4 (GGG 4)





Spectral fraction R_j

Diffusivity D ($\mu\text{m}^2/\text{ms}$)



NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)





NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)





NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)





NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)





NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)




NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)




NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)




NUTS posterior (box = IQR, whiskers = 5-95th pct; box colour = per-bin CV / identifiability)




new46 · TZ tumor · ungraded




new14 · TZ tumor · ungraded




new25 · TZ tumor · ungraded




new05 · TZ tumor · 4+3 (GGG 3)




new47 · TZ tumor · 3+4 (GGG 2)




new20 · TZ tumor · 3+3 (GGG 1)




new44 · TZ tumor · 3+4 (GGG 2)




new01 · TZ tumor · 4+3 (GGG 3)

Spectral fraction R_j Diffusivity D ($\mu\text{m}^2/\text{ms}$)


NUTS posterior (box = IQR, whiskers = 5–95th pct; box colour = per-bin CV / identifiability)




new45 · TZ tumor · 4+3+5 (GGG 5)




new53 · TZ tumor · ungraded




new17 · TZ tumor · ungraded



new36 · TZ tumor · 4+3 (GGG 3)



new28 · TZ tumor · 3+5 (GGG 4)

Spectral fraction R_j Diffusivity D ($\mu\text{m}^2/\text{ms}$)