



NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 X MAP ($\lambda = 10^{-3}$) — NUTS mean




NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 × MAP ($\lambda = 10^{-3}$) — NUTS mean




NUTS posterior CV (per-bin identifiability)


0.4 0.4-0.6 0.6-0.8 CV > 0.8 × MAP ($\lambda = 10^{-3}$) — NUTS mean




NUTS posterior CV (per-bin identifiability)


0.4 0.4-0.6 0.6-0.8 CV > 0.8 X MAP ($\lambda = 10^{-3}$) — NUTS mean









NUTS posterior CV (per-bin identifiability) 0.4 0.4-0.6 0.6-0.8 CV > 0.8 $\times$ MAP ($\lambda = 10^{-3}$) — NUTS mean






spectral fraction R_j

diffusivity D ($\mu\text{m}^2/\text{ms}$)


NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 X MAP ($\lambda = 10^{-3}$) — NUTS mean




NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 X MAP ($\lambda = 10^{-3}$) — NUTS mean




NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 × MAP ($\lambda = 10^{-3}$) — NUTS mean




NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 × MAP ($\lambda = 10^{-3}$) — NUTS mean




NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 × MAP ($\lambda = 10^{-3}$) — NUTS mean



NUTS posterior CV (per-bin identifiability) 0.4 0.4-0.6 0.6-0.8 CV > 0.8 X MAP ($\lambda = 10^{-3}$) — NUTS mean



NUTS posterior CV (per-bin identifiability)

0.4 0.4-0.6 0.6-0.8 CV > 0.8 X MAP ($\lambda = 10^{-3}$) — NUTS mean

