

Question 1

Incorrect Note de 0,00 sur 0,50

Identify the correct statements about sharding in MongoDB?

(Bareme: -20% per incorrect selection)

Veillez choisir au moins une réponse.

- ☒ a. In a mongodb sharded cluster, the config server's main role is essentially to record configuration information for the database like access rights, caching frequent queries, etc. ✗
- ☐ b. In a Mongoddb sharded cluster, nodes in a same replica sets will always be assigned exactly the same set of documents, for all collections.
- ☐ c. Sharding can help distribute write operations.
- ☐ d. In a Mongoddb sharded cluster, every collection is sharded.
- ☐ e. I don't know (no point, no penalty)

- ☒ f. In a mongodb sharded cluster, the client applications connect to the config server in order to identify where the data is located. ✗
- ☐ g. In a Mongodb sharded cluster, collections are sharded based on the _id.

Votre réponse est incorrecte.

Les réponses correctes sont :

Sharding can help distribute write operations.,

In a Mongodb sharded cluster, nodes in a same replica sets will always be assigned exactly the same set of documents, for all collections.

Question 2

Correct Note de 1,00 sur 1,00

What is the main purpose of replication in MongoDB (by default) ?
(Bareme: -20% if incorrect selection)

Veillez choisir une réponse.

- ☐ a. Load balancing for both read and writes
- ☐ b. Load balancing for reads
- ☐ c. I don't know (no point, no penalty)
- ☐ d. Load balancing for writes
- ☐ e. Query optimization
- ☒ f. High availability and fault tolerance ✓

Votre réponse est correcte.

La réponse correcte est :

High availability and fault tolerance

Question 3

Correct Note de 1,00 sur 1,00

What is a typical block size in HDFS?

(Bareme: -20% if incorrect selection)

Veillez choisir une réponse.

- ☐ a. 2kB
- ☐ b. 1GB
- ☒ c. 128MB ✓
- ☐ d. 1MB
- ☐ e. 256 kB
- ☐ f. 64 kB
- ☐ g. 8kB
- ☐ h. 64GB

- ☐ i. I don't know (no point, no penalty)

Votre réponse est correcte.

La réponse correcte est :
128MB

Question 4

Correct Note de 1,00 sur 1,00

True or false? In HDFS, the files are split into blocks whose content is store in the NameNodes.

(bareme: -30% if incorrect selection)

Veuillez choisir une réponse.

- ☐ a. I don't know (no point, no penalty)
- ☒ b. False ✓
- ☐ c. True

Votre réponse est correcte.

La réponse correcte est :

False

Question 5

Correct Note de 1,00 sur 1,00

In a Hadoop's mapreduce job, the type of keys produced by the combiner should be consistent with the type of keys produced by the reducer

(bareme: -30% if incorrect selection)

Veillez choisir une réponse.

- ☐ a. True
- ☒ b. False ✓
- ☐ c. I don't know (no point, no penalty)

Votre réponse est correcte.

La réponse correcte est :

False

◀ Test: hashing, and docker

Aller à...