



Nombre: Juan Pablo Valverde Barreiro


COMPLEMENTARIA III DESARROLLO FULLSTACK CORTE 2 | PARCIAL











Responses
Code
Description
Links
200
OK
No links
Media type
/
Controls Accept header.
Example Value | Schema
{
"id": 0,
"fullName": "string",
"email": "user@example.com",
"membershipType": "string",
"startDate": "2026-10-11"
}
DELETE /api/members/{id}
DELETE /api/members/{id}
Parameters
Cancel
Name
Description
id * required
integer($int64)
(path)
id
Execute
Responses
Code
Description
Links
204
No Content
No links
GET /api/members
GET /api/members
Parameters
Cancel
No parameters
Execute
Responses
Code
Description
Links
200
OK
No links
Media type
/
Controls Accept header.
Example Value | Schema
[
{
"id": 0,
"fullName": "string",
"email": "user@example.com",
"membershipType": "string",
"startDate": "2026-10-11"
}
]



POST
/api/members
Parameters
Cancel
No parameters
Request body
required
application/json
Edit Value
Schema
{
"id": 0,
"fullName": "string",
"email": "user@example.com",
"membershipType": "string",
"startDate": "2026-10-11"
}
Execute



Responses
Code
Description
Links
201
Created
No links
Media type
/
Controls Accept header.
Example Value
Schema
{
"id": 0,
"fullName": "string",
"email": "user@example.com",
"membershipType": "string",
"startDate": "2026-10-11"
}
Schemas
Member
Expand all
object

Postman



Gym Universidad
New Request
Save
Share
POST
http://localhost:8080/api/members
Send
One gateway for every AI and API call. Skip the one-off integrations — route LLMs, MCP servers, and APIs through Fabric instead. Learn more about Fabric
Docs
Params
Authorization
Headers 8
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"fullName": "Laura Gómez",
"email": "laura.gomez@example.com",
"membershipType": "MONTHLY",
"startDate": "2026-10-01"
}
Body
Cookies
Headers 5
Test Results
201 Created
256 ms
277 B
Save Response
JSON
Preview
Visualize
{
"email": "laura.gomez@example.com",
"fullName": "Laura Gómez",
"id": 1,
"membershipType": "MONTHLY",
"startDate": "2026-10-01"
}


Gym Universidad > Get data
Save
Share
GET
http://localhost:8080/api/members/1
Send
Docs
Params
Authorization
Headers 6
Body
Scripts
Settings
Cookies
Before request
After response
pm.test("Status code is 200", function () {
pm.response.to.have.status(200);
});
Packages
Snippets


Body
Cookies
Headers 5
Test Results 1/1
200 OK
123 ms
277 B
Save Response
JSON
Preview
Visualize
{
"email": "laura.gomez@example.com",
"fullName": "Laura Gómez",
"id": 1,
"membershipType": "MONTHLY",
"startDate": "2026-10-01"
}


Gym Universidad > no existe GET
Save
Share
GET
http://localhost:8080/api/members/9999
Send
One gateway for every AI and API call. Skip the one-off integrations — route LLMs, MCP servers, and APIs through Fabric instead. Learn more about Fabric
Docs
Params
Authorization
Headers 8
Body
Scripts
Settings
Cookies
Query Params
Key
Value
Description
Bulk Edit


Body
Cookies
Headers 5
Test Results 0/1
404 Not Found
98 ms
4.8 KB
Save Response
JSON
Preview
Debug with AI
{
"timestamp": "2026-10-11T17:50:30.616Z",
"status": 404,
"error": "Not Found",
"trace": "org.springframework.web.server.ResponseStatusException: 404 NOT_FOUND \"Member with id 9999 not found\"\r\n\tat com.gym.service.MemberService.
lambda$findById$0(MemberService.java:26)\r\n\tat java.base/java.util.Optional.orElseThrow(Optional.java:403)\r\n\tat com.gym.service.MemberService.
findById(MemberService.java:26)\r\n\tat com.gym.controller.MemberController.findById(MemberController.java:28)\r\n\tat java.base/jdk.internal.reflect.
DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)\r\n\tat java.base/java.lang.reflect.Method.invoke(Method.java:565)\r\n\tat org.
springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:252)\r\n\tat org.springframework.web.method.support.
InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:184)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.
ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.
RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:934)\r\n\tat org.springframework.web.servlet.mvc.method.annotation.


Juan Pablo Valverde's Workspace
Search
Invite
Upgrade
Spec Hub is your single home for API design and governance. Author specs visually, convert them to collections that stay in sync, and enforce standards across your team with custom governance rules.
Try Spec Hub
COLLECTIONS
Gym Universidad
Get data
Post data
New Request
New Request
Inven-Track
Products POST
Get Products
primer producto
ENVIRONMENTS
saas
Gym Universidad / New Request
Save
Share
POST
http://localhost:8080/api/members
Send
One gateway for every AI and API call. Skip the one-off integrations — route LLMs, MCP servers, and APIs through Fabric instead. Learn more about Fabric
Docs
Params
Authorization
Headers 8
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
1 {"fullName":"","email":"mal","membershipType":"","startDate":null}
Body
Cookies
Headers 4
Test Results
400 Bad Request
387 ms
7.71 KB
Save Response
JSON
Preview
Debug with AI
1 {
2 "timestamp": "2026-10-11T17:46:48.9092",
3 "status": 400,
4 "error": "Bad Request",
5 "trace": "org.springframework.web.bind.MethodArgumentNotValidException: Validation failed for argument [0] in public com.gym.entity.Member com.gym.
controller.MemberController.create(com.gym.entity.Member) with 4 errors: [Field error in object 'member' on field 'membershipType': rejected value [];
codes [NotBlank.member.membershipType,NotBlank.membershipType,NotBlank.java.lang.String,NotBlank]; arguments [org.springframework.context.support.
DefaultMessageSourceResolvable: codes [member.membershipType,membershipType]; arguments []; default message [membershipType]]; default message
[membershipType is required]] [Field error in object 'member' on field 'fullName': rejected value []; codes [NotBlank.member.fullName,NotBlank.fullName,
NotBlank.java.lang.String,NotBlank]; arguments [org.springframework.context.support.DefaultMessageSourceResolvable: codes [member.fullName,fullName];
arguments []; default message [fullName]]; default message [fullName is required]] [Field error in object 'member' on field 'startDate': rejected value
[null]; codes [NotNull.member.startDate,NotNull.startDate,NotNull.java.time.LocalDate,NotNull]; arguments [org.springframework.context.support.
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
Open Folder
Terminal
Console
Standing by for launch
Globals
Vault
Tools
32°C
Parc. soleado
Buscar
ESP
LAA
48%
12:47 p.m.
11/10/2026