



Pareto Tracer-PPO: Enhancing Proximal Policy Optimization for Multi-Objective Reinforcement Learning

Pablo Uriel Benítez Ramírez¹

¹Posgrado de Ciencias e Ingeniería a Computación
Universidad Nacional Autónoma de México

Mayo 22, 2025

Motivation

Real world tasks often juggle conflicting objectives:

- speed and safety
- profit and risk
- energy consumption and emissions

Standard PPO uses a fixed linear combination \rightarrow misses true Pareto trade-offs, i.e., gives only one point of the Pareto front.

So the **Goal** is to find a set of policies approximating the Pareto front in one training run.

Imagine tuning for both speed and safety: a single weight can't capture every compromise

Pareto Tracer Algorithm

Developement by Adanay Martín and Oliver Schütze (2014) it is a Predictor-Corrector method, that computes as follows

- **Predictor step:** computes per k objective the Jacobian $J \in \mathbb{R}^{k \times n}$, and solves to find a direction that moves toward Pareto critical points.
- **Corrector step:** projects the update policy back onto the Pareto-manifold of dimension $k - 1$.
- **+ PPO:** replace single gradient with the Pareto Tracer update within the clipped surrogate.

Predictor finds a direction that improves all objectives as much as possible; Corrector keeps us on the front. Like searching in little steps the front.

Experimental environments & Results

For first approach **MO-Test (Bandit)**, a discrete single-step multi-objective bandit environment designed to approximate the Pareto front of the functions :

$$f_1(x_1, x_2) = \frac{1}{2} \left(\sqrt{1 + (x_1 + x_2)^2} + \sqrt{1 + (x_1 - x_2)^2} + x_1 - x_2 \right) + \lambda e^{-(x_1 - x_2)^2},$$
$$f_2(x_1, x_2) = \frac{1}{2} \left(\sqrt{1 + (x_1 + x_2)^2} + \sqrt{1 + (x_1 - x_2)^2} - x_1 + x_2 \right) + \lambda e^{-(x_1 - x_2)^2}.$$

Define a discretization mapping $\mathbb{R}^{n \times n} \longrightarrow [-2, 2]^2$.




Figure: Pareto Front of the functions, the blue dots are all the candidate solutions, and the red dots represents the non dominated subset of those

For the second approach **MO-MountainCar** with

- time penalty: -1.0 for each time step,
- reverse penalty: -1.0 for each time step the action is 0 (reverse)
- forward penalty: -1.0 for each time step the action is 2 (forward)




Figure: Left figure shows the evolution of the rewards (returns). Right figure shows the evolution of the weights

Comparisons

-----Pareto Tracer PPO-----			-----PPO Scalarization baseline-----		
time/			time/		
fps		2739	fps		1177
iterations		1000	iterations		1000
time_elapsed		748	time_elapsed		1739
total_timesteps		2048000	total_timesteps		2048000
train/			train/		
approx_kl		0.0000035	approx_kl		0.0022319271
clip_fraction		0.00000	clip_fraction		0.00576
clip_range		0.2	clip_range		0.2
entropy_loss		-0.0247	entropy_loss		-0.0372
explained_variance		-0.00022	explained_variance		6.56e-07
learning_rate		0.0001000	learning_rate		0.0003
loss		83.12395	loss		-0.00266
n_updates		5000	n_updates		9990
policy_gradient_loss		8.43660	policy_gradient_loss		-0.000819
value_loss		74.68735	value_loss		0.0111

Figure: Outputs of Pareto Tracer PPO & PPO Scalarization for MO-Mountain Car

Conclusions & Future Work

Pareto Tracer-PPO efficiently approximates a diverse set of Pareto-optimal policies in one go.

Benefits:

- No need to re-train for each scalar weight.
- Better coverage.

Future work:

- Theoretically analyze convergence on high-dimensional fronts.
- Change the Corrector step to be more efficient.
- Scale to more than 3 objectives.

Pareto Tracer brings true multi-objective updates to PPO—unlocking richer sets of policies in one shot

Thank you for your attention