

```
mysql>
mysql> select * from empleados;
+-----+-----+
| Nombre | DepartamentoId |
+-----+-----+
| Rafferty | 31 |
| Jones | 33 |
| Heisenberg | 33 |
| Robinson | 34 |
| Smith | 34 |
| Williams | NULL |
+-----+-----+
6 rows in set (0.00 sec)

mysql>
```

```
mysql>
mysql> select * from departamentos;
+-----+-----+
| Id | Nombre |
+-----+-----+
| 31 | Sales |
| 33 | Engineering |
| 34 | Clerical |
| 35 | Marketing |
+-----+-----+
4 rows in set (0.00 sec)

mysql>
mysql>
mysql>
```

```
mysql>
mysql> select * from empleados join departamentos;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 35 | Marketing |
| Rafferty | 31 | 34 | Clerical |
| Rafferty | 31 | 33 | Engineering |
| Rafferty | 31 | 31 | Sales |
| Jones | 33 | 35 | Marketing |
| Jones | 33 | 34 | Clerical |
| Jones | 33 | 33 | Engineering |
| Jones | 33 | 31 | Sales |
| Heisenberg | 33 | 35 | Marketing |
| Heisenberg | 33 | 34 | Clerical |
| Heisenberg | 33 | 33 | Engineering |
| Heisenberg | 33 | 31 | Sales |
| Robinson | 34 | 35 | Marketing |
| Robinson | 34 | 34 | Clerical |
| Robinson | 34 | 33 | Engineering |
| Robinson | 34 | 31 | Sales |
| Smith | 34 | 35 | Marketing |
| Smith | 34 | 34 | Clerical |
| Smith | 34 | 33 | Engineering |
| Smith | 34 | 31 | Sales |
| Williams | NULL | 35 | Marketing |
| Williams | NULL | 34 | Clerical |
| Williams | NULL | 33 | Engineering |
| Williams | NULL | 31 | Sales |
+-----+-----+-----+-----+
24 rows in set (0.00 sec)
```

```
mysql> select * from empleados join departamentos on departamentoid=id;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 31 | Sales |
| Jones | 33 | 33 | Engineering |
| Heisenberg | 33 | 33 | Engineering |
| Robinson | 34 | 34 | Clerical |
| Smith | 34 | 34 | Clerical |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql>
mysql> select * from departamentos join empleados on departamentoid=id;
+-----+-----+-----+-----+
| Id | Nombre | Nombre | DepartamentoId |
+-----+-----+-----+-----+
| 31 | Sales | Rafferty | 31 |
| 33 | Engineering | Jones | 33 |
| 33 | Engineering | Heisenberg | 33 |
| 34 | Clerical | Robinson | 34 |
| 34 | Clerical | Smith | 34 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql>
mysql> select * from empleados join departamentos on departamentoid=id;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 31 | Sales |
| Jones | 33 | 33 | Engineering |
| Heisenberg | 33 | 33 | Engineering |
| Robinson | 34 | 34 | Clerical |
| Smith | 34 | 34 | Clerical |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql>
mysql> select * from empleados left join departamentos on departamentoid=id;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 31 | Sales |
| Jones | 33 | 33 | Engineering |
| Heisenberg | 33 | 33 | Engineering |
| Robinson | 34 | 34 | Clerical |
| Smith | 34 | 34 | Clerical |
| Williams | NULL | NULL | NULL |
+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql>
mysql> select * from empleados join departamentos on departamentoid=id;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 31 | Sales |
| Jones | 33 | 33 | Engineering |
| Heisenberg | 33 | 33 | Engineering |
| Robinson | 34 | 34 | Clerical |
| Smith | 34 | 34 | Clerical |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql> select * from empleados right join departamentos on departamentoid=id;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 31 | Sales |
| Heisenberg | 33 | 33 | Engineering |
| Jones | 33 | 33 | Engineering |
| Smith | 34 | 34 | Clerical |
| Robinson | 34 | 34 | Clerical |
| NULL | NULL | 35 | Marketing |
+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql>
mysql> select * from empleados left join departamentos on departamentoid=id;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 31 | Sales |
| Jones | 33 | 33 | Engineering |
| Heisenberg | 33 | 33 | Engineering |
| Robinson | 34 | 34 | Clerical |
| Smith | 34 | 34 | Clerical |
| Williams | NULL | NULL | NULL |
+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> select * from empleados right join departamentos on departamentoid=id;
+-----+-----+-----+-----+
| Nombre | DepartamentoId | Id | Nombre |
+-----+-----+-----+-----+
| Rafferty | 31 | 31 | Sales |
| Heisenberg | 33 | 33 | Engineering |
| Jones | 33 | 33 | Engineering |
| Smith | 34 | 34 | Clerical |
| Robinson | 34 | 34 | Clerical |
| NULL | NULL | 35 | Marketing |
+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```