# **Python For Data Science** Cheat Sheet

# **NumPy Basics**

Learn Python for Data Science Interactively at www.DataCamp.com



## NumPy

The NumPy library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.


Use the following import convention: >>> import numpy as np




#### **NumPy Arrays**

1D array

1 2 3





### **Creating Arrays**

```
>>> a = np.array([1,2,3])
>>> b = np.array([(1.5,2,3), (4,5,6)], dtype = float)
>>> c = np.array([[(1.5,2,3), (4,5,6)], [(3,2,1), (4,5,6)]],
                 dtvpe = float)
```

#### Initial Placeholders

>>> np.zeros((3,4)) >>> np.ones((2,3,4),dtype=np.int16) >>> d = np.arange(10,25,5)	Create Create Spaced
>>> np.linspace(0,2,9)	Create spaced
>>> e = np.full((2,2),7) >>> f = np.eye(2)	Create Create
>>> np.random.random((2,2)) >>> np.empty((3,2))	Create a

an array of zeros an array of ones an array of evenly values (step value) an array of evenly values (number of samples) a constant array a 2X2 identity matrix an array with random values Create an empty array

## Saving & Loading On Disk

```
>>> np.save('my array', a)
>>> np.savez('array.npz', a, b)
>>> np.load('my array.npy')
```

#### Saving & Loading Text Files

>>>	np.loadtxt("myfile.txt")
>>>	np.genfromtxt("my file.csv", delimiter=',')
>>>	<pre>np.savetxt("myarray.txt", a, delimiter=" ")</pre>

## **Data Types**

>	>> np.int64	Signed 64-bit integer types
>	>> np.float32	Standard double-precision floating point
>	>> np.complex	Complex numbers represented by 128 floats
>	>> np.bool	Boolean type storing TRUE and FALSE values
>	>> np.object	Python object type
	>> np.string_	Fixed-length string type
>	>> np.unicode_	Fixed-length unicode type

#### **Inspecting Your Array**

>>> a.shape	Array dimensions
>>> len(a)	Length of array
>>> b.ndim	Number of array dimensions
>>> e.size	Number of array elements
>>> b.dtype	Data type of array elements
>>> b.dtype.name	Name of data type
>>> b.astype(int)	Convert an array to a different type

## Asking For Help

>>> np.info(np.ndarray.dtype)

## **Array Mathematics**

## **Arithmetic Operations**

>>> g = a - b array([[-0.5, 0. , 0.],	Subtraction
[-3. , -3. , -3. ]])	
>>> np.subtract(a,b)	Subtraction
>>> b + a array([[ 2.5, 4. , 6. ],	Addition
[5., 7., 9.]])	
>>> np.add(b,a)	Addition
>>> a / b	Division
array([[ 0.66666667, 1. , 1. ], [ 0.25 , 0.4 , 0.5 ]])	
>>> np.divide(a,b)	Division
>>> a * b	Multiplication
array([[ 1.5, 4., 9.], [ 4., 10., 18.]])	
>>> np.multiply(a,b)	Multiplication
>>> np.exp(b)	Exponentiation
>>> np.sqrt(b)	Square root
>>> np.sin(a)	Print sines of an array
>>> np.cos(b)	Element-wise cosine
>>> np.log(a)	Element-wise natural logarithm
>>> e.dot(f)	Dot product
array([[ 7., 7.],	•
[ 7., 7.]])	

#### Comparison

<pre>&gt;&gt;&gt; a == b array([[False, True, True],</pre>	Element-wise comparison
[False, False, False]], dtype=bool)	
>>> a < 2 array([True, False, False], dtype=bool)	Element-wise comparison
	Array-wise comparison

## **Aggregate Functions**

>>> a.sum()	Array-wise sum
>>> a.min()	Array-wise minimum value
>>> b.max(axis=0)	Maximum value of an array row
>>> b.cumsum(axis=1)	Cumulative sum of the elements
>>> a.mean()	Mean
>>> b.median()	Median
>>> a.corrcoef()	Correlation coefficient
>>> np.std(b)	Standard deviation

# **Copying Arrays**

>>> h = a.view()	Create a view of the array with the same data
>>> np.copy(a)	Create a copy of the array
>>> h = a.copy()	Create a deep copy of the array

# **Sorting Arrays**


>>> a.sort() >>> c.sort(axis=0)	Sort an array Sort the elements of an array's axis

## Subsetting, Slicing, Indexing

Also see Lists

#### Subsetting 1 2 3 >>> a[2] 1.5 2 3 >>> b[1,2] 6.0

#### Slicing



1 2 3

array([[[ 3., 2., 1.], [ 4., 5., 6.]]]) >>> a[ : :-1] array([3, 2, 1])

#### **Boolean Indexing** >>> a[a<2]

array([1]) **Fancy Indexing** array([ 4. , 2. , 6. , 1.5])

>>> b[[1, 0, 1, 0],[0, 1, 2, 0]] >>> b[[1, 0, 1, 0]][:,[0,1,2,0]] 

Select the element at the 2nd index

Select the element at row 1 column 2 (equivalent to b[1] [2])

Select items at index 0 and 1

Select items at rows 0 and 1 in column 1

Select all items at row o (equivalent to b[0:1, :]) Same as [1,:,:]

Reversed array a

Select elements from a less than 2

Select elements (1,0), (0,1), (1,2) and (0,0)

Select a subset of the matrix's rows and columns

# **Array Manipulation**

#### Transposing Array >>> i = np.transpose(b)

>>> i.T

**Changing Array Shape** >>> b.ravel()

#### >>> g.reshape(3,-2) Adding/Removing Elements

>>> h.resize((2,6)) >>> np.append(h,g) >>> np.insert(a, 1, 5) >>> np.delete(a,[1])

#### Combining Arrays >>> np.concatenate((a,d),axis=0)

array([ 1, 2, 3, 10, 15, 20]) >>> np.vstack((a,b)) >>> np.r [e,f] >>> np.hstack((e,f)) array([[ 7., 7., 1., 0.], [ 7., 7., 0., 1.]]) >>> np.column stack((a,d)) array([[ 1, 10], 2, 15], [ 3, 20]]) >>> np.c [a,d]

#### **Splitting Arrays**

>>> np.hsplit(a,3) [array([1]),array([2]),array([3])] >>> np.vsplit(c,2) 

Permute array dimensions Permute array dimensions

Flatten the array Reshape, but don't change data

Return a new array with shape (2,6) Append items to an array Insert items in an array Delete items from an array

Concatenate arrays

Stack arrays vertically (row-wise)

Stack arrays vertically (row-wise) Stack arrays horizontally (column-wise)

Create stacked column-wise arrays

Create stacked column-wise arrays

Split the array horizontally at the 3rd

Split the array vertically at the 2nd index

