1) Como usuarie de QueMePongo quiero ver todas las prendas que tengo en mi guardarropas desde el navegador para poder administrarlas

Mensajes posibles:

```
curl "https://qmp-grp18.herokuapp.com/prendas" -i
HTTP/1.1 200 OK
Server: Cowboy
Connection: keep-alive
X-Powered-By: Express
Expires: -1
Content-Type: application/json; charset=utf-8
Content-Length: 1259
Vary: Accept-Encoding
Date: Thu, 14 Oct 2021 22:54:35 GMT
[
  {
    "id": 1,
    "tipo": "pantalon",
    "material": "cuero",
      "colorPrincipal":{"rojo"=50,
                           "verde"=50,
                           "azul"=100},
      "colorSecundario": {"rojo"=50,
                           "verde"=50,
                           "azul"=100},
  }
]
```

```
si consultamos a una dirección que no existe

curl "https://macowins-server.herokuapp.com/prindas/1" -i

HTTP/1.1 404 Not Found

Server: Cowboy

Connection: keep-alive

X-Powered-By: Express

Expires: -1

Content-Type: text/html; charset=utf-8

Content-Length: 0

Vary: Accept-Encoding

Date: Thu, 14 Oct 2021 22:51:24 GMT
```

2) Como usuario de QueMePongo, quiero crear una prenda desde el navegador

Mensajes Posibles

3) Como usuarie de QueMePongo quiero ver una prenda en particular que tengo en mi guardarropas para poder editarla

Mensajes Posibles

Si no existe la prenda cargada en el dominio

```
$ curl 'https://qmp-grp18.herokuapp.com/prendas/400' -i
HTTP/1.1 404 Not Found
X-Powered-By: Express
Expires: -1
Content-Type: text/html; charset=utf-8
Content-Length: 0
Vary: Accept-Encoding
Date: Thu, 14 Oct 2021 22:42:45 GMT
Connection: keep-alive
Si encuentro la prenda
curl "https://qmp-grp18.herokuapp.com/prendas/1" -i
HTTP/1.1 200 OK
Server: Cowboy
Connection: keep-alive
X-Powered-By: Express
Expires: -1
Content-Type: application/json; charset=utf-8
Content-Length: 150
```

```
Etag: W/"32-nBoUH0W8/DaZVd7S1RUjHsjxnmg"
Vary: Accept-Encoding
Date: Thu, 14 Oct 2021 22:43:55 GMT
Via: 1.1 vegur
{
    "id": 1,
    "tipo": "pantalon",
    "material": "cuero",
      "colorPrincipal":{"rojo"=50,
                          "verde"=50,
                          "azul"=100},
      "colorSecundario": {"rojo"=50,
                          "verde"=50,
                          "azul"=100},
  }
si consultamos a una dirección que no existe
curl "https://qmp-grp18.herokuapp.com/prindas/1" -i
HTTP/1.1 404 Not Found
Server: Cowboy
Connection: keep-alive
X-Powered-By: Express
Expires: -1
Content-Type: text/html; charset=utf-8
Content-Length: 0
Vary: Accept-Encoding
Date: Thu, 14 Oct 2021 22:51:24 GMT
```

4) Como usuarie de QueMePongo, quiero poder eliminar una prenda de mi guardarropas

Mensajes Posibles

Borrar una prenda inexistente en el guardarropa

```
curl -XDELETE " https://qmp-grp18.herokuapp.com/guardarropa/30" -i
HTTP/1.1 404 Not Found
Server: Cowboy
Connection: keep-alive
X-Powered-By: Express
Expires: -1
Content-Type: text/html; charset=utf-8
Content-Length: 0
Etag: W/"0-2jmj715rSw0yVb/vlWAYkK/YBwk"
Vary: Accept-Encoding
Date: Fri, 15 Oct 2021 21:35:09 GMT
Via: 1.1 vegur
```

Borrar una prenda existente

```
curl -XDELETE " https://qmp-grp18.herokuapp.com/guardarropa/30" -i
HTTP/1.1 200 OK
Server: Cowboy
Connection: keep-alive
X-Powered-By: Express
Expires: -1
Content-Type: application/json; charset=utf-8
Content-Length: 2
Etag: W/"2-vyGp6PvFo4RvsFtPoIWeCReyIC8"
Vary: Accept-Encoding
Date: Fri, 15 Oct 2021 21:36:14 GMT
Via: 1.1 vegur
```

5) Como usuarie de QueMePongo, quiero poder ver mis eventos para administrarlos

Mensajes posibles:

```
curl "https://qmp-grp18.herokuapp.com/evento" -i
HTTP/1.1 200 OK
Server: Cowboy
Connection: keep-alive
X-Powered-By: Express
Expires: -1
Content-Type: application/json; charset=utf-8
Content-Length: 133
Vary: Accept-Encoding
Date: Thu, 14 Oct 2021 22:54:35 GMT
[
  {
    "id": 1,
    "titulo": "Zoom - DDS",
    "fechaIniciio": "2021-10-14",
    "fechaFin": "2021-10-14",
    "frecuencia": "DIARIO",
    "tipoEvento": "FORMAL",
  }
]
si consultamos a una dirección que no existe
curl "https://qmp-grp18.herokuapp.com/ebento/1" -i
HTTP/1.1 404 Not Found
Server: Cowboy
```

```
Connection: keep-alive

X-Powered-By: Express

Expires: -1

Content-Type: text/html; charset=utf-8

Content-Length: 0

Vary: Accept-Encoding

Date: Thu, 14 Oct 2021 22:51:24 GMT
```

6) Como usuarie de QueMePongo, quiero poder abrir las sugerencias de prendas para un evento en mi navegador

```
curl "https://qmp-grp18.herokuapp.com/sugerencias/1" -i
HTTP/1.1 200 OK
Server: Cowboy
Connection: keep-alive
X-Powered-By: Express
Expires: -1
Content-Type: application/json; charset=utf-8
Content-Length: 133
Vary: Accept-Encoding
Date: Thu, 14 Oct 2021 22:54:35 GMT
{
    "id": 1,
    "atuendo": {"parteSuperiores"="MUSCULOSA",
              "parteInferior"="SHORT",
              "calzado"="ZAPATILLAS"},
    "estado": "ACEPTADO",
```

]

si consultamos a una dirección que no existe

curl "https://qmp-grp18.herokuapp.com/sujerenzia/1" -i

HTTP/1.1 404 Not Found

Server: Cowboy

Connection: keep-alive

X-Powered-By: Express

Expires: -1

Content-Type: text/html; charset=utf-8

Content-Length: 0

Vary: Accept-Encoding

Date: Thu, 14 Oct 2021 22:51:24 GMT