The Battle of Neighborhoods Project

July, 2020

1 Capstone Project - The Battle of the Neighborhoods (Week 2)

1.0.1 Applied Data Science Capstone by IBM/Coursera

1.1 Introduction: Business Problem

In this project we will try to find an optimal location for a restaurant. Specifically, this report will be targeted to stakeholders interested in opening an **restaurant and school** in **New York**, Unite States.

Since there are lots of restaurants in **New York** we will try to detect **locations that are not already crowded with restaurants**. We choose some candidate location in Queens New York city. We want to get the cluster information about the Center Queens, so that we can analyze the cluster. Secondly, it is important that analyze the distribution of the **restaurant type** in each cluster.

We will use our data science powers to generate a few most promising neighborhoods based on this criteria. Advantages of each area will then be clearly expressed and get the cluster character, so that best possible final location and restaurant type can be chosen by stakeholders.So, we want to explore the center candidate location that belongs to the restaurant type.

1.2 Data

Based on definition of our problem, factors that will influence our decision are: * number of existing restaurants in the neighborhood (any type of restaurant) * number of and distance to Italian restaurants in the neighborhood, if any * distance of neighborhood from city center * number of school in the neighborhood (any type of school)

We decided to use regularly spaced grid of locations, centered around city center, to define our neighborhoods.

Following data sources will be needed to extract/generate the required information: * centers of candidate areas will be generated algorithmically and approximate addresses of centers of those areas will be obtained using **Google Maps API reverse geocoding** * number of restaurants and their type and location in every neighborhood will be obtained using **Foursquare API** * number of schools and their type and location in every neighborhood will be obtained using **Foursquare API** * coordinate of New York center will be obtained using **MapBox API** of well known New York Queens location

1.3 Neighborhood Candidates

Let's create latitude & longitude coordinates for centroids of our candidate neighborhoods. We will create a grid of cells covering our area of interest which is aprox. 12x12 killometers centered

around Berlin city center.

Let's first find the latitude & longitude of Queens New York city center, using specific, well known address and Google Maps geocoding API.

```
In [1]: import pandas as pd
        import numpy as np
        from bs4 import BeautifulSoup
        from matplotlib import  pyplot as plt
        import requests
        import folium
        from pandas.io.json import json_normalize
        import matplotlib.cm as cm
        import matplotlib.colors as colors
        from sklearn.cluster import KMeans
        from geopy.geocoders import Nominatim
        import json
        import seaborn as sns
        %matplotlib inline

In [2]: if False:
            df = pd.read_csv("./data/data.csv")
```

1.4   create a geolocator object for each city

```
In [3]: # The code was removed by Watson Studio for sharing.
        google_api_key = ""

In [4]: def get_coordinates(api_key, address, verbose=False):
            try:
                url = ·https://maps.googleapis.com/maps/api/geocode/json?key={}&address={}·.form
                response = requests.get(url).json()
                if verbose:
                    print(·Google Maps API JSON result =>·, response)
                results = response[·results·]
                geographical_data = results[0][·geometry·][·location·] # get geographical coordi
                lat = geographical_data[·lat·]
                lon = geographical_data[·lng·]
                return [lat, lon]
            except:
                return [None, None]

        address = "Queens, New York, United States"
        center = get_coordinates(google_api_key, address)
        print(·Coordinate of {}: {}·.format(address, center))

Coordinate of Queens, New York, United States: [40.7282239, -73.7948516]


In [ ]: # !pip install shapely
        # !pip install pyproj
```

2

```
In [5]: #!pip install shapely
        import shapely.geometry

        #!pip install pyproj
        import pyproj

        import math

        def lonlat_to_xy(lon, lat):
            proj_latlon = pyproj.Proj(proj= latlong ,datum= WGS84 )
            proj_xy = pyproj.Proj(proj="utm", zone=33, datum= WGS84 )
            xy = pyproj.transform(proj_latlon, proj_xy, lon, lat)
            return xy[0], xy[1]

        def xy_to_lonlat(x, y):
            proj_latlon = pyproj.Proj(proj= latlong ,datum= WGS84 )
            proj_xy = pyproj.Proj(proj="utm", zone=33, datum= WGS84 )
            lonlat = pyproj.transform(proj_xy, proj_latlon, x, y)
            return lonlat[0], lonlat[1]

        def calc_xy_distance(x1, y1, x2, y2):
            dx = x2 - x1
            dy = y2 - y1
            return math.sqrt(dx*dx + dy*dy)

        print( Coordinate transformation check )
        print( ----------------------------------------------- )
        print( Queens center longitude={}, latitude={} .format(center[1], center[0]))
        x, y = lonlat_to_xy(center[1], center[0])
        print( Queens center UTM X={}, Y={} .format(x, y))
        lo, la = xy_to_lonlat(x, y)
        print( Queens center longitude={}, latitude={} .format(lo, la))
Coordinate transformation check
-------------------------------
Queens center longitude=-73.7948516, latitude=40.7282239
Queens center UTM X=-5818864.983873131, Y=9842433.386218188
Queens center longitude=-73.79485159999955, latitude=40.728223899998895
```

Next step, let's create a hexagonal grid of cells: we offset every other row, and adjust vertical row spacing so that every cell center is equally distant from all it's neighbors. Besides, let's visualize the data we have so far: city center location and candidate neighborhood centers.

Now let's create a grid of area candidates, same spaced, centered around city center and within ~6km from Queens. Our neighborhoods will be defined as circular areas with a radius of 300 meters, so our neighborhood centers will be 600 meters apart.

To accurately calculate distances we need to create our grid of locations in Cartesian 2D coordinate system which allows us to calculate distances in meters (not in latitude/longitude degrees). Then we'll project those coordinates back to latitude/longitude degrees to be shown on

Folium map. So let's create functions to convert between WGS84 spherical coordinate system (latitude/longitude degrees) and UTM Cartesian coordinate system (X/Y coordinates in meters).

```
In [6]: center_x, center_y = lonlat_to_xy(center[1], center[0]) # City center in Cartesian coord

        k = math.sqrt(3) / 2 # Vertical offset for hexagonal grid cells
        x_min = center_x - 6000
        x_step = 600
        y_min = center_y - 6000 - (int(21/k)*k*600 - 12000)/2
        y_step = 600 * k

        latitudes = []
        longitudes = []
        distances_from_center = []
        xs = []
        ys = []
        for i in range(0, int(21/k)):
            y = y_min + i * y_step
            x_offset = 300 if i%2==0 else 0
            for j in range(0, 21):
                x = x_min + j * x_step + x_offset
                distance_from_center = calc_xy_distance(center_x, center_y, x, y)
                if (distance_from_center <= 6001):
                    lon, lat = xy_to_lonlat(x, y)
                    latitudes.append(lat)
                    longitudes.append(lon)
                    distances_from_center.append(distance_from_center)
                    xs.append(x)
                    ys.append(y)

        print(len(latitudes), 'candidate neighborhood centers generated.')

364 candidate neighborhood centers generated.


In [7]: #!pip install folium

        import folium

In [ ]: map_init = folium.Map(location=center, zoom_start=13)
        folium.Marker(center, popup='Queens').add_to(map_init)
        for lat, lon in zip(latitudes, longitudes):
            #folium.CircleMarker([lat, lon], radius=2, color='blue', fill=True, fill_color='blue
            folium.Circle([lat, lon], radius=300, color='blue', fill=False).add_to(map_init)
            #folium.Marker([lat, lon]).add_to(map_berlin)
        map_init

In [8]: def get_address(api_key, latitude, longitude, verbose=False):
            try:
```

```python
        url = 'https://maps.googleapis.com/maps/api/geocode/json?key={}&latlng={}, {}'.
        response = requests.get(url).json()
        if verbose:
            print('Google Maps API JSON result =>', response)
        results = response['results']
        address = results[0]['formatted_address']
        return address
    except:
        return None

addr = get_address(google_api_key, center[0], center[1])
print('Reverse geocoding check')
print('  --------------------------------')
print('Address of [{}, {}] is: {}'.format(center[0], center[1], addr))
```

```
Reverse geocoding check
-----------------------
Address of [40.7282239, -73.7948516] is: Virginia Cheriton, Fresh Meadows, NY 11366, USA
```

```python
In [9]: print('Obtaining location addresses: ', end='')
        addresses = []
        cou = 0
        for lat, lon in zip(latitudes, longitudes):
            address = get_address(google_api_key, lat, lon)
            if address is None:
                address = 'NO ADDRESS'
            address = address.replace(', USA', '') # We don't need country part of address
            addresses.append(address)
            print(' .', end='')
            if cou > 5:
                break
            cou += 1
        print(' done.')
```

```
Obtaining location addresses: .............. done.
```

```python
In [14]: pd.DataFrame({'Address': addresses,
                       'Latitude': latitudes[:len(addresses)],
                       'Longitude': longitudes[:len(addresses)],
                       'X': xs[:len(addresses)],
                       'Y': ys[:len(addresses)],
                       'Distance from center': distances_from_center[:len(address
```

```
Out[14]:                                     Address   Latitude  Longitude  \
        0      93-46 210th Pl, Queens Village, NY 11428  40.716520 -73.751049
        1              211-30 90th Ct, Jamaica, NY 11428  40.720054 -73.750895
        2      89-28 213th St, Queens Village, NY 11427  40.723589 -73.750740
```

5

```
3      214-46 Whitehall Terrace, Jamaica, NY 11427   40.727124 -73.750586
4  218-17 Grand Central Pkwy, Jamaica, NY 11427   40.730659 -73.750431
5         220-24 Hartland Ave, Jamaica, NY 11427   40.734194 -73.750276
6             220-72 77th Ave, Flushing, NY 11364   40.737730 -73.750122

              X             Y  Distance from center
0 -5.820665e+06  9.836718e+06           5992.495307
1 -5.820065e+06  9.836718e+06           5840.376700
2 -5.819465e+06  9.836718e+06           5747.173218
3 -5.818865e+06  9.836718e+06           5715.767665
4 -5.818265e+06  9.836718e+06           5747.173218
5 -5.817665e+06  9.836718e+06           5840.376700
6 -5.817065e+06  9.836718e+06           5992.495307
```

```python
In [ ]: df = pd.DataFrame({ Address : addresses,
                            Latitude : latitudes,
                            Longitude : longitudes,
                            X : xs,
                            Y : ys,
                            Distance from center : distances_from_center})

        df.head(10)
```

1.5 Get Food Category And School Information

Get the food category and the school information about Queens center by using FourSquare API.

```python
In [15]: LIMIT = 500 # limit of number of venues returned by Foursquare API
         radius = 2000 # define radius
         CLIENT_ID = ""
         CLIENT_SECRET = ""
         VERSION = 20181020
         categoryFood = "4d4b7105d754a06374d81259"
         categorySchool = "4bf58dd8d48988d13d941735"
```

```python
In [16]: def getNearbyVenues(name, latitude, longitude, radius=2000, category=""):
             url = https://api.foursquare.com/v2/venues/search?&radius={}& .format(radius)
             expand_infor = "client_id={}&client_secret={}&v={}&ll={}, {}&limit={}".format(
                 CLIENT_ID, CLIENT_SECRET, VERSION, latitude, longitude, LIMIT
             )

             if category:
                 category_infor = "&categoryId={}".format(category)
             else:
                 category_infor = ""
             # merge the url
             url = url + expand_infor + category_infor
```

```
          # extract infromation
          response =requests.get(url).json()

          return response

In [ ]: # use the api to get category food
        df["CategoryFood"] = df.apply(lambda x: getNearbyVenues(
              x["Address"], x["Latitude"], x["Longitude"], category=categoryFood
        ), axis=1)

In [ ]: # use the api to get school infor
        df["CategorySchool"] = df.apply(lambda x: getNearbyVenues(
              x["Address"], x["Latitude"], x["Longitude"], category=categorySchool
        ), axis=1)
```

1.6   Parse School Information & Food Information

Next step, we want get the number of food category and the number of school

```
In [20]: def get_category(x, target="category"):
            """

            parameters:
            ----------
            target: string, default category
                Choose target information. Like category, name, location
            """
            information = dict(
                Name = [],
                Location = [],
                Category = []
                )
            x = json.loads(x)
            if "response" not in x or "venues" not in x["response"]:
                return np.nan
            for item in x["response"]["venues"]:
                name = item["name"]
                location = (item["location"]["lat"], item["location"]["lng"])
                category = item["categories"][0]["name"]

                if name and location and category:
                    information["Name"].append(name)
                    information["Location"].append(location)
                    information["Category"].append(category)
            if target == "category":
                return information["Category"]
            elif target == "name":
                return information["Name"]
            elif target == "location":
                return information["Location"]
```

```
         elif target in ["all", ""]:
             return information

In [21]: df["FoodInformation"] = df.CategoryFood.apply(get_category, target="all")
         df["SchoolInformation"] = df.CategorySchool.apply(get_category, target="all")

In [22]: df.head(2)

Out[22]:                                        Address    Latitude  Longitude  \
         0  93-46 210th Pl, Queens Village, NY 11428  40.716520 -73.751049
         1          211-30 90th Ct, Jamaica, NY 11428  40.720054 -73.750895

                       X             Y  Distance from center  \
         0 -5.820665e+06  9.836718e+06           5992.495307
         1 -5.820065e+06  9.836718e+06           5840.376700

                                           CategoryFood  \
         0  {"meta": {"code": 200, "requestId": "5cb1bc00f...
         1  {"meta": {"code": 200, "requestId": "5cb1bc00d...

                                           CategorySchool  \
         0  {"meta": {"code": 200, "requestId": "5caa2f4cd...
         1  {"meta": {"code": 200, "requestId": "5caa2f4dd...

                                           FoodInformation  \
         0  {·Name·: [·Dunkin··, ·Dunkin· Donuts/Baskin Ro...
         1  {·Name·: [·Baskin Robbins·, ·Dunkin· Donuts/Ba...

                                           SchoolInformation  ...  \
         0  {·Name·: [·Queens Satellite Highschool·, ·Path...   ...
         1  {·Name·: [·Queens Satellite Highschool·, ·Path...   ...

            Vegetarian / Vegan Restaurant  New American Restaurant  Chinese Restaurant  \
         0                              0                        0                   5
         1                              0                        0                   4

            Tapas Restaurant  Indian Restaurant  Dumpling Restaurant  Halal Restaurant  \
         0                 0                  0                    0                 0
         1                 0                  0                    0                 1

            High School  Elementary School  Szechuan Restaurant
         0            8                  0                    0
         1            7                  0                    0

         [2 rows x 51 columns]

In [24]: foodtype = set()
         for i in df.FoodInformation:
             if pd.notna(i):
```

```python
            try:
                i = json.loads(i)
            except:
                foodtype.update(set(i["Category"]))
```

In [26]:
```python
foodtype = pd.Series(list(foodtype))
for column in foodtype[foodtype.str.contains("Restaurant", case=False)]:
    try:
        df[column] = df.FoodInformation.apply(json.loads).apply(lambda x: x["Category"]
                                                                if pd.notna(x) else 0)
    except:
        df[column] = df.FoodInformation.apply(lambda x: x["Category"].count(column)
                                                                if pd.notna(x) else 0)
```

In [27]:
```python
schooltype = set()
for i in df.SchoolInformation:
    if pd.notna(i):
        try:
            i = json.loads(i)
            schooltype.update(set(i["Category"]))
        except:
            schooltype.update(set(i["Category"]))
```

In [28]:
```python
schooltype = pd.Series(list(schooltype))
for column in schooltype[schooltype.str.contains("College|Elementary|School|University"
    try:
        df[column] = df.SchoolInformation.apply(json.loads).apply(lambda x:
                                                    x["Category"].count(c
    except:
        df[column] = df.SchoolInformation.apply(lambda x: x["Category"].count(column) i
```

In [29]:
```python
schooltype
```

Out[29]:
```
0           High School
1     Elementary School
2             Cafeteria
dtype: object
```

In [30]:
```python
df.head(2)
```

Out[30]:
```
                                Address    Latitude  Longitude  \
0  93-46 210th Pl, Queens Village, NY 11428  40.716520 -73.751049
1          211-30 90th Ct, Jamaica, NY 11428  40.720054 -73.750895


              X             Y  Distance from center\ 0
-5.820665e+06    9.836718e+06  5992.495307
1 -5.820065e+06   9.836718e+06          5840.376700


                                    CategoryFood  \
```

```
0   {"meta": {"code": 200, "requestId": "5cb1bc00f...
1   {"meta": {"code": 200, "requestId": "5cb1bc00d...

                                   CategorySchool  \
0   {"meta": {"code": 200, "requestId": "5caa2f4cd...
1   {"meta": {"code": 200, "requestId": "5caa2f4dd...

                                  FoodInformation  \
0   {·Name·: [·Dunkin··, ·Dunkin· Donuts/Baskin Ro...
1   {·Name·: [·Baskin Robbins·, ·Dunkin· Donuts/Ba...

                                SchoolInformation  ...  \
0   {·Name·: [·Queens Satellite Highschool·, ·Path...  ...
1   {·Name·: [·Queens Satellite Highschool·, ·Path...  ...

    Vegetarian / Vegan Restaurant  New American Restaurant  Chinese Restaurant  \
0                               0                        0                   5
1                               0                        0                   4

    Tapas Restaurant  Indian Restaurant  Dumpling Restaurant  Halal Restaurant  \
0                  0                  0                    0                 0
1                  0                  0                    0                 1

    High School  Elementary School  Szechuan Restaurant
0             8                  0                    0
1             7                  0                    0

[2 rows x 51 columns]
```

```
In [ ]: # store data
        if False:
            df.to_csv("./data/data.csv", index=False)
```

1.7   Display Information

Before we cluter the 364 location, we need to explore the school and the food category. We map the information on the map, so that we can explore the food and the school information clearly

```
In [31]: restaurant = df[
            df.columns[df.columns.str.contains("Restaurant", case=False)]
        ].sum()

        restaurant.sort_values().plot(kind="barh", figsize=(12, 8))
        plt.title("Total Number Of Different Restaurant Type", loc="left", fontsize=20)
        plt.show()
```

10

Total Number Of Different Restaurant Type

Total Number Of Different Restaurant Type

```
In [33]: school = df[["High School", "Elementary School"]].sum()

In [34]: school

Out[34]: High School          4731
         Elementary School      32
         dtype: int64

In [35]: school.sort_values().plot(kind="bar", figsize=(10, 8), rot=0)
         plt.title("Total Number Of Different School", loc="left", fontsize=20)
         plt.show()
```

Total Number Of Different School



```
In [36]: df["AllRestarant"] = df[
             df.columns[df.columns.str.contains("Restaurant", case=False)]
         ].sum(axis=1)

In [37]: df["AllSchool"] = df[["High School", "Elementary School"]].sum(axis=1)

In [38]: _, ax = plt.subplots(figsize=(10, 5))
         sns.distplot(df.AllRestarant, ax=ax, hist_kws={"color":"red", "alpha":.2}, bins=20)

         ax.set_title("Distribution About Amount Of Restaurant", loc="left", fontsize=13)
         ax.set_xlabel("# Restaurant")
         plt.show()
```

/home/jupyterlab/conda/lib/python3.6/site-packages/scipy/stats/stats.py:1713: FutureWarning: Usi
  return np.add.reduce(sorted[indexer] * weights, axis=axis) / sumval

Distribution About Amount Of Restaurant

We can find some information, like that the fast food restaurant is main type in the Queens center, and the second type is the Chinese restaurant. Top 3 restaurant: * Fast Food Restaurant * Chinese Restaurant * American Restaurant

Besides, there are between 20 and 25 restaurants at most candidate location.

```
In [39]: _, ax = plt.subplots(figsize=(10, 5))
         sns.distplot(df.AllSchool, ax=ax, hist_kws={"color":"red", "alpha":.2}, bins=20)

         ax.set_title("Distribution About Amount Of School", loc="left", fontsize=13)
         ax.set_xlabel("# School")
         plt.show()
```


Distribution About Amount Of School

1.7.1 School Information

There are two type of schools, elementary school and high school. And hight school is the major type. Most candidate location has less five schools.

1.8 Map Information

```
In [41]: foodlocation = []
         for i in df["FoodInformation"]:
             if pd.notna(i):
                 try:
                     i = json.loads(i)
                     foodlocation += i["Location"]
                 except:
                     foodlocation += i["Location"]
```

```
In [42]: center
```

```
Out[42]: [40.7282239, -73.7948516]
```

```
In [60]: map_init = folium.Map(location=center, zoom_start=13.48, tiles="CartoDB dark_matter")
         folium.Marker(center, popup='Queens Food').add_to(map_init)
         # # add markers to map
         # label = ' {} '.format(addr)
         # label = folium.Popup(label, parse_html=True)
         # # folium.Marker(center, popup=label).add_to(map_init)

         for lat, lon, sc, ar in zip(df["Latitude"], df["Longitude"], df["AllSchool"], df["AllRe
         #     if sc != 0:
         #         folium.CircleMarker([lat, lon], radius=sc * .2, fill=True,
         #                             fill_color="blue", fill_opacity=.3).add_to(map_init)
             if ar != 0:
                 folium.CircleMarker([lat, lon], radius=ar * .2, fill=True, color="red",
                                     fill_color="red", fill_opacity=.8).add_to(map_init)
         #     label = ' School:{}\nRestaurant:{} '.format(sc, ar)
         #     label = folium.Popup(label, parse_html=True)
         #     folium.Marker([lat, lon], popup=label).add_to(map_init)

         map_init
```

```
Out[60]: <folium.folium.Map at 0x7fd054349a58>
```

```
In [58]: map_init = folium.Map(location=center, zoom_start=13.48, tiles="CartoDB dark_matter")
         folium.Marker(center, popup='Queens Schools').add_to(map_init)
         # # add markers to map
         # label = ' {} '.format(addr)
```

14

```
        # label = folium.Popup(label, parse_html=True)
        # # folium.Marker(center, popup=label).add_to(map_init)

        for lat, lon, sc, ar in zip(df["Latitude"], df["Longitude"], df["AllSchool"], df["AllRe
            if sc != 0:
                folium.CircleMarker([lat, lon], radius=sc * .2, fill=True, color="blue",
                                    fill_color="blue",  fill_opacity=.8).add_to(map_init)
        #     if ar != 0:
        #         folium.CircleMarker([lat, lon], radius=ar * .2, fill=True, color="red",
        #                             fill_color="red", fill_opacity=.8).add_to(map_init)
        #     label = ·School:{}\nRestaurant:{}·.format(sc, ar)
        #     label = folium.Popup(label, parse_html=True)
        #     folium.Marker([lat, lon], popup=label).add_to(map_init)

        map_init
```

Out[58]: <folium.folium.Map at 0x7fd054a519b0>

In [61]: df.columns

Out[61]: Index([Address , Latitude , Longitude , X , Y , Distance from center ,
                CategoryFood , CategorySchool , FoodInformation ,
                SchoolInformation , Thai Restaurant , Mediterranean Restaurant ,
                Cantonese Restaurant , Sushi Restaurant , Latin American Restaurant ,
                Mexican Restaurant , Southern / Soul Food Restaurant ,
                American Restaurant , Filipino Restaurant ,
                Cajun / Creole Restaurant , Korean Restaurant ,
                Fast Food Restaurant , Spanish Restaurant , Caribbean Restaurant ,
                Italian Restaurant , Vietnamese Restaurant , Taiwanese Restaurant ,
                Asian Restaurant , South American Restaurant , Ramen Restaurant ,
                Middle Eastern Restaurant , Seafood Restaurant , Hotpot Restaurant ,
                Shanghai Restaurant , Japanese Restaurant , Empanada Restaurant ,
                Greek Restaurant , Restaurant , Dim Sum Restaurant ,
                Kosher Restaurant , African Restaurant ,
                Vegetarian / Vegan Restaurant , New American Restaurant ,
                Chinese Restaurant , Tapas Restaurant , Indian Restaurant ,
                Dumpling Restaurant , Halal Restaurant , High School ,
                Elementary School , Szechuan Restaurant , AllRestarant ,
                AllSchool],
               dtype= object)

In [62]: train_data = df.drop(["Address", "CategoryFood", "Latitude",
                               · Longitude , X , Y , Fast Food Restaurant ,
                               "CategorySchool", "FoodInformation",
                               "SchoolInformation", ·High School·], axis=1).copy()

In [63]: train_data.head(2)

Out[63]:   Distance from center Thai Restaurant Mediterranean Restaurant \
        0   5992.495307   0   0
```

```
1                   5840.376700                    0                                0

        Cantonese Restaurant   Sushi Restaurant  Latin American Restaurant  \
0                          0                  2                            1
1                          0                  2                            1

        Mexican Restaurant   Southern / Soul Food Restaurant   American Restaurant  \
0                        2                                 1                       0
1                        2                                 1                       0

        Filipino Restaurant  ...   New American Restaurant  Chinese Restaurant  \
0                         0 ...                          0                    5
1                         0 ...                          0                    4

        Tapas Restaurant  Indian Restaurant  Dumpling Restaurant  Halal Restaurant  \
0                       0                  0                    0                  0
1                       0                  0                    0                  1

        Elementary School  Szechuan Restaurant  AllRestarant  AllSchool
0                       0                    0            26          8
1                       0                    0            24          7

[2 rows x 42 columns]
```

1.9 Scale the data

The feature `Distance from center` are large value, so we use the `StandardScaler` method to scale the value

```
In [64]: from sklearn.preprocessing import Normalizer, normalize, StandardScaler, MinMaxScaler,

In [66]: norm = StandardScaler()
         train_data[["Distance from center", "AllRestarant"]] = \
            norm.fit_transform(train_data[["Distance from center", "AllRestarant"]])
```

```
/home/jupyterlab/conda/lib/python3.6/site-packages/sklearn/preprocessing/data.py:625: DataConver
  return self.partial_fit(X, y)
/home/jupyterlab/conda/lib/python3.6/site-packages/sklearn/base.py:462: DataConversionWarning:
  return self.fit(X, **fit_params).transform(X)
```

```
In [67]: train_data.head(2)

Out[67]:    Distance from center  Thai Restaurant  Mediterranean Restaurant  \
         0              1.400281                0                         0
         1              1.292965                0                         0

            Cantonese Restaurant  Sushi Restaurant  Latin American Restaurant  \
         0                     0                 2                          1
```

16

1	0	2	1

	Mexican Restaurant	Southern / Soul Food Restaurant	American Restaurant \
0	2	1	0
1	2	1	0

	Filipino Restaurant	...	New American Restaurant	Chinese Restaurant \
0	0	...	0	5
1	0	...	0	4

	Tapas Restaurant	Indian Restaurant	Dumpling Restaurant	Halal Restaurant \
0	0	0	0	0
1	0	0	0	1

	Elementary School	Szechuan Restaurant	AllRestarant	AllSchool
0	0	0	1.098931	8
1	0	0	0.673840	7

[2 rows x 42 columns]

1.10 Reduce Dimension

We can create the principle component.

```
In [68]: from sklearn.decomposition import PCA

In [69]: pca = PCA(n_components=6)
         pca.fit(train_data)

Out[69]: PCA(copy=True, iterated_power='auto', n_components=6, random_state=None,
           svd_solver='auto', tol=0.0, whiten=False)

In [70]: pca.explained_variance_ratio_

Out[70]: array([0.70486607, 0.09790623, 0.05607952, 0.03650603, 0.02465284,
                0.01479757])

In [71]: def pca_results(good_data, pca):
             '''
             Create a DataFrame of the PCA results
             Includes dimension feature weights and explained variance
             Visualizes the PCA results
             '''

             # Dimension indexing
             dimensions = dimensions = ['Dimension {}'.format(i) for i in range(1,len(pca.compon

             # PCA components
             components = pd.DataFrame(np.round(pca.components_, 4), columns = list(good_data.ke
```

17

```python
        components.index = dimensions

        # PCA explained variance
        ratios = pca.explained_variance_ratio_.reshape(len(pca.components_), 1)
        variance_ratios = pd.DataFrame(np.round(ratios, 4), columns = ['Explained Variance'
        variance_ratios.index = dimensions

        # Create a bar plot visualization
        fig, ax = plt.subplots(figsize = (14,8))

        # Plot the feature weights as a function of the components
        components.plot(ax = ax, kind = 'bar');
        ax.set_ylabel("Feature Weights")
        ax.set_xticklabels(dimensions, rotation=0)


        # Display the explained variance ratios
        for i, ev in enumerate(pca.explained_variance_ratio_):
            ax.text(i-0.40, ax.get_ylim()[1] + 0.05, "Explained Variance\n    %.4f"%(ev))

        # Return a concatenated DataFrame
        return pd.concat([variance_ratios, components], axis = 1)

In [72]: pca_result = pca_results(train_data, pca)
```

Explained Variance 0.7049 | Explained Variance 0.0979 | Explained Variance 0.0561 | Explained Variance 0.0365 | Explained Variance 0.0247 | Explained Variance 0.0148

Legend:
- Distance from center
- Thai Restaurant
- Mediterranean Restaurant
- Cantonese Restaurant
- Sushi Restaurant
- Latin American Restaurant
- Mexican Restaurant
- Southern / Soul Food Restaurant
- American Restaurant
- Filipino Restaurant
- Cajun / Creole Restaurant
- Korean Restaurant
- Spanish Restaurant
- Caribbean Restaurant
- Italian Restaurant
- Vietnamese Restaurant
- Taiwanese Restaurant
- Asian Restaurant
- South American Restaurant
- Ramen Restaurant
- Middle Eastern Restaurant
- Seafood Restaurant
- Hotpot Restaurant
- Shanghai Restaurant
- Japanese Restaurant
- Empanada Restaurant
- Greek Restaurant
- Restaurant
- Dim Sum Restaurant
- Kosher Restaurant
- African Restaurant
- Vegetarian / Vegan Restaurant
- New American Restaurant
- Chinese Restaurant
- Tapas Restaurant
- Indian Restaurant
- Dumpling Restaurant
- Halal Restaurant
- Elementary School
- Szechuan Restaurant
- AllRestarant
- AllSchool

```
In [73]: g = sns.JointGrid("Dimension 1", "Dimension 2", height=10, data=
                  pd.DataFrame(np.round(pca.transform(train_data), 4),
                      columns = pca_result.index.values))
         g = g.plot_joint(sns.kdeplot, cmap="Blues", shade=True)
         g = g.plot_marginals(sns.kdeplot, shade=True)
```

/home/jupyterlab/conda/lib/python3.6/site-packages/scipy/stats/stats.py:1713: FutureWarning: Usi
  return np.add.reduce(sorted[indexer] * weights, axis=axis) / sumval

1.11 Create Cluster

We want to explore the number of cluster. So we use the KMeans algorithm to create model. Now we must check out how many clusters in the 364 candidate locations. In early step, we find that maybe there are four cluster about the two main principle.

```
In [74]: from sklearn.metrics import silhouette_samples, silhouette_score

         import matplotlib.pyplot as plt
         #import matplotlib.cm as cm
         import numpy as np

In [75]: from sklearn.model_selection import train_test_split
```

```
In [76]: train, test = train_test_split(pca.transform(train_data)[:, :2], test_size=.02, random_

In [77]: def create_cluster(data, n, validate_data=None):
             clusterer = KMeans(random_state=42, n_clusters=n)

             clusterer.fit(data)
             preds = clusterer.predict(data)

             # TODOcluseter Center
             centers = clusterer.cluster_centers_

             # TODOpredict
             sample_preds = clusterer.predict(validate_data)

             # TODOmean silhouette coefficient
             score = silhouette_score(data, preds)

             print("The %d clusters of KMeans, the score is %.3f" % (n, score))
             return clusterer, centers, preds, score, sample_preds

In [86]: k = []
         tem = []
         final_score = 0
         for i in range(2, 10):
             _, centers, preds, score, validate_preds = create_cluster(train, i, test)
             k.append(i)
             tem.append(score)
             if final_score == 0 or final_score <= score:
                 final_score = score
                 final_preds = preds
                 final_centers = centers
                 sample_preds = validate_preds

The 2 clusters of KMeans, the score is 0.558
The 3 clusters of KMeans, the score is 0.515
The 4 clusters of KMeans, the score is 0.568
The 5 clusters of KMeans, the score is 0.551
The 6 clusters of KMeans, the score is 0.559
The 7 clusters of KMeans, the score is 0.496
The 8 clusters of KMeans, the score is 0.481
The 9 clusters of KMeans, the score is 0.457


In [79]: def cluster_results(reduced_data, preds, centers, pca_samples):
             '''
             Visualizes the PCA-reduced cluster data in two dimensions
             Adds cues for cluster centers and student-selected sample data
             '''
```

```
        predictions = pd.DataFrame(preds, columns = [ Cluster ])
        plot_data = pd.concat([predictions, pd.DataFrame(reduced_data,
                                                columns=["Dimension 1", "Dimension

        # Generate the cluster plot
        fig, ax = plt.subplots(figsize = (14,8))

        # Color map
        cmap = cm.get_cmap( gist_rainbow )

        # Color the points based on assigned cluster
        for i, cluster in plot_data.groupby( Cluster ):
            cluster.plot(ax = ax, kind = scatter , x = Dimension 1 , y = Dimension 2 , \
                        color = cmap((i)*1.0/(len(centers)-1)), label = Cluster %i %(i),

        # Plot centers with indicators
        for i, c in enumerate(centers):
            ax.scatter(x = c[0], y = c[1], color = white , edgecolors = black , \
                        alpha = 1, linewidth = 2, marker = o , s=200);
            ax.scatter(x = c[0], y = c[1], marker= $%d$ %(i), alpha = 1, s=100);

        # Plot transformed sample points
        ax.scatter(x = pca_samples[:,0], y = pca_samples[:,1], \
                    s = 150, linewidth = 4, color = black , marker = x );

        # Set plot title
        ax.set_title("Cluster Learning on PCA-Reduced Data - Centroids Marked by Number\n \
            Transformed Sample Data Marked by Black Cross");

In [80]: cluster_results(train, final_preds, final_centers, test)
```

Cluster Learning on PCA-Reduced Data - Centroids Marked by Number
Transformed Sample Data Marked by Black Cross

In [81]: kclusters = 4
         clusterer = KMeans(n_clusters=kclusters, random_state=42)
         cluster_labels=clusterer.fit_predict(pca.transform(train_data))
         train_data["Cluster"] = cluster_labels

In [82]: train_data.head(2)

Out[82]:   Distance from center Thai Restaurant Mediterranean Restaurant \
         0   1.400281   0   0
         1   1.292965   0   0

            Cantonese Restaurant Sushi Restaurant Latin American Restaurant \
         0   0   2   1
         1   0   2   1

            Mexican Restaurant Southern / Soul Food Restaurant American Restaurant \
         0   2   1   0
         1   2   1   0

            Filipino Restaurant ... Chinese Restaurant Tapas Restaurant \
         0   0 ...   5   0
         1   0 ...   4   0

            Indian Restaurant Dumpling Restaurant Halal Restaurant \
         0   0   0   0

23

	1		0		0		1

	Elementary School	Szechuan Restaurant	AllRestarant	AllSchool	Cluster
0	0	0	1.098931	8	2
1	0	0	0.673840	7	2

[2 rows x 43 columns]

1.12 Results and Discussion

```
In [88]: map_init = folium.Map(location= center, zoom_start=13, tiles="CartoDB dark_matter")
         import matplotlib.colors as colors
         # set color scheme for the clusters
         x = np.arange(kclusters)
         colors_array = cm.rainbow(np.linspace(0, 1, kclusters))
         rainbow = [colors.rgb2hex(i) for i in colors_array]

         # add markers to the map
         markers_colors = []
         for lat, lon, cluster in zip(df[ Latitude ], df[ Longitude ], train_data[ Cluster ]):
             folium.CircleMarker(
                 [lat, lon],
                 radius=3,
         #         popup=label,
                 color=rainbow[cluster-1],
                 fill=True,
                 fill_color=rainbow[cluster-1],
                 fill_opacity=0.7).add_to(map_init)

         map_init

Out[88]: <folium.folium.Map at 0x7fd050111c88>

In [84]: df["Cluster"] = train_data["Cluster"]

In [89]: show_data = df.loc[train_data["Cluster"]== 0]
         fig, ax = plt.subplots(figsize=(12, 8), ncols=2, nrows=1)
         restaurant = show_data[
             show_data.columns[show_data.columns.str.contains("Restaurant", case=False)]
         ].sum()

         restaurant.nlargest(15).sort_values().plot(kind="barh", ax=ax[0])
         ax[0].set_title("Top15 Restaurant", loc="left", fontsize=15)
         restaurant.nsmallest(15).plot(kind="barh", ax=ax[1])
         ax[1].tick_params(labelleft=False, labelright=True, left=False, right=True)
         ax[1].set_title("Bottom15 Restaurant", loc="right", fontsize=15)
         fig.suptitle("Total Number Of Different Restaurant Type In Cluster I",  fontsize=20)
         plt.show()
```

24

Total Number Of Different Restaurant Type In Cluster I

1.12.1 Cluster I Candidate Location

- Fast Restaurant is main type
- Western Restaurants have the largest market
- Eastern Restaurants have the few market

```
In [90]: show_data = df.loc[train_data["Cluster"]== 1]
         fig, ax = plt.subplots(figsize=(12, 8), ncols=2, nrows=1)
         restaurant = show_data[
             show_data.columns[show_data.columns.str.contains("Restaurant", case=False)]
         ].sum()

         restaurant.nlargest(15).sort_values().plot(kind="barh", ax=ax[0])
         ax[0].set_title("Top15 Restaurant", loc="left", fontsize=15)
         restaurant.nsmallest(15).plot(kind="barh", ax=ax[1])
         ax[1].tick_params(labelleft=False, labelright=True, left=False, right=True)
         ax[1].set_title("Bottom15 Restaurant", loc="right", fontsize=15)
         fig.suptitle("Total Number Of Different Restaurant Type In Cluster II", fontsize=20)
         plt.show()
```

1.12.2 Cluster II Candidate Location

- Chinese Restaurant is main type
- Asian Restaurants have the largest market, like Chinese Breakfast restaurant
- Western Restaurants have the few market

```
In [91]: show_data = df.loc[train_data["Cluster"]== 2]
         fig, ax = plt.subplots(figsize=(12, 8), ncols=2, nrows=1)
         restaurant = show_data[
             show_data.columns[show_data.columns.str.contains("Restaurant", case=False)]
         ].sum()

         restaurant.nlargest(15).sort_values().plot(kind="barh", ax=ax[0])
         ax[0].set_title("Top15 Restaurant", loc="left", fontsize=15)
         restaurant.nsmallest(15).plot(kind="barh", ax=ax[1])
         ax[1].tick_params(labelleft=False, labelright=True, left=False, right=True)
         ax[1].set_title("Bottom15 Restaurant", loc="right", fontsize=15)
         fig.suptitle("Total Number Of Different Restaurant Type In Cluster III", fontsize=20)
         plt.show()
```

Total Number Of Different Restaurant Type In Cluster III

1.12.3   Cluster III Candidate Location

- Fast Food Restaurant is main type
- The candidate location has mixture restaurant type.Asian Restaurants and western restaurant are same important type
- the Asian restaurant is lack of variety. The candidate location is a good choice to open an Asian restaurant. Maybe the Chinese Breakfast restaurant is a good idea

```
In [92]: show_data = df.loc[train_data["Cluster"]== 3]
         fig, ax = plt.subplots(figsize=(12, 8), ncols=2, nrows=1)
         restaurant = show_data[
             show_data.columns[show_data.columns.str.contains("Restaurant", case=False)]
         ].sum()

         restaurant.nlargest(15).sort_values().plot(kind="barh", ax=ax[0])
         ax[0].set_title("Top15 Restaurant", loc="left", fontsize=15)
         restaurant.nsmallest(15).plot(kind="barh", ax=ax[1])
         ax[1].tick_params(labelleft=False, labelright=True, left=False, right=True)
         ax[1].set_title("Bottom15 Restaurant", loc="right", fontsize=15)
         fig.suptitle("Total Number Of Different Restaurant Type In Cluster IV", fontsize=20)
         plt.show()
```

Total Number Of Different Restaurant Type In Cluster IV

1.12.4 Cluster IV Candidate Location

- Fast Food Restaurant is main type
- The candidate location has mixture restaurant type.Asian Restaurants and western restaurant are same important type
- the Asian restaurant is lack of variety. The candidate location is a good choice to open an Asian restaurant. But the southeastern Asian restaurant is not a good idea