



1. Evidencia PostgreSQL bd creadas



2. chat_bd tables



3. chat_bd.conversacion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

> Casts

> Catalogs

> Event Triggers

> Extensions

> Foreign Data Wrappers

> Languages

> Publications

> Schemas (1)

> public

> Aggregates

> Collations

> Domains

> FTS Configurations

> FTS Dictionaries

> FTS Parsers

> FTS Templates

> Foreign Tables

> Functions

> Materialized Views

> Operators

> Procedures

> Sequences

> Tables (3)

> Trigger Functions

> Types

> Views

> Subscriptions

chat_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

```
select*from conversacion
```

Data Output

Messages

Notifications

Showing rows: 1 to 1

Page No: 1 of 1

	id [PK] integer	postulacion_id integer	licitador_id integer	pyme_id integer	created_at timestamp without time zone
1	1	1	3	3	2026-10-07 18:25:21.370831

Total rows: 1 Query complete 00:00:00.201 CRLF Ln 1, Col 1

4. chat_bd.mensaje

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

> Casts

> Catalogs

> Event Triggers

> Extensions

> Foreign Data Wrappers

> Languages

> Publications

> Schemas (1)

> public

> Aggregates

> Collations

> Domains

> FTS Configurations

> FTS Dictionaries

> FTS Parsers

> FTS Templates

> Foreign Tables

> Functions

> Materialized Views

> Operators

> Procedures

> Sequences

> Tables (3)

> conversacion

> flyway_schema_history

> mensaje

> Trigger Functions

> Types

> Views

> Subscriptions

chat_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

select*from mensaje

Data Output

Messages

Notifications


Showing rows: 1 to 2

Page No: 1 of 1

	id [PK] integer	conversacion_id integer	emisor_id integer	contenido text	enviado_at timestamp without time zone	leido boolean
1	1	1	6	Hola, coordinemos el inic...	2026-10-07 18:25:23.84663	true
2	2	1	7	Perfecto, quedo atento.	2026-10-07 18:25:33.671059	false

Total rows: 2 Query complete 00:00:00.164 CRLF Ln 1, Col 20

5. licitaciones_bd tables



6. licitaciones_bd.estado_licitacion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Extensions

Foreign Data Wrappers

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1..3 Sequences

Tables (6)

estado_licitacion

estado_postulacion

flyway_schema_history

licitacion

postulacion

tipo_archivo

Trigger Functions

Types

Views

Subscriptions

Properties × SQL × Statistics × Dependencies × Dependents × Processes × licitaciones_bd/postgres@PostgreSQL 18* ×

licitaciones_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad ×

1

`select*from estado_licitacion`

Data Output

Messages

Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	id [PK] integer	nombre character varying (50)
1	1	Abierta
2	2	Cerrada
3	3	Adjudicada

Total rows: 3 Query complete 00:00:00.211 CRLF Ln 1, Col 1

7. licitaciones_bd.estado_postulacion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Extensions

Foreign Data Wrappers

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1..3 Sequences

Tables (6)

estado_licitacion

estado_postulacion

flyway_schema_history

licitacion

postulacion

tipo_archivo

Trigger Functions

Types

Views

Subscriptions

notificaciones_bd

Properties

SQL

Statistics

Dependencies

Dependents

Processes

licitaciones_bd/postgres@PostgreSQL 18*

licitaciones_bd/postgres@PostgreSQL 18

No limit

Query

Query History

Scratch Pad

1

select*from estado_postulacion

Data Output

Messages

Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	id [PK] integer	nombre character varying (50)
1	1	Pendiente
2	2	Aprobada
3	3	Rechazada

Total rows: 3 Query complete 00:00:00.182 CRLF Ln 1, Col 1

8. licitaciones_bd.licitacion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (6)
 - estado_licitacion
 - estado_postulacion
 - flyway_schema_history
 - licitacion
 - postulacion
 - tipo_archivo
 - Trigger Functions
 - Types
 - Views
 - Subscriptions

Properties SQL Statistics Dependencies Dependents Processes licitaciones_bd/postgres@PostgreSQL 18*

licitaciones_bd/postgres@PostgreSQL 18

Query Query History Scratch Pad

1 select*from licitacion

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	id [PK] integer	licitador_id integer	titulo character varying (200)	descripcion text
1	1	2	Soporte técnico TI 1007181640	Servicio de sop
2	2	3	Soporte técnico TI 1007182357	Servicio de sop
3	4	4	Servicio de Consultoría, Desarrollo de Software e Implementación de Soluciones en Power Platform e IA Gener...	Se requiere la c

Total rows: 3 Query complete 00:00:00.182 CR F In 1 Col 1

9. licitaciones_bd.postulacion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

licitaciones_bd

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (6)

estado_licitacion

estado_postulacion

flyway_schema_history

licitacion

postulacion

tipo_archivo

Properties SQL Statistics Dependencies Dependents Processes

licitaciones_bd/postgres@PostgreSQL 18*

licitaciones_bd/postgres@PostgreSQL 18

Query Query History

1 select*from postulacion

Scratch Pad

Data Output Messages Notifications

Showing rows: 1 to 1 of 1

	id [PK] integer	licitacion_id integer	pyme_id integer	mensaje text	fecha_postulacion date	estado_postulacion_id integer	updated_at timestamp without time zone
1	1	2	3	Tenemos experiencia en soporte ...	2026-10-07	2	2026-10-07 18:25:16.53244

Total rows: 1 Query complete 00:00:00.158 CRLF Ln 1, Col 1


10. licitaciones_bd.tipo_archivo

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure for 'licitaciones_bd', with the 'public' schema expanded and the 'tipo_archivo' table selected. The main pane shows the SQL query editor with the query 'select * from tipo_archivo'. Below the editor, the Data Output tab is active, displaying the query results in a table format. The table has two columns: 'id' (integer, primary key) and 'nombre' (character varying (50)). The results show four rows of data.

	id [PK] integer	nombre character varying (50)
1	1	PDF
2	2	DOCX
3	3	XLSX
4	4	Otro

At the bottom of the interface, the status bar indicates 'Total rows: 4', 'Query complete 00:00:00.172', and the current cursor position 'CRLF Ln 1, Col 1'.

11. notificaciones_bd tables



12. notificaciones_bd.notificacion

The screenshot displays the pgAdmin 4 web interface. On the left, the Object Explorer shows the database structure for 'notificaciones_bd', including Schemas, Tables, and Views. The 'public' schema is expanded, showing various database objects. The main panel shows the 'Query' tab with the SQL query: `select*from notificacion`. Below the query editor, the 'Data Output' tab displays the results of the query in a table format. The table has 6 columns: 'id' (integer, PK), 'usuario_id' (integer), 'tipo_notificacion_id' (integer), 'canal' (character varying (20)), and 'created_at' (timestamp without time zone). The results show 4 rows of data.

	id [PK] integer	usuario_id integer	tipo_notificacion_id integer	canal character varying (20)	created_at timestamp without time zone
1	1	6	2	email	2026-10-07 18:25:05.014551
2	2	7	3	email	2026-10-07 18:25:19.643971
3	3	7	6	email	2026-10-07 18:25:27.172232
4	4	6	6	email	2026-10-07 18:25:36.76169

Total rows: 4 Query complete 00:00:00.204 CRLF Ln 1, Col 25

13. notiicaciones_bd.tipo_notificacion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- notificaciones_bd
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (3)
 - flyway_schema_history
 - notificacion
 - tipo_notificacion
 - Trigger Functions
 - Types
 - Views

Properties x SQL x Statistics x Dependencies x Dependents x Processes x notificaciones_bd/postgres@PostgreSQL 18* x

notificaciones_bd/postgres@PostgreSQL 18

Query Query History Scratch Pad x

1 select*from tipo_notificacion

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

	id [PK] integer	nombre character varying (80)
1	1	Licitación publicada
2	2	Postulación recibida
3	3	Postulación aprobada
4	4	Postulación rechazada
5	5	Pago confirmado
6	6	Mensaje nuevo

Total rows: 6 Query complete 00:00:00.167 CRLF Ln 1, Col 1


14. usuarios_bd tables 1

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, with the 'usuarios_bd' database selected. The main pane shows a SQL query: `select*from tipo_notificacion`. The query results are displayed in a table with 6 rows and 2 columns: 'id' (integer, primary key) and 'nombre' (character varying (80)).

	id [PK] integer	nombre character varying (80)
1	1	Licitación publicada
2	2	Postulación recibida
3	3	Postulación aprobada
4	4	Postulación rechazada
5	5	Pago confirmado
6	6	Mensaje nuevo

The bottom status bar indicates 'Total rows: 6' and 'Query complete 00:00:00.167'.

15. usuarios_bd tables 2



16. usuarios_bd.administrador

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, including Schemas (1) and Tables (10). The 'administrador' table is selected. The main pane shows the SQL query editor with the query: `select * from administrador`. The Data Output pane displays the results of the query, showing 3 rows. The status bar at the bottom indicates 'Total rows: 3' and 'Query complete 00:00:00.223'.

Object Explorer:

- foreign data wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
 - pyme
 - region
 - rol
 - rubro
 - tamano_empresa
 - usuario
 - Trigger Functions
 - Tunes

Query:

```
select * from administrador
```

Data Output:

	id [PK] integer	usuario_id integer	nombre character varying (150)	area character varying (150)
1	1	1	Administrador	Administración
2	2	8	Admin de prueba	Operaciones
3	3	7	Pyme ascendida	Soporte

Total rows: 3 Query complete 00:00:00.223 CRLF Ln 1, Col 1

17. usuarios_bd.ciudad

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - 1..3 Sequences
 - Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
 - pyme
 - region
 - rol
 - rubro
 - tamano_empresa
 - usuario
 - Trigger Functions

Query

```
1 select * from ciudad
```

Data Output

	id [PK] integer	nombre character varying (100)	region_id integer
1	1	Arica	1
2	2	Camarones	1
3	3	Putre	1
4	4	General Lagos	1
5	5	Iquique	2
6	6	Alto Hospicio	2
7	7	Pozo Almonte	2
8	8	Camiña	2
9	9	Colchane	2
10	10	Huara	2

Total rows: 346 Query complete 00:00:00.196 CRLF Ln 1, Col 19

18. usuarios_bd.licitador

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
- Columns (12)
 - id integer
 - usuario_id integer
 - razon_social character varying(200)
 - rut character varying(12)
 - nombre_contacto character varying(150)
 - email_contacto character varying(255)
 - telefono character varying(20)
 - rubro_id integer
 - ciudad_id integer
 - descripcion_empresa text
 - sitio_web character varying(255)
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules

usuarios_bd/postgres@PostgreSQL 18

Query Query History

1 select*from licitador

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	integer	usuario_id integer	razon_social character varying (200)	rut character varying (12)	nombre_contacto character varying (150)	email_contacto character varying (255)	telefono character
1	1	2	Empresa lic 1007180004 SpA	29084753-2	Contacto Prueba	licitawatch+licc1007180004@gmail.c...	+56 9 1
2	2	4	Empresa lic 1007181640 Edita...	13880176-4	Contacto Prueba	licitawatch+licc1007181640@gmail.c...	+56 9 1
3	3	6	Empresa lic 1007182357 Edita...	25605010-2	Contacto Prueba	licitawatch+licc1007182357@gmail.c...	+56 9 1
4	4	9	Technology SPA	19501732-8	Pablo Maximiliano Baez God...	Pablo.maximiliano.b97@gmail.com	569817

Total rows: 4 Query complete 00:00:00.184 CRLF Ln 1, Col 22

19. usuarios_bd.pyme

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Materialized Views
- Operators
- Procedures
- 1.3 Sequences
- Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
 - pyme
 - Columns (13)
 - id integer
 - usuario_id integer
 - razon_social character varying(200)
 - rut character varying(12)
 - nombre_contacto character varying(150)
 - email_contacto character varying(255)
 - telefono character varying(20)
 - rubro_id integer
 - ciudad_id integer
 - tamano_empresa_id integer
 - descripcion_empresa text
 - sitio_web character varying(255)
 - updated_at timestamp without time zone
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- region

usuarios_bd/postgres@PostgreSQL 18

Query

```
select * from pyme
```

Data Output

Showing rows: 1 to 4 Page No: 1 of 1

	id [PK] integer	usuario_id integer	razon_social character varying (200)	rut character varying (12)	nombre_contacto character varying (150)	email_contacto character varying (255)	telefono character varying (20)
1		1	3	Empresa pyme 1007180004 S...	11809174-4	Contacto Prueba	licitawatch+pymec1007180004@gmail.c...
2		2	5	Empresa pyme 1007181640 S...	23204519-1	Contacto Prueba	licitawatch+pymec1007181640@gmail.c...
3		3	7	Empresa pyme 1007182357 S...	17767571-7	Contacto Prueba	licitawatch+pymec1007182357@gmail.c...
4		4	10	Innovación pyme	19501732-8	Benito Baez	pab.baez@duocuc.cl

Total rows: 4 Query complete 00:00:00.169

CRF In 1 Col 17

20. usuarios_bd.region

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- 1.3 Sequences
- Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
 - pyme
 - region
 - rol
 - rubro
 - tamano_empresa
 - usuario
- Trigger Functions
- Types
- Views
- Subscriptions
- ventas_bd
- Login/Group Roles
- Tablespaces (2)
 - pg_default
 - pg_global

ard Properties SQL Statistics Dependencies Dependents Processes usuarios_bd/postgres@PostgreSQL 18*

usuarios_bd/postgres@PostgreSQL 18

- No limit

Query Query History

- 1 select*from region

Scratch Pad

Data Output Messages Notifications

- Showing rows: 1 to 16 Page No: 1 of 1

	id [PK] integer	nombre character varying (100)
1	1	Arica y Parinacota
2	2	Tarapacá
3	3	Antofagasta
4	4	Atacama
5	5	Coquimbo
6	6	Valparaíso
7	7	Metropolitana de Santiago
8	8	Libertador General Bernardo O'Higgins
9	9	Maule
10	10	Ñuble

Total rows: 16 Query complete 00:00:00.160 CRLF Ln 1, Col 1

21. usuarios_bd.rol

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- FTS Configurations
- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
 - pyme
 - region
 - rol**
 - rubro
 - tamano_empresa
 - usuario
- Trigger Functions
- Types
- Views
- Subscriptions
- ventas_bd
- Login/Group Roles
- Tablespaces (2)
 - pg_default
 - pg_global

usuarios_bd/postgres@PostgreSQL 18

Query

```
1 select*from rol
```

Data Output

	id [PK] integer	nombre character varying (50)
1	1	Licitador
2	2	Pyme
3	3	Administrador

Total rows: 3 Query complete 00:00:00.188 CRLF Ln 1, Col 16

22. usuarios_bd.rubro

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- FTS Configurations
- FTS Dictionaries
- Aa FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- 1..3 Sequences
- Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
 - pyme
 - region
 - rol
 - rubro
 - tamano_empresa
 - usuario
- Trigger Functions
- Types
- Views
- Subscriptions
- ventas_bd
- Login/Group Roles
- Tablespaces (2)
 - pg_default
 - pg_global

ard Properties SQL Statistics Dependencies Dependents Processes usuarios_bd/postgres@PostgreSQL 18*

usuarios_bd/postgres@PostgreSQL 18

- No limit

Query Query History Scratch Pad

- 1 select*from rubro

Data Output Messages Notifications

- Showing rows: 1 to 4 Page No: 1 of 1

	id [PK] integer	nombre character varying (100)
1	1	Construcción
2	2	Tecnología
3	3	Salud
4	4	Rubro 1007182357

Total rows: 4 Query complete 00:00:00.145 CRLF Ln 1, Col 1

23. usuarios_bd.tamano_empresa

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - 1..3 Sequences
 - Tables (10)
 - administrador
 - ciudad
 - flyway_schema_history
 - licitador
 - pyme
 - region
 - rol
 - rubro
 - tamano_empresa**
 - usuario
 - Trigger Functions

usuarios_bd/postgres@PostgreSQL 18

Query

- 1 `select*from tamano_empresa`

Data Output

Showing rows: 1 to 3 of 1

	id [PK] integer	nombre character varying (50)
1	1	Pequeña
2	2	Mediana
3	3	Grande

Total rows: 3 Query complete 00:00:00.156 CRLF Ln 1, Col 1

24. usuarios_bd.usuario

Object Explorer

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

administrador

ciudad

flyway_schema_history

licitador

pyme

region

rol

rubro

tamano_empresa

usuario

Columns (6)

id integer

email character varying(255)

password character varying(100)

rol_id integer

activo boolean

created_at timestamp without time zone

Constraints

Indexes

RLS Policies

Rules

Triggers

usuarios_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

select * from usuario

Data Output

Messages

Notifications

Showing rows: 1 to 10

Page No: 1 of 1

	id [PK] integer	email character varying (255)	password character varying (100)	rol_id integer	activo boolean	created_at timestamp wi
1	1	admin@licitawatch.local	\$2a\$12\$Gloe/QC1fEnSSNXCEkxj7.zKszQnTkGpK6RKpDRfEN7...	3	true	2026-10-07 1
2	2	licitawatch+lic1007180004@gmail.com	\$2a\$12\$V5TjbSuTkXggFdx2VUKxNeRlvzz3qUWJZ7bS1ymGql6...	1	false	2026-10-07 1
3	3	licitawatch+pyme1007180004@gmail.c...	\$2a\$12\$Xotiy8/p5z.D2dmHyB8azeOgaAM7xz.EZU9GxvaCu.CP...	2	false	2026-10-07 1
4	4	licitawatch+lic1007181640@gmail.com	\$2a\$12\$z5/gLLFZVzgArHO9..pX.OY7dL7Nfut1BsYJWccEkDoK...	1	true	2026-10-07 1
5	5	licitawatch+pyme1007181640@gmail.c...	\$2a\$12\$s9Bt9jpk54Uu1ySr3YHjZehof2NiTcw0.LNwouQC30/Hx...	2	true	2026-10-07 1
6	6	licitawatch+lic1007182357@gmail.com	\$2a\$12\$SrWn5DYKrEkbnIY4i0zpD3.CAKBO4chVim7zjp95w8ZH...	1	true	2026-10-07 1
7	8	licitawatch+adm1007182357@gmail.com	\$2a\$12\$D6iQuEHZvzgyOzjyXP5Y5.IfQ6HwrMfHtIVNfbmebPdM...	3	true	2026-10-07 1
8	7	licitawatch+pyme1007182357@gmail.c...	\$2a\$12\$K6ZVIVYHJ2dUNVJFzYIU.dnvX07jUjSpmmigIzArWLd...	2	true	2026-10-07 1
9	9	pablo.maximiliano.b97@gmail.com	\$2a\$12\$N3FDMTFHXNOXPDPwGrzzeTTX90raZqd.1z2DVHpN...	1	true	2026-10-07 1
10	10	pab...@licita...	\$2a\$12\$D...@M...@licita...	2	true	2026-10-07 1

Servers > PostgreSQL 18 > Databases > usuarios_bd > Schemas > public > Tables > rol


vs: 10

Query complete 00:00:00.161


CRLF

Ln 1, Col 1

25. ventas_bd tables 1



26. ventas_db tables 2



27. ventas_db.estado_pago

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (8)

estado_pago

estado_suscripcion

flyway_schema_history

metodo_pago

pago

plan_suscripcion

suscripcion

venta

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces (2)

pg_default

pg_global

ventas_bd/postgres@PostgreSQL 18

Query Properties SQL Statistics Dependencies Dependents Processes

Query

Query History

Scratch Pad

1

`select * from estado_pago`

Data Output

Messages

Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	id [PK] integer	nombre character varying (50)
1	1	Aprobado
2	2	Rechazado
3	3	Pendiente

Successfully run. Total query runtime: 208 msec. 3 rows affected.

28. ventas_db.estado_suscripcion

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (8)

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces (2)

pg_default

ventas_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

```
select*from estado_suscripcion
```

Data Output

Messages

Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	id [PK] integer	nombre character varying (50)
1	1	Activa
2	2	Vencida
3	3	Cancelada

29. ventas_db.metodo_pago

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (8)

estado_pago

estado_suscripcion

flyway_schema_history

metodo_pago

pago

plan_suscripcion

suscripcion

venta

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces (2)

pg_default

pg_global

ventas_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

```
select * from metodo_pago
```

Data Output

Messages

Notifications

Showing rows: 1 to 2

Page No: 1 of 1

	id	nombre
	[PK] integer	character varying (50)
1	1	Crédito
2	2	Débito

Total rows: 2

Query complete 00:00:00.175

CRLF

Ln 1, Col 1

30. ventas_db.pago

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (8)

estado_pago

estado_suscripcion

flyway_schema_history

metodo_pago

pago

plan_suscripcion

suscripcion

venta

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces (2)

pg_default

pg_global

ventas_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

select*from pago

Data Output

Messages

Notifications

SQL

id	venta_id	id_transaccion	metodo_pago_id	estado_pago_id
----	----------	----------------	----------------	----------------

Total rows: 0

Query complete 00:00:00.168

CRLF

Ln 1, Col 1

31. ventas_db.plan_suscripcion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- > Aggregates
- > Collations
- > Domains
- > FTS Configurations
- > FTS Dictionaries
- > Aa FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1..3 Sequences
- ✓ Tables (8)
 - > estado_pago
 - > estado_suscripcion
 - > flyway_schema_history
 - > metodo_pago
 - > pago
 - > plan_suscripcion
 - > suscripcion
 - > venta
- > Trigger Functions
- > Types
- > Views
- > Subscriptions
- > Login/Group Roles
- ✓ Tablespace (2)
 - pg_default
 - pg_global

ventas_bd/postgres@PostgreSQL 18

Query

```
1 select * from plan_suscripcion
```

Data Output

	id [PK] integer	nombre character varying (50)
1	1	Estándar
2	2	Premium

Showing rows: 1 to 2 of 1 Page No: 1

Total rows: 2 Query complete 00:00:00.146 CRLF Ln 1, Col 1

32. ventas_db.suscripcion

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (8)

estado_pago

estado_suscripcion

flyway_schema_history

metodo_pago

pago

plan_suscripcion

suscripcion

venta

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces (2)

pg_default

pg_global

ventas_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

select*from suscripcion

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1 of 1

	id [PK] integer	usuario_id integer	plan_id integer	estado_suscripcion_id integer
1	1	3	1	1
2	2	5	1	1
3	3	7	1	1
4	4	7	2	3
5	5	10	1	1

✓ Successfully run. Total query runtime: 145 msec. 5 rows affected. ✕

Total rows: 5

Query complete 00:00:00.145

CRLF

Ln 1, Col 1

33. ventas_db.venta

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (8)

estado_pago

estado_suscripcion

flyway_schema_history

metodo_pago

pago

plan_suscripcion

suscripcion

venta

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles

Tablespaces (2)

pg_default

pg_global

ventas_bd/postgres@PostgreSQL 18

Query

Query History

Scratch Pad

1

```
select*from venta
```

Data Output

Messages

Notifications

Showing rows: 1 to 1

Page No: 1 of 1

	id [PK] integer	suscripcion_id integer	monto numeric (12,2)	fecha date
1	1	4	24990.00	2026-10-...

Total rows: 1 Query complete 00:00:00.168 CRLF Ln 1. Col 1