

1. The question

Market structure (reform calendar in one paragraph).

Who actually sets the price (NOT a priori CCGT).

Why this matters.

Outcomes we care about, and why.

-
-
-
-

2. Variation across hours: where granularity has economic content

Intuition.

Classifier.

What we see.

-
-
-




Figure 1:

Validation.

3. Variation across firms and technologies: how do CCGTs bid?

The object.

Metric: D_w .

Decomposition: Δp vs Δq .

What we see (post-MTU15-DA, critical hours, CCGT, Oct–Dec 2025).

-
-
-
-




Figure 2:

Operational vs strategic decomposition.

4. The 2025 regulatory shock: blackout and reinforced operation

The blackout (28 April 2025).

What “reforzada” does in practice.

-
-
-

What this lets us claim.

5. Reform windows we use, and outcomes we measure in each Strategy in one sentence.

The reform calendar and our windows.

Reform	Date	Window and why

Outcomes we measure in each window.

Outcome	What it tells us / why it matters

6. MTU15 effect: critical/flat identification (ID15 and DA15)

Strategy. (Gap to write: 3–4 sentences recapping the critical/flat identification — critical hours $\{5, 6, 7, 8, 16, \dots, 22\}$ are where within-hour residual demand varies and MTU15 has economic content; flat hours $\{1, 2, 3\}$ are the within-day control where MTU15 should not matter; the (critical – flat) differential across the reform date isolates the MTU15 effect from any day-level shock that hits both classes proportionally.)

6.1 Specifications

Let u index a unit, d a date, p a market period (hour pre-MTU15, quarter post), h the clock-hour, s the IDA session, T_r the reform date, $\mathcal{C}$ the critical-hour set. All sell-side, in-band $|p_{\text{bid}} - \text{MCP}| \leq 140$ EUR/MWh.

Spec A — per-curve functional outcomes $Y \in \{\sigma_p, N_{\text{eff}}\}$, panel $(u, d, p[, s])$:

$$Y_{u,d,p[,s]} = \alpha + \alpha_u + \delta_d + \gamma_h + \beta \mathbf{1}\{d \geq T_r\} + \theta \mathbf{1}\{d \geq T_r\} \cdot \mathbf{1}\{h \in \mathcal{C}\} + \varepsilon$$

α_u unit FE absorbed by within-unit demeaning; γ_h absorbs the crit-flat baseline; SEs clustered by date. θ is the DiD.

Spec B — aggregate clearing-price DiD, panel $(d, p[, s])$ over the OMIE clearing price P :

$$P_{d,p[,s]} = \alpha + \gamma_h + \beta \mathbf{1}\{d \geq T_r\} + \theta \mathbf{1}\{d \geq T_r\} \cdot \mathbf{1}\{h \in \mathcal{C}\} + \varepsilon$$

Spec C — within-hour dispersion (post-only; pre has one period per hour, SD undefined). For each (unit, date, clock-hour [, session]) with all 4 quarters present:

$$D_{\text{price}}^{(u,d,h)} = \text{sd}_q\{\bar{p}_{u,d,h,q}\}, \quad D_{\text{qty}}^{(u,d,h)} = \frac{\text{sd}_q\{m_{u,d,h,q}\}}{\text{mean}_q\{m_{u,d,h,q}\}},$$

where $\bar{p}_{u,d,h,q}$ is the unit's MW-weighted in-band mean price in quarter q and $m_{u,d,h,q}$ is its in-band MW. Regress on the critical indicator:

$$D^{(u,d,h)} = \alpha + \alpha_u + \delta_d + \theta \mathbf{1}\{h \in \mathcal{C}\} + \varepsilon$$

System-level analog drops the unit dimension and uses the clearing-price SD across the 4 quarters.

6.2 Sample windows (reforzada handled by tight pre/post)

Reform	Pre window	Post window	Reforzada
MTU15-IDA	2024-12-19 → 2025-03-18 (3 mo, ISP15)	2025-03-19 → 2025-04-27 (40 d, clean)	absent both arms
MTU15-DA	2025-07-01 → 2025-09-30 (3 mo)	2025-10-01 → 2025-12-31 (3 mo)	active both arms, level constant

For MTU15-IDA the post-window is pre-blackout (reforzada absent throughout) so θ identifies the MTU15-IDA effect cleanly. For MTU15-DA both arms sit under continuous reforzada (active since 2025-04-28); the DiD critical-flat interaction strips the level shift as long as the reforzada critical-vs-flat differential is stable across the cutover.

6.3 Spec A — per-curve σ_p and N_{eff}

	(1) Price spread σ_p	(2)	(3) Tranche count N_{eff}	(4)
	MTU15-IDA	MTU15-DA	MTU15-IDA	MTU15-DA
Post $\times$ Critical (θ)	1.71*** (0.34)	1.36*** (0.34)	0.10 (0.12)	0.14*** (0.04)
<i>Cell means (raw)</i>				
Pre, crit	8.78	19.13	3.98	3.22
Post, crit	7.52	21.06	5.07	3.58
Pre, flat	11.53	16.34	5.97	3.06
Post, flat	8.84	16.89	7.31	3.28
Unit FE	Yes	Yes	Yes	Yes
Date FE	No	No	No	No
Cluster (date)	Yes	Yes	Yes	Yes
N (curves)	150,350	317,698	150,350	317,698

Notes: Standard errors in parentheses, clustered by date. $*p < 0.10$, $**p < 0.05$, $***p < 0.01$. Unit FE absorbed via within-unit demeaning. Sample: Big-4 (IB/GE/GN/HC) CCGT + Hydro reservoir + Hydro pump-storage sell offers; in-band $|p_{\text{bid}} - \text{MCP}| \leq 140$ EUR/MWh. Critical $h \in \{5, \dots, 8, 16, \dots, 22\}$; flat $h \in \{1, 2, 3\}$; other hours dropped.

Reading. (*Gap. Key points: σ_p DiD positive and significant for BOTH reforms — MTU15 unlocks a wider in-band price ladder in critical hours, the strategic margin granularity creates. N_{eff} DiD: significant only for DA15, suggesting quantity-side fragmentation responds to the DA reform but not detectably to the IDA reform within the 40-day clean window.*)

6.4 Spec B — aggregate clearing-price DiD

	(1) MTU15-IDA	(2)	(3) MTU15-DA	(4)
	B0: no FE	B1: +date FE	B0: no FE	B1: +date FE
Post $\times$ Critical (θ)	-11.32*** (3.72)	-11.18*** (3.75)	+26.70*** (2.51)	+26.70*** (2.54)
<i>Cell means (raw, EUR/MWh)</i>				
Pre, crit	114.0	—	79.4	—
Post, crit	38.3	—	86.9	—
Pre, flat	84.2	—	85.2	—
Post, flat	19.8	—	66.0	—
Date FE	No	Yes	No	Yes
Cluster (date)	Yes	Yes	Yes	Yes
N	8,652	8,652	6,440	6,440

Notes: Outcome: OMIE clearing price (EUR/MWh). Standard errors in parentheses, clustered by date. $*p < 0.10$, $**p < 0.05$, $***p < 0.01$. B0 is the naive DiD with no FE; B1 adds date FE (the post main effect is absorbed; the DiD is identified strictly off within-day crit-vs-flat variation across the cutover, absorbing every common date-level shock — seasonal, gas-price, reforzada drift, weekday). Sample: ID15 from `marginalpibc` (3 sessions $\times$ period); DA15 from `marginalpdbc`.

Seasonality. The pre/post arms span large seasonal transitions (ID15 winter $\rightarrow$ early spring; DA15 summer $\rightarrow$ autumn) and the level changes are correspondingly large. Spec B1 absorbs every common date-level shock via date FE; the DiD is essentially unchanged ($-11.32 \rightarrow -11.18$ ID15; $+26.70 \rightarrow +26.70$ DA15), so the headline numbers are *not* driven by simple date-level seasonality. (*Residual concern, to flag in the prose: a differential seasonal trend in the (crit – flat) differential itself — which date FE does not catch — would still confound the DiD. The standard same-calendar-month robustness against prior years is not directly feasible in the tight windows used here; the cleanest available fallback is the Spec C cross-sectional within-hour dispersion test below, which is post-only and so immune by construction to pre/post seasonal drift.*)

Reading. (*Gap. The headline empirical fact: opposite signs. ID15 — critical-hour IDA prices fell EUR11/MWh more than flat-hour ones after MTU15-IDA (granular intraday absorbed within-hour scarcity, compressing the critical peak). DA15 — critical-hour DA prices rose EUR27/MWh more than flat (granular day-ahead pricing extracted higher rents in scarce quarters; within-hour ladder now realised in the clearing price).*)

6.5 Spec C — within-hour dispersion (post-MTU15 only)

	(1) D_{price} (unit, EUR/MWh)	(2) D_{price} (unit, EUR/MWh)	(3) D_{qty} (unit, CV)	(4) D_{qty} (unit, CV)	(5) SD_{price} (system, EUR/MWh)	(6) SD_{price} (system, EUR/MWh)
	MTU15-IDA	MTU15-DA	MTU15-IDA	MTU15-DA	MTU15-IDA	MTU15-DA
Critical (θ)	0.39*** (0.05)	1.35*** (0.11)	0.024*** (0.003)	0.033*** (0.002)	4.55*** (0.40)	3.97*** (0.37)
<i>Raw means (post-MTU15 only)</i>						
Mean (flat)	0.12	0.21	0.007	0.008	2.50	2.49
Mean (crit)	0.50	1.53	0.031	0.041	7.04	6.46
Ratio crit/flat	4.1 $\times$	7.3 $\times$	4.3 $\times$	4.9 $\times$	2.8 $\times$	2.6 $\times$
Date FE	Yes	Yes	Yes	Yes	Yes	Yes
Unit FE	No	No	No	No	n/a	n/a
Cluster (date)	Yes	Yes	Yes	Yes	Yes	Yes
N	23,797	62,379	23,797	62,379	1,386	1,288

Notes: Cross-sectional regression on the post-MTU15 sample only (pre-MTU15 has one period per hour, so the within-hour SD is undefined). Standard errors in parentheses, clustered by date. Date FE absorbed via within-date demeaning of the outcome and the Critical indicator. $*p < 0.10$, $**p < 0.05$, $***p < 0.01$. Per-unit cells require all 4 within-hour quarters bid; system cells require all 4 quarter clearing prices observed. ID15 post-window: 2025-03-19 to 2025-04-27. DA15 post-window: 2025-10-01 to 2025-12-31.

Reading. (*Gap. The falsification: every within-hour dispersion outcome is 3–7 $\times$ larger in critical than flat hours post-MTU15. This is the direct confirmation that MTU15 unlocks within-hour discrimination only where within-hour residual demand actually varies. The system-level $SD_{\text{price}} \sim \text{EUR}6\text{--}7/\text{MWh}$ in critical hours vs $\sim \text{EUR}2.5$ in flat is the realised cross-quarter clearing-price spread — the empirical face of the unlocked discrimination margin.*)

6.6 Robustness (to add)

(*Gap to write. Planned: extended pre windows (full pre-MTU15-IDA back to 2024-06-14; full pre-MTU15-DA back to 2024-06-14) for sample-length sensitivity; same-calendar-month restriction; per-firm and per-tech*

breakdowns of the DiD (trivial off the existing panel); for DA15, acknowledgement that no clean placebo exists for separating MTU15-DA from reforzada beyond the critical-flat differencing.)