
«adapter»
QtInteractionAdapter
-main_app: Optional[Any]
-_executor: ThreadPoolExecutor
+__init__(main_app: Optional[Any]) : void
+connect_board(board_id: int, params: Dict[str, Any], preset: int) : bool
+disconnect_board(force_ui_update: bool) : bool
+start_stream() : bool
+stop_stream() : bool
+apply_filters(filter_config: Dict[str, Any]) : bool
+calculate_metrics() : bool
+show_brain_map() : bool
+start_recording(filename: str, data_type: str) : bool
+stop_recording() : bool
+add_marker(marker_value: int) : bool
+add_streamer(streamer_params: str) : bool
+remove_streamer(streamer_params: str) : bool
+send_board_config(config_cmd: str) : bool
+convert_to_mne(duration: int) : bool
+plot_mne_visualization(plot_type: str) : bool
+compute_ica(components: int, channel: int) : bool
+compute_wavelet(wavelet_type: int, level: int, channel: int) : bool
+show_status_message(message: str) : bool
+update_visualization_button(enabled: bool) : bool
+get_connection_settings() : Dict[str, Any]
+get_filter_settings() : Dict[str, Any]
+get_recording_settings() : Dict[str, Any]
-_execute_safely(func: Callable[..., T], *args: Any, **kwargs: Any) : T
-_set_combo_by_data(combo: Any, data_value: Any) : void
-_update_all_panels_connection_state(connected: bool) : void
+__del__() : void
extends
uses
uses
uses
uses
throws
uses
uses
main_app
_executor
executes in
controls
«qt5 framework»
QObject
+parent() : QObject
+setParent(parent: QObject) : void
+deleteLater() : void
«qt5 framework»
QApplication
+instance() : QApplication
+thread() : QThread
+processEvents() : void
+quit() : void
«qt5 framework»
QThread
+currentThread() : QThread
+start() : void
+quit() : void
+wait() : bool
+isRunning() : bool
«qt5 framework»
QTimer
+timeout: pyqtSignal
+singleShot(msec: int, slot: Callable) : void
+start(msec: int) : void
+stop() : void
controls
«stdlib»
threading
+Event: Class
+Lock: Class
+current_thread() : Thread
«exception»
TimeoutError
+__init__(message: str) : void
«stdlib»
logging
+info(message: str) : void
+warning(message: str) : void
+error(message: str) : void
+debug(message: str) : void
«stdlib»
typing
+Any
+Callable
+Optional
+TypeVar
+Dict
«main application»
EEGProcessorApp
+connection_panel: ConnectionPanel
+processing_panel: ProcessingPanel
+recording_panel: RecordingPanel
+streaming_panel: StreamingPanel
+mne_panel: MNEPanel
+advanced_panel: AdvancedPanel
+show_status_message(message: str) : void
controls
controls
controls
controls
uses
«concurrent.futures»
ThreadPoolExecutor
+max_workers: int
+thread_name_prefix: str
+submit(func: Callable, *args: Any, **kwargs: Any) : Future
+shutdown(wait: bool) : void
connection_panel
processing_panel
recording_panel
advanced_panel
streaming_panel
mne_panel
synchronizes with
«gui component»
ConnectionPanel
+board_type_combo: QComboBox
+preset_combo: QComboBox
+connect_board() : void
+disconnect_board() : void
+start_stream() : void
+stop_stream() : void
+update_visualization_button(enabled: bool) : void
+get_connection_settings() : Dict[str, Any]
-_update_params_from_dict(params: Dict[str, Any]) : void
-_update_connection_state(connected: bool) : void
«gui component»
ProcessingPanel
+apply_filters() : void
+calculate_metrics() : void
+show_brain_map() : void
+enable_processing(enabled: bool) : void
+get_filter_settings() : Dict[str, Any]
-_update_filter_controls(filter_config: Dict[str, Any]) : void
«gui component»
RecordingPanel
+record_file_edit: QLineEdit
+raw_radio: QRadioButton
+processed_radio: QRadioButton
+both_radio: QRadioButton
+marker_value_spin: QSpinBox
+start_recording() : void
+stop_recording() : void
+add_marker() : void
+enable_recording(enabled: bool) : void
+get_recording_settings() : Dict[str, Any]
«gui component»
AdvancedPanel
+ica_components_spin: QSpinBox
+ica_channel_combo: QComboBox
+wavelet_type_combo: QComboBox
+wavelet_level_spin: QSpinBox
+wavelet_channel_combo: QComboBox
+compute_ica() : void
+compute_wavelet() : void
+enable_processing(enabled: bool) : void
«gui component»
StreamingPanel
+streamers_list: QListWidget
+config_cmd_edit: QLineEdit
+add_streamer(streamer_params: str) : void
+delete_selected_streamer() : void
+send_board_config() : void
+enable_streaming(enabled: bool) : void
«gui component»
MNEPanel
+mne_duration_spin: QSpinBox
+convert_to_mne() : void
+plot_mne_visualization(plot_type: str) : void
+enable_processing(enabled: bool) : void
«threading»
Event
+set() : void
+wait(timeout: Optional[float]) : bool
+clear() : void
+is_set() : bool
ui_controls
selection_combos
record_file_edit
config_cmd_edit
data_type_radios
marker_value_spin
mne_duration_spin
parameter_spins
streamers_list
«qt5 framework»
QComboBox
+count() : int
+itemData(index: int) : Any
+setCurrentIndex(index: int) : void
+currentIndex() : int
+addItem(text: str, userData: Any) : void
«qt5 framework»
QLineEdit
+setText(text: str) : void
+text() : str
+clear() : void
+setEnabled(enabled: bool) : void
«qt5 framework»
QRadioButton
+setChecked(checked: bool) : void
+isChecked() : bool
+setEnabled(enabled: bool) : void
«qt5 framework»
QSpinBox
+setValue(value: int) : void
+value() : int
+setMinimum(min: int) : void
+setMaximum(max: int) : void
+setEnabled(enabled: bool) : void
«qt5 framework»
QListWidget
+count() : int
+item(row: int) : QListWidgetItem
+setCurrentRow(row: int) : void
+addItem(text: str) : void
+takeItem(row: int) : QListWidgetItem
items
«qt5 framework»
QListWidgetItem
+text() : str
+setText(text: str) : void