
InteractionService
-_instance: Optional[InteractionService]
-_lock: threading.Lock
-_components: Dict[str, Any]
-_last_status: Dict[str, Any]
-_initialized: bool
+get_instance() : InteractionService
+__init__() : void
+register_component(component_name: str, component: Any) : void
+get_component(component_name: str) : Any
+initialize(components: Dict[str, Any]) : bool
+get_last_status() : Dict[str, Any]
+start_recording() : bool
+stop_recording() : bool
+toggle_recording() : bool
+is_recording() : bool
+enable_json_logging(enabled: bool) : bool
+enable_csv_logging(enabled: bool, filepath: Optional[str]) : bool
+set_csv_path(filepath: str) : bool
+get_logging_state() : Dict[str, Any]
+get_available_collectors() : List[Dict[str, str]]
+switch_collector(collector_type: str) : bool
+get_current_collector() : Dict[str, Any]
+scan_controllers() : List[Dict[str, Any]]
+connect_controller(index: int) : bool
-_set_status(success: bool, message: str) : void
-_check_initialized() : bool
singleton instance
DataAccessService
-_instance: Optional[DataAccessService]
-_lock: threading.Lock
-_data_lock: threading.Lock
-_metadata_lock: threading.Lock
-_callback_lock: threading.Lock
-_current_event: Optional[InputData]
-_key_events: List[InputData]
-_mouse_movement_events: List[InputData]
-_mouse_button_events: List[InputData]
-_controller_events: List[InputData]
-_active_keys: Set[str]
-_mouse_position: Tuple[float, float]
-_mouse_buttons: Dict[str, bool]
-_metadata: Dict[str, Any]
-_callbacks: List[Optional[Callable]]
-_max_history: int
+get_instance() : DataAccessService
+__init__() : void
+update_data(event: InputData) : void
+update_metadata(metadata: Dict[str, Any]) : void
+get_current_event() : Optional[InputData]
+get_key_events(max_count: Optional[int]) : List[InputData]
+get_mouse_movement_events(max_count: Optional[int]) : List[InputData]
+get_mouse_button_events(max_count: Optional[int]) : List[InputData]
+get_controller_events(max_count: Optional[int]) : List[InputData]
+get_active_keys() : List[str]
+is_key_active(key: str) : bool
+get_mouse_position() : Tuple[float, float]
+get_mouse_button_state(button: str) : bool
+get_metadata() : Dict[str, Any]
+register_callback(callback: Callable[[InputData], None]) : int
+unregister_callback(callback_id: int) : bool
-_notify_callbacks(event: InputData) : void
singleton instance
coordinates
manages
manages
manages
creates/returns
creates/returns
creates/returns
receives/returns
provides
provides
uses for thread safety
uses for synchronization
provides
processes/stores
uses for errors
uses for status
maintains
maintains
uses for timestamps
provides
provides
«external»
AppCoordinator
+is_recording: bool
+edit_mode: bool
+toggle_recording() : void
«external»
LoggingManager
+log_to_json: bool
+log_to_csv: bool
+csv_logger: CSVLogger
+set_json_logging(enabled: bool) : bool
+set_csv_logging(enabled: bool) : bool
«external»
CollectorManager
+get_available_collectors() : List[Dict[str, str]]
+get_current_collector_type() : str
+get_current_collector_capabilities() : Dict[str, Any]
+get_collector(collector_type: str) : Optional[AbstractInputCollector]
+_get_collector_display_name(collector_type: str) : str
«external»
UIManager
+set_csv_path(filepath: str) : void
«dictionary»
ServiceStatus
+success: bool
+message: str
«dictionary»
LoggingState
+json_logging_enabled: bool
+csv_logging_enabled: bool
+csv_path: str
«dictionary»
CollectorInfo
+type: str
+name: str
+capabilities: Dict[str, Any]
«dictionary»
ControllerInfo
+index: int
+name: str
+connected: bool
+guid: str
«service group»
RecordingServices
+start_recording()
+stop_recording()
+toggle_recording()
+is_recording()
«service group»
LoggingServices
+enable_json_logging()
+enable_csv_logging()
+set_csv_path()
+get_logging_state()
«stdlib»
threading
+Lock
+RLock
«service group»
CollectorServices
+get_available_collectors()
+switch_collector()
+get_current_collector()
+scan_controllers()
+connect_controller()
«external»
InputData
+timestamp: float
+event_type: str
+key: Optional[str]
+active_keys: Optional[List[str]]
+mouse_x: Optional[float]
+mouse_y: Optional[float]
+button_pressed: Optional[str]
+direction: Optional[str]
+is_moving: Optional[bool]
«stdlib»
logging
+info(str) : void
+error(str) : void
+log(int, str) : void
«dictionary»
InputMetadata
+collector_type: str
+last_update: float
+is_mouse_moving: bool
+mouse_direction: Optional[str]
+controller_connected: bool
+controller_name: str
«dictionary»
MouseState
+left: bool
+right: bool
+middle: bool
«stdlib»
time
+time() : float
«service group»
DataQueryServices
+get_current_event()
+get_key_events()
+get_mouse_movement_events()
+get_mouse_button_events()
+get_controller_events()
+get_active_keys()
+is_key_active()
+get_mouse_position()
+get_mouse_button_state()
+get_metadata()
«service group»
CallbackServices
+register_callback()
+unregister_callback()