

«external»
AppCoordinator
coordinates
1
«external»
LoggingManager
manages
1
«external»
CollectorManager
manages
1
«external»
UIManager
manages
1
contains
«singleton coordination service»
InteractionService
-_instance: Optional[InteractionService]
-_lock: threading.Lock
-_components: Dict[str, Any]
-_last_status: Dict[str, Any]
-_initialized: bool
+get_instance()
+initialize()
+register_component()
+get_component()
+get_last_status()
+start_recording()
+stop_recording()
+toggle_recording()
+is_recording()
+enable_json_logging()
+enable_csv_logging()
+set_csv_path()
+get_logging_state()
+get_available_collectors()
+switch_collector()
+get_current_collector()
+scan_controllers()
+connect_controller()
«data structure»
ServiceStatus
+success: bool
+message: str
creates
contains
«data structure»
LoggingState
+json_logging_enabled: bool
+csv_logging_enabled: bool
+csv_path: str
creates
«data structure»
CollectorInfo
+type: str
+name: str
+capabilities: Dict[str, Any]
creates
«module package»
ServicesPackage
«data structure»
ControllerInfo
+index: int
+name: str
+connected: bool
+guid: str
receives
«external»
InputData
processes and stores
«singleton data service»
DataAccessService
-_instance: Optional[DataAccessService]
-_lock: threading.Lock
-_data_lock: threading.Lock
-_metadata_lock: threading.Lock
-_callback_lock: threading.Lock
-_current_event: Optional[InputData]
-_key_events: List[InputData]
-_mouse_movement_events: List[InputData]
-_mouse_button_events: List[InputData]
-_controller_events: List[InputData]
-_active_keys: Set[str]
-_mouse_position: Tuple[float, float]
-_mouse_buttons: Dict[str, bool]
-_metadata: Dict[str, Any]
-_callbacks: List[Optional[Callable]]
-_max_history: int
+get_instance()
+update_data()
+update_metadata()
+get_current_event()
+get_key_events()
+get_mouse_movement_events()
+get_mouse_button_events()
+get_controller_events()
+get_active_keys()
+is_key_active()
+get_mouse_position()
+get_mouse_button_state()
+get_metadata()
+register_callback()
+unregister_callback()
«data structure»
InputMetadata
+collector_type: str
+last_update: float
+is_mouse_moving: bool
+mouse_direction: Optional[str]
+controller_connected: bool
+controller_name: str
maintains
«data structure»
MouseState
+left: bool
+right: bool
+middle: bool
maintains