



Diagrama de flujo proyecto programación (SHOW CANGREJA)



UML proyecto programación (SHOW CANGREJA)



Base de datos (CANGREJA) para proyecto programación

```
mysql> use cangreja;
Database changed
mysql> show tables;
+-----+
| Tables_in_cangreja |
+-----+
| baneados            |
| likes               |
| login               |
| usuarios            |
+-----+
4 rows in set (0.00 sec)
```

Tabla baneados

```
mysql> desc baneados;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nombre     | varchar(25)   | NO   |     | NULL    |       |
| edad       | int(11)       | NO   |     | NULL    |       |
| altura     | int(11)       | NO   |     | NULL    |       |
| peso       | int(11)       | NO   |     | NULL    |       |
| ubicacion  | varchar(25)   | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

Tabla Like

```
mysql> desc likes;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nombre     | varchar(25)   | NO   |     | NULL    |       |
| edad       | int(11)       | NO   |     | NULL    |       |
| altura     | int(11)       | NO   |     | NULL    |       |
| peso       | int(11)       | NO   |     | NULL    |       |
| ubicacion  | varchar(25)   | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

Tabla login

```
mysql> desc login;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| usuario    | varchar(25)   | NO   |     | NULL    |       |
| contraseña | varchar(25)   | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

Tabla usuarios

```
mysql> desc usuarios;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nombre     | varchar(25)   | NO   |     | NULL    |       |
| edad       | int(3)        | NO   |     | NULL    |       |
| altura     | int(3)        | NO   |     | NULL    |       |
| peso       | int(3)        | NO   |     | NULL    |       |
| ubicacion  | varchar(25)   | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

Vistas JFrame (Interfaz proyecto proyecto)

Vistas → Login



A screenshot of a login window. The window has a title bar with a small icon on the left and standard minimize, maximize, and close buttons on the right. The main area is light gray and contains two text labels, 'Usuario' and 'Contr...', each followed by a white rectangular input field. Below these fields is a single blue button with the text 'Iniciar ...'.

Usuario

Contr...

Iniciar ...

Vista → Interface



A screenshot of a main interface window. The window has a title bar with a small icon on the left and standard minimize, maximize, and close buttons on the right. The main area is light gray and contains five blue buttons stacked vertically. The buttons are labeled 'Añadir Usuario', 'Modificar Usuario', 'Banear Usuario', 'Eliminar Usuario', and 'Match'.

Añadir Usuario


Modificar Usuario

Banear Usuario

Eliminar Usuario


Match

Vista → Introduccion de usuarios (“añadir ”)



A screenshot of a software window titled "Introduccion de usuarios" (Introduction of users). The window has a standard title bar with a minimize button, a maximize button, and a close button. The main content area is light gray and contains four text input fields arranged in a 2x2 grid. The labels for the fields are "Nombre" (Name), "Edad" (Age), "Altura" (Height), and "Peso" (Weight). Below the input fields, there is a blue button with the text "Introdu..." (Introduce...).

Vista → modificacion de usuarios




A screenshot of a software window titled "modificacion de usuarios" (Modification of users). The window has a standard title bar with a minimize button, a maximize button, and a close button. The main content area is light gray and contains four text input fields. The labels for the fields are "Usuario" (User), "Nombre" (Name), "Edad" (Age), and "Altura" (Height). Below the input fields, there is a blue button with the text "Modific..." (Modify...).

Vista → banear usuarios




A screenshot of a web application window. The window has a title bar with a small icon on the left and three control buttons (minimize, maximize, close) on the right. The main content area is light gray. It contains a label 'Usuario' in bold black text, followed by a white text input field. Below the input field is a blue button with the text 'Banear' in white.

Vista → eliminar usuarios



A screenshot of a web application window. The window has a title bar with a small icon on the left and three control buttons (minimize, maximize, close) on the right. The main content area is light gray. It contains a label 'Usuario' in bold black text, followed by a white text input field. Below the input field is a blue button with the text 'Eliminar' in white.

Vista → Match

— □ ×

Buscar Usua...

Buscar Usua...

Match