

## Pattern for a header match

Copyright © 2017 Chandra Lingam

Write a pattern to capture **Source (Source) and Destination (Dest) Directories** from the header section. In this text,

```
-----  
ROBOCOPY      ::      Robust File Copy for Windows  
-----  
  
Started : Sunday, May 1, 2016 1:59:16 PM  
  
Source : C:\RegularExpressionsWithDotNet\robocopytest\source\தமிழ்\हिन्दी\English  
Dest : C:\RegularExpressionsWithDotNet\robocopytest\destn\  
  
Files : *.*  
  
Options : *.* /BYTES /S /DCOPY:DA /COPY:DAT /NP /R:1000000 /W:30  
-----
```

Named Group **type** should identify **Source** or **Destn**

Directory path needs to be captured in a named group **dir**

For example:

First Match

*Source : C:\RegularExpressionsWithDotNet\robocopytest\source\தமிழ்\हिन्दी\English*

Named Groups should capture

**type:**Source

**dir:**C:\RegularExpressionsWithDotNet\robocopytest\source\தமிழ்\हिन्दी\English

Second Match

Dest : C:\RegularExpressionsWithDotNet\robocopytest\destn\

Named Groups should capture

**type:***Dest*

**dir:***C:\RegularExpressionsWithDotNet\robocopytest\destn\*