
# Spanning Tree Verification Example





#### Verification – show spanning-tree


#### Root Bridge:

```
Acc3#show spanning-tree(vlan
VLAN0001
                                       PVST+
  Spanning tree enabled protocol ieee
 Root ID
             Priority
                         0001.C962.D43D
            Address
             Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec
                         32769 (priority 32768 sys-id-ext 1)
 Bridge ID
            Priority
                         0001.C962.D43D
             Address
                            ec Max Age 20 sec Forward Delay 15 sec
             Aging Time
Interface
                                    Prio.Nbr Type
                 Role Sts Cost
Fa0/21
                 Desq FWD 19
                                    128.21
                                             P2p
                 Desg FWD 19
                                    128.24
                                             P2p
Fa0/24
```



# Spanning Tree Verification Example





# Verification – show spanning-tree






```
CD1#show spanning-tree(vlan
VLAN0001
                                      PVST+
  Spanning tree enabled protocol ieee
                         32769
 Root ID
             Priority
                         0001.C962.D43D
            Address
             Cost
                         24 (FastEthernet0/24)
             Port
             Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec
 Bridge ID
            Priority
                         32769 (priority 32768 sys-id-ext 1)
            Address
                         0090.0CA0.3902
             Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec
             Aging Time
                                    Prio.Nbr Type
nterface
                 Role Sts Cost
                                             P2p
Gi0/2
                 Altn BLK 4
                                    128.26
Fa0/21
                Desg FWD 19
                                    128.21
                                             P2p
Fa0/24
                 Root FWD 19
                                    128.24
                                             P2p
```

# Spanning Tree Verification Example





# Verification – show spanning-tree

Acc4#show spanning-tree vlan 1
VLAN0001

Spanning tree enabled protocol ieee

Root ID

Priority 32769

Address 0001.C962.D43D

Cost 38

Port 24(FastEthernet0/24)

Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec

Bridge ID Priority 32769 (priority 32768 sys-id-ext 1)

Address 0060.708A.D564

Hello Time 2 sec Max Age 20 sec Forward Delay 15 sec

Aging Time 20

Interface	Role	Sts	Cost	Pr	io.Nbr	Туре
Fa0/21	Altn	BLK	19	12	8.21	P2p
Fa0/24	Root	FWD	19 /	12	8.24	P2p